AVISO CONVOCATORIA PÚBLICA
VENTA DIRECTA EN SOBRE CERRADO N. 002 de 2023

OBJETO

El Hospital Federico Lleras Acosta E.S.E., está interesado en recibir propuestas para el proceso de Venda Directa en sobre cerrado, cuyo objeto es la: **Enajenación de bienes muebles inservibles de Propiedad del Hospital Federico Lleras Acosta de Ibagué - Tolima E.S.E. mediante modalidad de Venta directa en sobre cerrado"**.

A. ESPECIFICACIÓN DE LOS BIENES:

Una vez depurada la información de los lotes de equipos industriales contenidos en la resolución 2295 del 31 de agosto de 2023, Por medio de las cuales se materializa el proceso de bajas de los registros contables de los bienes del HOSPITAL FEDERICO LLERAS ACOSTA E.S.E., se logró evidenciar la existencia de los elementos sometidos al presente estudio de evaluación de la siguiente manera:

Placa			DESCRIPCION
104668		6964	PULSOXIMETRO MCA BIOLIGHT MOD. M800 CON ADAPTADOR
1060145046	45046	9156	MICROSCOPIO DE LUX MICROBIOLOGIA
1060145043	45043	9155	MICROSCOPIO BIOCULAR INMUNOSEROLOGIA
1060145752	45752	13731	AGITADOR DE MAZZINI ELECTRONICO
1060145056	45056	8054	ANALIZADOR DE ELECTROLITOS
100565		7249	PESA DIGITAL PARA BEBE
1051031040	31040	7317	PULSOXIMETRO NOVAMETRIX S/77-12155L SRXWN
104664		9187	UPS DE 12 KVA
104666		2415	UPS DE 3 KVA
101835	115511	1867	RADIO MOVIL M-200 1-25 W4CH UNIDAD
1051365765	85765	6384	TANDEN AZUL DE 4 PUESTOS

CONVOCATORIA VENTA DIRECTA EN SOBRE CERRADO N° 002 DE 2023

[illegible]	[illegible]			CALENTADOR DE BANOMI MC WARNER MD AMPÍA S/N 005 27	29/06/2004	1.673.232,94	1.673.232,94	0,00
[illegible]				EQUIPO DIGITAL INSTRUMENTACION por REQUISITO ALTA HI SISTENCIA	18/10/2017	894.362,91	894.362,91	0,00
[illegible]				EQUIPO DIGITAL INSTRUMENTACION por REQUISITO ALTA HI SISTENCIA	18/10/2017	894.362,91	894.362,91	0,00
[illegible]				EQUIPO TOMA SIGNOS VITALES WELCH ALLYN MODELO SPOT LR	29/12/2017	5.394.472,00	[illegible]	[illegible]
[illegible]			11546	FIBROENDOSCOPIO PARA NEUMOLOGIA	13/09/2014	24.371.809,12	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		FLUJOMETROS DE PARED RIAIRE	01/01/2010	168.200,00	50.286,00	[illegible]
[illegible]	[illegible]			HEMOGLOBINOMETRO	12/01/2005	854.972,62	854.972,62	0,00
[illegible]	[illegible]		3602	INCUBADORA ABIERTA DRAGER GAMY 180 PM 8000 S/N ARKK 0003	21/01/1997	2.408.471,29	2.408.471,29	0,00
[illegible]	[illegible]			LARINGOSCOPIO ADULTO WELCH ALLYN	18/05/1998	300.249,40	300.249,40	0,00
[illegible]	[illegible]		13609	MICROCENTRIFUGA DE 24 TUBOS MARCA NUEVINO MOD HN-015	11/07/2005	1.193.642,15	1.193.642,15	0,00
[illegible]	[illegible]		3097	MICROCENTRIFUGA DE 24 TUBOS NUEVINO HN-015	11/07/2005	1.193.642,15	1.193.642,15	0,00
[illegible]	[illegible]		8667	MONITOR DE SIGNOS VITALES INVASIVO DASH 3000	01/01/2004	3.788.099,74	3.788.099,74	0,00
[illegible]	[illegible]		7583	MONITOR DE SIGNOS VITALES NIHON KOHDEN MOD BSM 230 1K S/N 8536	03/03/2004	3.787.797,06	3.787.797,06	0,00
[illegible]			9409	MONITOR MULTIPARAMETROS DE SIGNOS VITALES	26/02/2011	2.705.098,33	2.705.098,33	0,00
[illegible]	[illegible]		10886	MONITOR NIHON KOHDEN LIFE SCOPE MOD. CPV 1500K S/N 01303	06/03/2004	1.180.640,35	1.180.640,35	0,00
[illegible]	[illegible]		11360	MONITOR SIGNOS VITALES C/INVASIVA NIHSM 230 1K S	03/03/2004	3.787.797,06	3.787.797,06	0,00
[illegible]	[illegible]	[illegible]	1244	OFTALMOSCOPIO BINOCULAR INDIRECTO	16/12/2003	1.889.177,82	1.889.177,82	0,00
[illegible]				PIEZA DE MANO RECTA DAJA VITLOCIDAD MCA. N.S.K.	01/06/2012	324.919,91	324.919,91	0,00
[illegible]	[illegible]	[illegible]	[illegible]	PILETA AUTOMATICA DE 5-50 LANDAS	31/12/1995	29.974,90	29.974,90	0,00
[illegible]	[illegible]		10644	NEVERA PLASTICA DE 8 LTS PORTATIL TIPO COLEMAN CN	29/11/1998	49.913,17	49.913,17	0,00
[illegible]	[illegible]	[illegible]		NEVERA PLASTICA DE 8 LTS TIPO COLEMAN	23/03/2006	39.274,27	39.274,27	0,00
[illegible]	[illegible]	[illegible]		NEVERA PLASTICA DE 8 LTS TIPO COLEMAN	23/03/2006	154.200,71	154.200,71	0,00
[illegible]	[illegible]		10606	MULTIMETER COULTER ELECTRONIC SER Y45158	29/04/1991	109.379,13	109.379,13	0,00
[illegible]	[illegible]		2666	NEVERA ATRA DE 291 LTS VERTICAL 1 PUERTA CITER	29/11/2005	586.027,11	586.027,11	0,00
[illegible]	[illegible]		10046	NEVERA DE 10 PIES	17/09/1999	54.873,09	54.873,09	0,00
[illegible]	[illegible]		8561	NEVERA GENERAL ELECTRICA 24 DIAS	12/09/2005	169.413,38	169.413,38	0,00
[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE	10/02/2006	25.724,32	25.724,32	0,00
[illegible]	[illegible]		6818	MESA DE NOCHE (TUERA PARA CONDOR UMBILICAL)	03/10/2010	118.815,78	118.815,78	0,00
[illegible]	[illegible]		6461	MESA DE NOCHE EN FORMICA	31/12/1993	25.717,08	25.717,08	0,00
[illegible]	[illegible]	[illegible]	8298	MESA PUENTE EN ACERO INOX	31/12/1972	41.960,91	41.960,91	0,00
[illegible]	[illegible]		[illegible]	MESA PUENTE METALICA (para manual)	31/12/1972	146.411,46	146.411,46	0,00
[illegible]	[illegible]		10551	LUMINARIA ELECTRICA PORTATIL 8530F	02/05/1995	37.797,80	37.797,80	0,00
[illegible]	[illegible]	[illegible]	153	[illegible] (MONITOR LCD PARA COMPUTADOR DE 17)	30/09/2010	219.313,20	219.313,20	0,00
[illegible]	[illegible]		7401	LOCKER METALICO DE 2 SERVICIOS	31/12/1991	26.674,96	26.674,96	0,00
[illegible]			10366	MASCARA EN PANO PLASTICA (N°10) 3 SAMPLEF RESAULT 17 UNEI	23/01/2018	759.855,40	759.855,39	0,01
[illegible]	[illegible]	[illegible]	7368	CUNAS EN BASE METALICA Y CANASTA EN MADERA LCD	29/06/2005	52.737,21	52.737,21	0,00
[illegible]			[illegible]	ESCRITORIO DE MADERA 3 GAVETAS	29/06/2018	369.189,81	369.189,81	0,00
[illegible]	[illegible]		10733	ESCRITORIO EN MADERA 2 GAVETAS LADO DERECHO	21/12/1994	84.069,91	84.069,91	0,00
[illegible]	[illegible]	[illegible]	11583	HORNO MICROONDAS	03/03/2016	193.936,82	193.936,82	0,00
[illegible]	[illegible]	[illegible]	7875	LICUADORA INDUSTRIAL CAPACIDAD 50 LITROS VOLVABL	26/06/2006	229.438,35	229.438,35	0,00
[illegible]	[illegible]		9041	MESA DE MANIOBRA MULTIPLE	25/09/1996	204.181,55	204.181,55	0,00
[illegible]				RESUCITADOR MANUAL AMBU NEONATAL	14/01/2016	51.534,16	51.534,16	0,00
[illegible]				RESUCITADOR MANUAL AMBU PEDIATRICO	01/01/2016	45.964,09	45.964,09	0,00

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]		[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	CAMA QUNA EN MADERA
[illegible]	[illegible]			[illegible]	[illegible] METALICO DE TEMPERE (QUNA)
[illegible]	[illegible]		[illegible]	[illegible]	SUPERFICIE EN FORMICA DE [illegible] MTS
[illegible]	[illegible]			[illegible]	TANDEM DE CUATRO PUESTOS
[illegible]	[illegible]			[illegible]	ESCRITORIO EN MADERA DE [illegible]
[illegible]	[illegible]		[illegible]	[illegible]	ESCRITORIO EN MADERA [illegible]
[illegible]	[illegible]			[illegible]	[illegible] EN MADERA DE [illegible] UNA PUERTA Y [illegible]
[illegible]	[illegible]			[illegible]	[illegible] METALICO [illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible] EN MADERA DE [illegible]
[illegible]	[illegible]			[illegible]	[illegible] VERTICAL DE [illegible] METALICO
[illegible]	[illegible]			[illegible]	TANDEM DE CUATRO PUESTOS COLOR MAMAMO
[illegible]	[illegible]		[illegible]	[illegible]	[illegible] METALICO DE [illegible] CON [illegible] ACERO
[illegible]	[illegible]		[illegible]	[illegible]	[illegible] EN [illegible] CON [illegible]
[illegible]	[illegible]			[illegible]	MESA PARA COMPUTADOR CON BANDEJA [illegible]
[illegible]	[illegible]			[illegible]	BIBLIOTECA EN MADERA [illegible]
[illegible]	[illegible]			[illegible]	BIBLIOTECA [illegible]
[illegible]	[illegible]			[illegible]	BIBLIOTECA [illegible] FORMICA [illegible]
[illegible]	[illegible]			[illegible]	VITRINA DE [illegible] PUERTA [illegible]
[illegible]	[illegible]		[illegible]	[illegible]	CAMA TUBULAR DE [illegible]
[illegible]	[illegible]			[illegible]	SILLA GIRATORIA [illegible]
[illegible]					[illegible]
[illegible]					[illegible]
[illegible]	[illegible]			[illegible]	SILLA GIRATORIA TIPO [illegible]
[illegible]	[illegible]		[illegible]		SILLA FIJA PLASTICA [illegible]
[illegible]	[illegible]		[illegible]	[illegible]	MESA AUXILIAR [illegible]
[illegible]	[illegible]			[illegible]	MONITOR DE [illegible]
[illegible]	[illegible]		[illegible]		VIDRIO [illegible]
[illegible]	[illegible]				VENTILADOR TRANSPORTE [illegible]
[illegible]				[illegible]	[illegible]
[illegible]				[illegible]	[illegible]
[illegible]				[illegible]	[illegible]
[illegible]				[illegible]	[illegible]
[illegible]				[illegible]	[illegible]
[illegible]				[illegible]	[illegible]
[illegible]				[illegible]	[illegible]
[illegible]				[illegible]	[illegible]
[illegible]				[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	TELEFONO DIGITAL [illegible]
[illegible]	[illegible]			[illegible]	TELEFONO DIGITAL
[illegible]				[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]

[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				[illegible]
[illegible]				[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]				[illegible]
[illegible]				[illegible]
[illegible]		

[illegible]	[illegible]		[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]	

[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]

[illegible]				[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]			[illegible]
[illegible]	[illegible]			[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]				[illegible]
[illegible]			[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]				[illegible]
[illegible]				[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]			[illegible]
[illegible]	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]			[illegible]
[illegible]	[illegible]			[illegible]
[illegible]	[illegible]

[illegible]		[illegible]	PUERTA AUTOMATICA VARIABLE DE 100 1000 MLTS
[illegible]		[illegible]	PUERTA AUTOMATICA VARIABLE DE 100 1000 MLTS
[illegible]	[illegible]		PUERTA AUTOMATICA DE 3 MS LAMINAS
[illegible]			PUERTA AUTOMATICA VARIABLE DE 100 1000 MLTS
[illegible]	[illegible]		PUERTA AUTOMATICA DE 3 MS LAMINAS
[illegible]	[illegible]		PUERTA AUTOMATICA DE 3 MS LAMINAS
[illegible]		[illegible]	PUERTA AUTOMATICA VARIABLE DE 100 1000 MLTS
[illegible]			PUERTA AUTOMATICA VARIABLE DE 100 1000 MLTS

Lieras Acosta

[illegible]	[illegible]		[illegible]	TANDEM DE 4 PUESTOS COLOR CHAMPAÑA
[illegible]	[illegible]		[illegible]	TANDEM DE 4 PUESTOS SIN TAPIZAR
[illegible]	[illegible]		[illegible]	TANDEM DE 4 PUESTOS SIN TAPIZAR
[illegible]	[illegible]		[illegible]	TANDEM DE CUATRO PUESTOS SIN TAPIZAR
[illegible]	[illegible]		[illegible]	TANDEM 10 SIN TAPIZAR DE 4 PUESTOS
[illegible]	[illegible]	[illegible]	[illegible]	TANDEM DE CUATRO PUESTOS
[illegible]	[illegible]		[illegible]	TANDEM DE 4 PUESTOS COLOR ARENA
[illegible]	[illegible]	[illegible]	[illegible]	TANDEM DE CUATRO PUESTOS
[illegible]	[illegible]		[illegible]	TANDEM DE CUATRO PUESTOS
[illegible]	[illegible]		[illegible]	TANDEM DE CUATRO PUESTOS
[illegible]	[illegible]		[illegible]	TANDEM DE CUATRO PUESTOS COLOR NARANJA
[illegible]	[illegible]	[illegible]	[illegible]	TANDEM DE 4 PUESTOS
[illegible]	[illegible]		[illegible]	TANDEM DE CUATRO PUESTOS
[illegible]	[illegible]		[illegible]	TANDEMS DE 4 PUESTOS
[illegible]	[illegible]		[illegible]	TANDEM DE 4 PUESTOS COLOR AZUL
[illegible]	[illegible]		[illegible]	TANDEM DE CUATRO PUESTOS COLOR CHOCOLATE
[illegible]	[illegible]		[illegible]	TANDEM DE 4 PUESTOS COLOR NARANJA
[illegible]	[illegible]	[illegible]	[illegible]	TANDEM DE CUATRO PUESTOS
[illegible]	[illegible]		[illegible]	TANDEM DE CUATRO SILLAS ADRIANO
[illegible]	[illegible]		[illegible]	TANDEM DE 4 PUESTOS SIN TAPIZAR
[illegible]	[illegible]		[illegible]	TANDEM DE 4 PUESTOS SIN TAPIZAR
[illegible]			[illegible]	VIBROSEAVE [illegible]
[illegible]	[illegible]		[illegible]	ELECTROESTIMULADOR MULTICUADRADO FORCE FX
[illegible]	[illegible]		[illegible]	VENTILADOR MELCOR PURITAN BENNETT 108 BIRD [illegible]
[illegible]	[illegible]		[illegible]	MESA CH MADERA DE ITAMBUTE
[illegible]	[illegible]		[illegible]	RESPIRADOR AUTOMATICO MARCA [illegible]
[illegible]	[illegible]		[illegible]	BIVACONES A JUEGO [illegible]
[illegible]	[illegible]		[illegible]	BILLADOR DE TUBA ABUN MODO [illegible]
[illegible]				[illegible]
[illegible]				VENTILADOR PULMONAR ADULTO NEO EVENT MEDICAL INSPIRATION 9 UNIDAD
[illegible]				VENTILADOR PULMONAR ADULTO NEO EVENT MEDICAL INSPIRATION 9 UNIDAD
[illegible]				VENTILADOR PULMONAR ADULTO NEO EVENT MEDICAL INSPIRATION 9 UNIDAD
[illegible]				VENTILADOR PULMONAR ADULTO NEO EVENT MEDICAL INSPIRATION 9 UNIDAD
[illegible]				VENTILADOR PULMONAR ADULTO NEO EVENT MEDICAL INSPIRATION 9 UNIDAD
[illegible]				[illegible]
[illegible]				VENTILADOR PULMONAR ADULTO NEO EVENT MEDICAL INSPIRATION 9 UNIDAD
[illegible]				VENTILADOR PULMONAR ADULTO NEO EVENT MEDICAL INSPIRATION 9 UNIDAD
[illegible]				VENTILADOR PULMONAR ADULTO NEO EVENT MEDICAL INSPIRATION 9 UNIDAD
[illegible]	[illegible]		[illegible]	TEMPERATICOS DE PAPEL
[illegible]				POSA DIGITAL [illegible]
[illegible]	[illegible]		[illegible]	VENTILADOR MELCOR PURITAN [illegible]
[illegible]	[illegible]		[illegible]	VENTILADOR PEDIATRICO ADULTO MELCOR [illegible]
[illegible]	[illegible]			[illegible]
[illegible]				[illegible]
[illegible]			[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR MELCOR [illegible]
[illegible]			[illegible]	COMPUTADOR [illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR DE ATX
[illegible]	[illegible]		[illegible]	COMPUTADOR [illegible]

[illegible]				[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]					[illegible]
[illegible]			[illegible]		[illegible]
[illegible]	[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]				[illegible]	[illegible]
[illegible]				[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]
[illegible]					[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]					[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]					[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]	

[illegible]	[illegible]	[illegible]	IMPRESORA LASER JET HP M600
[illegible]		[illegible]	IMPRESORA LASER JET [illegible]
[illegible]		[illegible]	[illegible]
[illegible]		[illegible]	BALANZA DE PRECISION ELECTRONICA
[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]
[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	ASIDADOR DE [illegible]
[illegible]		[illegible]	COMPUTADORA PORTATIL [illegible]
[illegible]		[illegible]	COMPUTADORA PORTATIL [illegible]
[illegible]		[illegible]	COMPUTADORA PORTATIL P. PROBOOK [illegible]
[illegible]		[illegible]	COMPUTADORA PORTATIL P. PROBOOK [illegible]
[illegible]		[illegible]	COMPUTADORA PORTATIL P. PROBOOK [illegible]
[illegible]		[illegible]	COMPUTADORA PORTATIL P. [illegible]
[illegible]		[illegible]	COMPUTADORA PORTATIL P. PROBOOK [illegible]
[illegible]		[illegible]	COMPUTADORA PORTATIL P. PROBOOK [illegible]
[illegible]		[illegible]	COMPUTADORA PORTATIL P. PROBOOK [illegible]
[illegible]		[illegible]	COMPUTADORA PORTATIL P. PROBOOK [illegible]
[illegible]			IMPRESORA [illegible]
[illegible]		[illegible]	COMPUTADORA PORT [illegible]
[illegible]	[illegible]	[illegible]	COMPUTADORA PORTATIL COMPAQ [illegible]
[illegible]	[illegible]	[illegible]	COMPUTADORA CLON [illegible]
[illegible]	[illegible]	[illegible]	COMPUTADORA CLON MAX
[illegible]	[illegible]	[illegible]	COMPUTADORA CLON ATX
[illegible]	[illegible]	[illegible]	COMPUTADORA CLON ATX
[illegible]		[illegible]	IMPRESORA EPSON [illegible]
[illegible]		[illegible]	IMPRESORA LASER JET [illegible]
[illegible]		[illegible]	COMPUTADORA PORTATIL [illegible]
[illegible]		[illegible]	COMPUTADORA [illegible]
[illegible]	[illegible]	[illegible]	COMPUTADORA NEW COMPAQ HP [illegible]
[illegible]	[illegible]	[illegible]	COMPUTADORA NEW COMPAQ HP [illegible]
[illegible]	[illegible]		COMPUTADORA ATX [illegible]
[illegible]	[illegible]	[illegible]	COMPUTADORA ATX [illegible]
[illegible]	[illegible]	[illegible]	COMPUTADORA PORTATIL [illegible]
[illegible]	[illegible]	[illegible]	COMPUTADORA NEW COMPAQ HP [illegible]
[illegible]	[illegible]	[illegible]	COMPUTADORA H.P. [illegible]
[illegible]	[illegible]	[illegible]	COMPUTADORA HEWELT PACKARD [illegible]
[illegible]	[illegible]	[illegible]	COMPUTADORA H.P. DVD [illegible]
[illegible]	[illegible]	[illegible]	COMPUTADORA NEW COMPAQ HP [illegible]
[illegible]	[illegible]	[illegible]	CPU PORTATIL [illegible]
[illegible]	[illegible]	[illegible]	IMPRESORA [illegible]
[illegible]		[illegible]	COMPUTADORA [illegible]
[illegible]	[illegible]	[illegible]	IMPRESORA [illegible]
[illegible]	[illegible]	[illegible]	IMPRESORA [illegible]
[illegible]	[illegible]	[illegible]	IMPRESORA [illegible]
[illegible]	[illegible]	[illegible]	COMPUTADORA [illegible]
[illegible]	[illegible]	[illegible]	COMPUTADORA ATX [illegible]
[illegible]	[illegible]	[illegible]	COMPUTADORA CLON ATX
[illegible]	[illegible]	[illegible]	COMPUTADORA HEWELT PACKARD [illegible]
[illegible]	[illegible]	[illegible]	COMPUTADORA ATX [illegible]

[illegible]	[illegible]		[illegible]	COMPUTADOR CLON [illegible]
[illegible]			[illegible]	MONITOR LCD PARA COMPUTADOR DE [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	IMPRESORA EPSON [illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA EPSON [illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA LASER JET [illegible] HEWLETT PACKARD
[illegible]	[illegible]	[illegible]		MONITOR PARA COMPUTADOR DE [illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA HEWLETT PACKARD [illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA EPSON MOD. LX [illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA EPSON LX [illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA EPSON LX [illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA EPSON MOD. LX [illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA [illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA EPSON LX [illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR [illegible]
[illegible]	[illegible]			[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	COMPUTADOR [illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR HP [illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR NEW COMPAQ HP [illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR HP [illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR HP
[illegible]	[illegible]		[illegible]	COMPUTADOR NEW COMPAQ HP [illegible] CON MONITOR DE 17
[illegible]	[illegible]		[illegible]	COMPUTADOR NUEVO COMPAQ HP [illegible] SIN MONITOR
[illegible]	[illegible]		[illegible]	COMPUTADOR [illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR HP [illegible] AMD [illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR H.P. [illegible] AMD [illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR H.P. DVD [illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR H.P. DVD [illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				[illegible]
[illegible]				[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	VITRINA [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	VITRINA [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA [illegible]
[illegible]	[illegible]			MESA METALICA AUXILIAR PARA [illegible]
[illegible]	[illegible]		[illegible]	VITRINA EN MADERA [illegible]
[illegible]		[illegible]	[illegible]	CARRO METALICO TRANSPORTACION DE [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		[illegible]
[illegible]				[illegible]
[illegible]			[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]

[illegible]	[illegible]		[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	CARRO PARA TRANSPORTAR ROPA
[illegible]	[illegible]			[illegible]	CARRO PARA TRANSPORTAR DE ROPA
[illegible]	[illegible]			[illegible]	CARRO PARA TRANSPORTAR DE ROPA
[illegible]	[illegible]			[illegible]	CARRO PARA TRANSPORTAR DE ROPA
[illegible]	[illegible]			[illegible]	CARRO PARA TRANSPORTAR DE ROPA
[illegible]	[illegible]		[illegible]		MEMBRANA PURIFICA DE AGUA TIPO COLUMNA
[illegible]	[illegible]				MEMBRANA COLUMNA DE 9 LITROS AZUL
[illegible]	[illegible]			[illegible]	DISPENSADOR DE ROLLO ROPA
[illegible]	[illegible]		[illegible]	[illegible]	CAMA ELECTRICA OSCILACION Y BASCULA PLEGABLE PARA 2
[illegible]	[illegible]			[illegible]	TRANSFORMADOR DE 28 VOLTIOS LA PLATA
[illegible]			[illegible]	[illegible]	ALMOHADA HOSPITALARIA DE ESPUMA DE BORRA TIPO SUPER LUXO
[illegible]					ALMOHADA HOSPITALARIA DE ESPUMA DE BORRA TIPO SUPER LUXO
[illegible]	[illegible]	[illegible]		[illegible]	ESTORNAGO DE [illegible]
[illegible]			[illegible]	[illegible]	FAX PANASONIC KX-[illegible]
[illegible]				[illegible]	FAX PANASONIC KX-[illegible]
[illegible]				[illegible]	FAX PANASONIC KX-[illegible]
[illegible]				[illegible]	FAX PANASONIC KX-[illegible]
[illegible]	[illegible]			[illegible]	FAX PANASONIC KX-[illegible]
[illegible]	[illegible]	[illegible]		[illegible]	FAX PANASONIC KX-[illegible]
[illegible]	[illegible]			[illegible]	FAX PANASONIC KX-[illegible]
[illegible]				[illegible]	FAX PANASONIC KX-[illegible]
[illegible]			[illegible]		RADIO AIWA AL-[illegible]
[illegible]	[illegible]			[illegible]	RADIO TIPO HAMP MARCA [illegible]
[illegible]	[illegible]				TELEFONO DALOG [illegible]
[illegible]	[illegible]			[illegible]	TELEFONO DIGITAL DIMENSION
[illegible]	[illegible]		[illegible]	[illegible]	TELEFONO DIGITAL DIMENSION
[illegible]	[illegible]			[illegible]	TELEFONO DIGITAL DIMENSION TIPO DALOG [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	TELEFONO DIGITAL PANASONIC [illegible]
[illegible]	[illegible]			[illegible]	TELEFONO DIGITAL TADALOG [illegible]
[illegible]	[illegible]		[illegible]		TELEFONO DIGITAL TADALOG [illegible]
[illegible]	[illegible]		[illegible]		TELEFONO DIGITAL TIPO DALOG [illegible]
[illegible]	[illegible]		[illegible]		TELEFONO DIGITAL TIPO [illegible]
[illegible]	[illegible]				TELEFONO DIGITAL TIPO [illegible]
[illegible]				[illegible]	TELEFONO DIGITAL TIPO [illegible]
[illegible]	[illegible]		[illegible]		TELEFONO TIPO DALOG
[illegible]	[illegible]		[illegible]	[illegible]	TELEVISOR A COLOR DE 14 [illegible]
[illegible]	[illegible]			[illegible]	TELEVISOR A COLOR DE 14 [illegible]
[illegible]	[illegible]			[illegible]	TELEVISOR A COLOR DE 20 PANASONIC
[illegible]	[illegible]		[illegible]	[illegible]	TELEVISOR A COLOR DE 20 PANASONIC
[illegible]	[illegible]			[illegible]	TELEVISOR DE 21 LG
[illegible]	[illegible]			[illegible]	TELEVISOR [illegible]
[illegible]	[illegible]		[illegible]	[illegible]	TELEVISOR PANASONIC
[illegible]	[illegible]				TELEVISOR PANASONIC MINIO
[illegible]	[illegible]				COMPUTADOR TOSHIBA [illegible]
[illegible]				[illegible]	COMPUTADOR HP [illegible]
[illegible]				[illegible]	[illegible]
[illegible]				[illegible]	SCANER HP [illegible]
[illegible]			[illegible]	[illegible]	SCANER [illegible]
[illegible]				[illegible]	SCANER [illegible]

[illegible]			[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]				[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]

[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]					[illegible]
[illegible]				[illegible]	[illegible]
[illegible]					[illegible]
[illegible]					[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]					[illegible]
[illegible]					[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]					[illegible]
[illegible]					[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]

[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]

[illegible]	[illegible]	[illegible]	[illegible]	SILLA DE RUEDAS ORDINARIA PEDIATRICA
[illegible]				SILLA DE RUEDAS TIPO SPORT, RUEDAS ELEVADAS
[illegible]	[illegible]	[illegible]	[illegible]	SILLA EJECUTIVA RADIOLOGICA ALTO PUTES, CABALLA CRUZADOS
[illegible]	[illegible]		[illegible]	SILLA EJECUTIVA ORDINARIO ESPALDAR ALTO CON BRAZOS
[illegible]	[illegible]		[illegible]	SILLA EJECUTIVA ORDINARIO ESPALDAR ALTO CON BRAZOS
[illegible]				SILLA EJECUTIVA ERGONOMICA ESPALDAR MEDIO
[illegible]				SILLA EJECUTIVA ERGONOMICA ESPALDAR MEDIO
[illegible]				SILLA EJECUTIVA ERGONOMICA ESPALDAR MEDIO
[illegible]				SILLA EJECUTIVA ERGONOMICA ESPALDAR MEDIO
[illegible]				SILLA EJECUTIVA ERGONOMICA ESPALDAR MEDIO
[illegible]			[illegible]	SILLA ERGONOMICA OPERADOR ECONOMICA
[illegible]			[illegible]	SILLA ERGONOMICA OPERADOR ECONOMICA
[illegible]	[illegible]		[illegible]	SILLA ERGONOMICA OPERADOR COMPRADO
[illegible]			[illegible]	SILLA ERGONOMICA OPERADOR COMPRADO
[illegible]	[illegible]		[illegible]	[illegible] METALICO DE [illegible] ENTREPAÑOS
[illegible]	[illegible]		[illegible]	[illegible] METALICO DE [illegible]
[illegible]	[illegible]		[illegible]	[illegible] METALICO DE [illegible] Y DE PUERTAS
[illegible]	[illegible]		[illegible]	PANEL DE [illegible] TAPIZADO EN PAÑO
[illegible]	[illegible]		[illegible]	PANEL DE [illegible] TAPIZADO EN PAÑO
[illegible]	[illegible]			RACK COPRE [illegible]
[illegible]	[illegible]			RACK COPRE [illegible]
[illegible]	[illegible]			RACK COPRE [illegible]
[illegible]	[illegible]		[illegible]	PUESTO DE TRABAJO [illegible]
[illegible]	[illegible]		[illegible]	PUESTO DE TRABAJO [illegible]
[illegible]			[illegible]	[illegible] METALICO
[illegible]	[illegible]			RODILLO TRANSLADO DE [illegible]
[illegible]	[illegible]			RODILLO TRANSLADO DE [illegible]
[illegible]	[illegible]		[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]		[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]		[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]		[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]		[illegible]	MODULO FINAL COMPUTADOR
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]		[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]		[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]		[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA

[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	ESTANTERIA DE 4 ENTREPAÑOS
[illegible]	[illegible]		[illegible]	ESTANTERIA GALANAMAVA DE 5 PUESTOS
[illegible]	[illegible]		[illegible]	ESTANTERIA GALANAMAVA DE 5 PUESTOS
[illegible]	[illegible]		[illegible]	ESTANTERIA GALANAMAVA DE 5 PUESTOS
[illegible]	[illegible]		[illegible]	ESTANTERIA GALANAMAVA DE 5 PUESTOS
[illegible]	[illegible]	[illegible]	[illegible]	ESTANTERIA METALICA
[illegible]	[illegible]		[illegible]	ESCRITORIO MADERA 3 GAVETAS LADO IZQUIERDO
[illegible]	[illegible]		[illegible]	ESCRITORIO MADERA 3 GAVETAS LADO DERECHO
[illegible]	[illegible]		[illegible]	ESCRITORIO MADERA 3 GAVETAS LADO IZQ
[illegible]	[illegible]		[illegible]	ESCRITORIO MADERA 3 GAVETAS LADO DERECHO
[illegible]	[illegible]		[illegible]	ESCRITORIO MADERA 3 GAVETAS LADO IZQ
[illegible]	[illegible]		[illegible]	ESCRITORIO MADERA 3 GAVETAS LADO DERECHO
[illegible]	[illegible]		[illegible]	ESCRITORIO MADERA 2 GAVETAS LADO IZQ
[illegible]	[illegible]		[illegible]	ESCRITORIO MADERA 2 GAVETAS LADO DERECHO
[illegible]	[illegible]		[illegible]	ESCRITORIO METALICO 3 GAV LADO IZQUIERDO
[illegible]	[illegible]		[illegible]	ESCRITORIO METALICO 3 GAV LADO DERECHO
[illegible]	[illegible]	[illegible]	[illegible]	ESCRITORIO METALICO 2 GAV. CENTRAL TITIMADA
[illegible]	[illegible]	[illegible]	[illegible]	ESCRITORIO REGULAÑO MUEBLE TIPO PLANCHOR
[illegible]	[illegible]	[illegible]	[illegible]	ESCRITORIO TIPO SECRETARIA CON GAVETAS
[illegible]	[illegible]	[illegible]	[illegible]	ESCRITORIO TIPO SECRETARIA CON GAVETAS
[illegible]	[illegible]		[illegible]	ESCRITORIO TIPO 3 GAVETAS LADO DERECHO
[illegible]	[illegible]		[illegible]	ESCRITORIO
[illegible]	[illegible]	[illegible]	[illegible]	ESTACION DE TRABAJO MODULAR DE TIPO ESCRITORIO
[illegible]	[illegible]	[illegible]	[illegible]	ESTACION DE TRABAJO MODULAR DE TIPO ESCRITORIO
[illegible]	[illegible]	[illegible]	[illegible]	ESTANTE METALICO REFORZADO LAT. CAL 26 - 7 ENTREPAÑOS
[illegible]		[illegible]	[illegible]	ESTANTE METALICO REFORZADO LAT. CAL 26 - 7 ENTREPAÑOS
[illegible]		[illegible]	[illegible]	ESTANTE METALICO REFORZADO LAT. CAL 26 - 7 ENTREPAÑOS
[illegible]	[illegible]	[illegible]	[illegible]	ESTANTE METALICO REFORZADO LAT. CAL 26 - 7 ENTREPAÑOS
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]		[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]		[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	SILLAS REFORZADAS TIPO IMPORTADAS
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]		MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]			[illegible]	MESA PARA COMPUTADOR
[illegible]	[illegible]			[illegible]	SILLA GIRATORIA [illegible]
[illegible]					MESCRITORIO [illegible] PUNTO LTS S.12
[illegible]	[illegible]			[illegible]	MESA PARA COMPUTADOR MADERA BASE METALICA
[illegible]	[illegible]			[illegible]	MESA PARA COMPUTADOR [illegible]
[illegible]	[illegible]			[illegible]	MESA PARA IMPRESORA EN MADERA [illegible]
[illegible]	[illegible]			[illegible]	MESA PUENTE ATAPA [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE EN [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA METALICA PARA [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA METALICA PARA [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA METALICA PARA [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA METALICA [illegible]
[illegible]	[illegible]			[illegible]	MESA PC COMPUTADOR [illegible] METALICA
[illegible]	[illegible]			[illegible]	MESA PC COMPUTADOR [illegible]
[illegible]	[illegible]			[illegible]	MESA PARA COMPUTADOR
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE [illegible]
[illegible]	[illegible]			[illegible]	MESA DE NOCHE EN [illegible]
[illegible]	[illegible]		[illegible]	[illegible]	MESA DE NOCHE EN [illegible]
[illegible]	[illegible]			[illegible]	MESA EN MADERA Y [illegible]
[illegible]	[illegible]			[illegible]	MESA EN MADERA MASIZ METALICA SILLA Y COMPUTADOR
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	MESA EN MADERA DE [illegible]
[illegible]	[illegible]			[illegible]	MESA EN MADERA PARA [illegible]
[illegible]	[illegible]			[illegible]	MESA EN MADERA Y BANCO PC COMPUTADOR [illegible]

[illegible]	[illegible]		[illegible]	MESA EXPOSITORA [illegible]
[illegible]	[illegible]		[illegible]	MESA MADERA [illegible]
[illegible]	[illegible]		[illegible]	MESA MADERA PARA COMPUTADOR [illegible]
[illegible]	[illegible]		[illegible]	MESA AUXILIAR [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA AUXILIAR EN MADERA [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA AUXILIAR EN METALICA [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA AUXILIAR EN METALICA [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA AUXILIAR [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA AUXILIAR METALICA
[illegible]	[illegible]		[illegible]	MESA AUXILIAR PARA EQUIPO DE RAYOS X
[illegible]	[illegible]	[illegible]	[illegible]	MESA AUXILIAR PEDIATRIA
[illegible]	[illegible]	[illegible]	[illegible]	MESA AUXILIAR PEDIATRIA
[illegible]	[illegible]		[illegible]	MESA AUXILIAR PEDIATRIA
[illegible]	[illegible]		[illegible]	MESA AUXILIAR PEDIATRIA DOBLE
[illegible]	[illegible]	[illegible]	[illegible]	MESA AUXILIAR PEDIATRIA
[illegible]	[illegible]	[illegible]	[illegible]	MESA AUXILIAR PEDIATRIA
[illegible]	[illegible]		[illegible]	MESA AUXILIAR PEDIATRIA
[illegible]	[illegible]		[illegible]	CAMBIO DE CLASIFICACION [illegible]
[illegible]	[illegible]		[illegible]	MESA AUXILIAR PEDIATRIA METALICA
[illegible]	[illegible]		[illegible]	MESA AUXILIAR PEDIATRIA METALICA
[illegible]	[illegible]		[illegible]	MESA AUXI. METALICA TAPOTICO INOX DE 1 ACCIONES
[illegible]	[illegible]	[illegible]	[illegible]	MESA DE MAYO
[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE
[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE
[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE
[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE
[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE
[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE
[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE
[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE 40"DIB TAPA SUPERIOR [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE 40"DIB TAPA SUPERIOR [illegible]
[illegible]	[illegible]		[illegible]	ESTANTERIA METALICA 3 ENTREPAÑOS (OFICINA)
[illegible]	[illegible]		[illegible]	ESTANTERIA METALICA 3 ENTREPAÑOS DE MODOCUO
[illegible]	[illegible]	[illegible]	[illegible]	ESTANTERIA METALICA 3 ENTREPAÑOS
[illegible]	[illegible]		[illegible]	ESTANTERIA METALICA DE 6 ENTREPAÑOS [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ESTANTERIA METALICA
[illegible]				ESTRATOS TIPO ABC DE 30 GAVETAS TAMAÑO [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ESTERILIZADOR DE 1 PUERTA 1 [illegible] CAL. 22
[illegible]	[illegible]		[illegible]	GABINETE DE PUERTA DE 3 PUERTAS
[illegible]	[illegible]		[illegible]	LOCKER DE 12 PUERTAS
[illegible]	[illegible]		[illegible]	LOCKER DE 6 PUERTAS PEQUEÑAS DESCUPIMADAS 1.80
[illegible]	[illegible]		[illegible]	LOCKER DE 6 PUERTAS PEQUEÑAS REPUJADAS 1.80
[illegible]	[illegible]		[illegible]	LOCKER METALICO DIMENSIONAL DE 3 GAVETAS
[illegible]	[illegible]	[illegible]	[illegible]	LOCKER METALICO DIMENSIONAL DE 3 GAVETAS
[illegible]	[illegible]		[illegible]	LOCKER METALICO DE 6 BANDEJAS
[illegible]	[illegible]		[illegible]	LOCKER METALICO DE 6 BANDEJAS
[illegible]	[illegible]	[illegible]	[illegible]	LOCKER MOBILIARIO DE 6 BANDEJAS
[illegible]	[illegible]		[illegible]	LOCKERS METALICOS DE 18 PUERTAS
[illegible]	[illegible]	[illegible]	[illegible]	LOCKERS METALICOS DE 6 BANDEJAS

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				[illegible]
[illegible]	[illegible]	[illegible]	[illegible]

Federico Lleras Acosta

[illegible]	[illegible]	[illegible]	[illegible]	ARCHIVADOR EN MADERA 2X2
[illegible]	[illegible]		[illegible]	ARCHIVADOR EN MADERA 2X2
[illegible]	[illegible]		[illegible]	ARCHIVADOR EN MADERA DE 4 GAV.
[illegible]	[illegible]		[illegible]	ARCHIVADOR EN MADERA DE 4 GAV. [illegible]
[illegible]	[illegible]		[illegible]	ARCHIVADOR EN MADERA VERTICAL CON 1 GAVETAS
[illegible]	[illegible]		[illegible]	ARCHIVADOR METALICO 3 GAVETAS DE [illegible]
[illegible]		[illegible]	[illegible]	ARCHIVADOR METALICO 4 HIGIO [illegible]
[illegible]	[illegible]		[illegible]	ARCHIVADOR METALICO DE 3 GAVETAS
[illegible]	[illegible]		[illegible]	ARCHIVADOR [illegible]
[illegible]	[illegible]		[illegible]	ARCHIVADOR VERTICAL 4 GAV. [illegible]
[illegible]	[illegible]		[illegible]	ARCHIVADOR VERTICAL EN MADERA DE 3 GAV.
[illegible]	[illegible]		[illegible]	ARCHIVADOR VERTICAL EN MADERA DE 4 GAVETAS
[illegible]	[illegible]	[illegible]	[illegible]	ARCHIVADOR VERTICAL EN MADERA DE 4 GAVETAS
[illegible]	[illegible]		[illegible]	ARCHIVADORES 2*1
[illegible]	[illegible]	[illegible]	[illegible]	ARMARIO ABIERTO [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ARCHIVADOR METALICO [illegible]
[illegible]	[illegible]		[illegible]	ARCHIVADOR METALICO DE 4 GAVETAS
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULAR DE 3 PLANOS [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULAR DE 3 PLANOS [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULAR DE 3 PLANOS [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULAR DE 3 PLANOS [illegible]
[illegible]	[illegible]		[illegible]	ATRIL PARA [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULAR DE TRES PLANOS
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULAR DE 3 PLANOS [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULAR DE 3 PLANOS [illegible]
[illegible]	[illegible]		[illegible]	CAMA TUBULAR DE 3 PLANOS [illegible]
[illegible]	[illegible]		[illegible]	CAMA LA HOSPITAL [illegible]
[illegible]	[illegible]			CAMA LA HOSPITAL [illegible]
[illegible]			[illegible]	CAMILLA RODANTE [illegible]
[illegible]	[illegible]		[illegible]	CAMILLA PARA TRANSPORTE DE PACIENTES
[illegible]	[illegible]			CAMPANA EXTRACTORA
[illegible]	[illegible]			CAMPANAS EXTRACTORA
[illegible]	[illegible]		[illegible]	CAMBIO CON DOTACION COMPLETA DE AIRE
[illegible]	[illegible]		[illegible]	CAMBIO BAÑO [illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	ESCRITORIO EN MADERA [illegible]
[illegible]	[illegible]		[illegible]	ESCRITORIO EN MADERA DE 3 GAV. [illegible]
[illegible]	[illegible]		[illegible]	ESCRITORIO EN MADERA DE GAV. [illegible]
[illegible]	[illegible]		[illegible]	ESCRITORIO MET. 3 GAVETAS [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA ELECTROMECANICA [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITAL [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITAL [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITAL [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITAL [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITAL [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITAL [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITAL [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITALARIA [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITALARIA [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA METALICA [illegible]

[illegible]	[illegible]	[illegible]	[illegible]	CAMA METALICA DE 3 CAMAS [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULAR DE 2 PLANOS [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULAR DE 2 PLANOS [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULAR DE 2 PLANOS [illegible]
[illegible]	[illegible]		[illegible]	CAMA ELECTROMEDICA [illegible]
[illegible]	[illegible]		[illegible]	VENTILADOR DE MESA
[illegible]	[illegible]		[illegible]	VITRINA CARNICERIA DE [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	VITRINA MADERA [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	VITRINA METAL [illegible] 2 PUERTAS EN VIDRIO Y 1 MET.
[illegible]	[illegible]	[illegible]	[illegible]	CAMA METALICA DE 1 PUESTO [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMILLA [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULAR DE 2 PLANOS [illegible]
[illegible]	[illegible]		[illegible]	CAMILLA CON TOMOGO DE AUDIO [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CARRO DE PLATAFORMA CON TAPA
[illegible]	[illegible]			[illegible] CON PANTALLA DE MET.
[illegible]	[illegible]		[illegible]	TANDEM DE [illegible] DE 4 PUESTOS
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	TUNEL PARA [illegible]
[illegible]	[illegible]		[illegible]	TANDEM DE CUATRO PUESTOS
[illegible]	[illegible]		[illegible]	TANDEM DE CUATRO PUESTOS COLOR NARANJA
[illegible]	[illegible]		[illegible]	TANDEM DE CUATRO PUESTOS COLOR NARANJA
[illegible]	[illegible]		[illegible]	TANDEM DE CUATRO PUESTOS TUBO REDONDO
[illegible]	[illegible]		[illegible]	TANDEM DE CUATRO PUESTOS TUBO REDONDO
[illegible]	[illegible]		[illegible]	TANDEM DE TRES PUESTOS TUBO REDONDO VERDE
[illegible]	[illegible]		[illegible]	TANDEM DE CUATRO PUESTOS BASE ALUM C. NARANJA
[illegible]	[illegible]		[illegible]	TANDEM DE CUATRO PUESTOS BASE ALUM C. NARANJA
[illegible]	[illegible]	[illegible]	[illegible]	TANDEM DE CUATRO PUESTOS BASE ALUM C. NARANJA
[illegible]	[illegible]		[illegible]	BRAZO MAYOR HORIZONTAL EN MADERA MAZORTA
[illegible]	[illegible]		[illegible]	MESA PLASTICA CUADRADA PARA MOBILIARIO
[illegible]		[illegible]		MESA PUENTE EN MADERA
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA [illegible]
[illegible]	[illegible]		[illegible]	MESA INFORMATICA
[illegible]	[illegible]		[illegible]	MESA EN MADERA Y POSTAL ENCAMBRADA DE 14 CAMPANAS
[illegible]	[illegible]	[illegible]	[illegible]	MUEBLE CON MADERA DE [illegible]
[illegible]	[illegible]		[illegible]	MUEBLE DE TALLER CON MESA PUERTAS CORREDIZAS Y ENTREPAÑOS DE 1 [illegible]
[illegible]	[illegible]		[illegible]	PANEL - PUERTA DE [illegible]
[illegible]	[illegible]		[illegible]	PANEL 1.65 DE ALTURA METALICA BAÑO Y VIDRIO
[illegible]	[illegible]		[illegible]	PANEL 1 METRO
[illegible]	[illegible]		[illegible]	PANEL 1 METRO
[illegible]	[illegible]	[illegible]	[illegible]	PERCHERO DE DOS PAROS
[illegible]	[illegible]		[illegible]	PERCHERA METALICA
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				[illegible]
[illegible]	[illegible]		[illegible]	MESA PARA COMPUTADOR DE METALICA
[illegible]				[illegible]
[illegible]	[illegible]		[illegible]	ESTANTERIA METALICA CON ELEMENTOS
[illegible]	[illegible]	[illegible]	[illegible]	ESTANTERIA METALICA CON DIVISIONES PARA HERRAMIENTA
[illegible]	[illegible]		[illegible]	ESTANTERIA METALICA CON DIVISIONES PARA HERRAMIENTA
[illegible]	[illegible]	[illegible]	[illegible]	JUEGO DE MESA COMEDOR [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	LOCKER METALICO DE 6 BOVEDAS

[illegible]	[illegible]	[illegible]	[illegible]	LOCKER METALICO DE 6 SEPARADOS
[illegible]	[illegible]	[illegible]	[illegible]	LOCKERS DE 6 PUESTOS
[illegible]	[illegible]	[illegible]	[illegible]	MESA ALTA DE OFICINA EN MADERA
[illegible]	[illegible]		[illegible]	MESA EN ACERO INOX CON TOPE EN DUR Y ROP CHAPA [illegible]
[illegible]	[illegible]		[illegible]	MESA EN MADERA [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA ACONDICIONADO [illegible]
[illegible]	[illegible]		[illegible]	MESA ACONDICIONADO [illegible]
[illegible]	[illegible]		[illegible]	MESA ACONDICIONADO [illegible]
[illegible]	[illegible]		[illegible]	MESA ACONDICIONADO [illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MESA ACONDICIONADO [illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	ESTANTERIA METALICA Y ENTREPAÑOS DE MADERA
[illegible]	[illegible]	[illegible]	[illegible]	ESTANTERIA METALICA
[illegible]	[illegible]		[illegible]	ANAQUEL EN MADERA DE 2 PUERTAS Y ENTRE PAÑOS
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]				[illegible]
[illegible]				[illegible]
[illegible]				[illegible]
[illegible]				[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]

[illegible]	[illegible]	[illegible]	[illegible]	CAMA DE 4 PLANOS ELECTRONICA CTRA. AL AMBIENTE COD 2[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA DE 4 PLANOS ELECTRONICA CTRA. AL AMBIENTE COD. CHON
[illegible]			[illegible]	CAMA DE 4 PLANOS ELECTRONICA CTRA. AL AMBIENTE COD CHON
[illegible]			[illegible]	CAMA DE 4 PLANOS ELECTRONICA CTRA. AL AMBIENTE COD CHON
[illegible]	[illegible]	[illegible]	[illegible]	CAMA DE 4 PLANOS ELECTRONICA CTRA. AL AMBIENTE COD CHON
[illegible]	[illegible]	[illegible]	[illegible]	CAMA DE 4 PLANOS ELECTRONICA CTRA. AL AMBIENTE COD CHON
[illegible]	[illegible]	[illegible]	[illegible]	CAMA DE 4 PLANOS ELECTRONICA CTRA. AL AMBIENTE COD CHON
[illegible]	[illegible]	[illegible]	[illegible]	CAMA DE 4 PLANOS ELECTRONICA CTRA. AL AMBIENTE COD CHON
[illegible]	[illegible]		[illegible]	CAMA DE 4 PLANOS ELECTRONICA CTRA. AL AMBIENTE COD CHON
[illegible]	[illegible]	[illegible]	[illegible]	CAMA DE LUJO TIPO HOSPITALARIO
[illegible]	[illegible]	[illegible]	[illegible]	CAMA DE LUJO TIPO HOSPITALARIO
[illegible]	[illegible]	[illegible]	[illegible]	CAMA DE LUJO TIPO HOSPITALARIO
[illegible]	[illegible]	[illegible]	[illegible]	CAMA DE LUJO TIPO HOSPITALARIO
[illegible]	[illegible]	[illegible]	[illegible]	CAMA ELECTRICA CHON CHON Y PLANCHA DE COLLAR INOX P. A
[illegible]	[illegible]	[illegible]	[illegible]	CAMA ELECTRICA CHON CHON Y PLANCHA DE COLLAR INOX P. A
[illegible]	[illegible]	[illegible]	[illegible]	CAMA ELECTRICA CHON CHON Y PLANCHA DE COLLAR INOX P. A
[illegible]	[illegible]	[illegible]		CAMA ELECTRICA PARA AMBULANCIA DE PALMAS
[illegible]	[illegible]	[illegible]	[illegible]	CAMA ELECTRICA CHON CHON Y PLANCHA DE COLLAR INOX P. A
[illegible]				CAMA ELECTRICA DE TRES CUERPOS CON BALANZA UNIVERSAL
[illegible]	[illegible]	[illegible]		CUNA DE BALANCE AMBULANCIA DE 90 x 45 SECRETARIA
[illegible]	[illegible]	[illegible]	[illegible]	CAMA ELECTROMECANICA MCA. HUNTLEIGH
[illegible]	[illegible]	[illegible]	[illegible]	CAMA ELECTROMECANICA MCA. LOS PINOS
[illegible]	[illegible]		[illegible]	CAMA ELECTROMECANICA MCA. LOS PINOS
[illegible]	[illegible]	[illegible]		CUNA DE BALANCE AMBULANCIA DE 90 x 45
[illegible]	[illegible]		[illegible]	CAMA ELECTROMECANICA MCA. LOS PINOS
[illegible]	[illegible]	[illegible]	[illegible]	CAMA ELECTROMECANICA MCA. LOS PINOS
[illegible]	[illegible]	[illegible]	[illegible]	CAMA ELECTROMECANICA MCA. LOS PINOS
[illegible]	[illegible]	[illegible]	[illegible]	CAMA ELECTROMECANICA MCA. LOS PINOS
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITALARIA DE LUJO
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITALARIA DE LUJO
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITALARIA DE LUJO
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITALARIA DE LUJO
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITALARIA DE LUJO
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITALARIA DE LUJO
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITALARIA REF. 800, MODELO 2006 CHON CHON
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITALARIA REF. 800, MODELO 2006 CHON CHON
[illegible]			[illegible]	CAMILLA TIPO SILLER
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITALARIA REF. 800, MODELO 2006 CHON CHON
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITALARIA TUBULAR
[illegible]	[illegible]		[illegible]	CAMA HOSPITALARIA TUBULAR
[illegible]	[illegible]	[illegible]		MESAS PORTATIL DE SILLTRIER
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITALARIA TUBULAR
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITALARIA TUBULAR
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITALARIA TUBULAR
[illegible]	[illegible]	[illegible]	[illegible]	CAMA METALICA CONTABLERO EN FORMICA
[illegible]	[illegible]	[illegible]	[illegible]	CAMA METALICA CONTABLERO EN FORMICA
[illegible]	[illegible]	[illegible]	[illegible]	CAMA METALICA DE LEVANTE DTAMP. PACIENTES
[illegible]	[illegible]	[illegible]	[illegible]	CAMA METALICA DE LEVANTE DTAMP. PACIENTES
[illegible]	[illegible]	[illegible]	[illegible]	CAMA METALICA DE LEVANTE DTAMP. PACIENTES

[illegible]	[illegible]	[illegible]	[illegible]	CAMA METALICA DE TIPO HOSPITALARIA
[illegible]	[illegible]	[illegible]	[illegible]	CAMA METALICA DE TIPO HOSPITALARIA
[illegible]	[illegible]	[illegible]	[illegible]	CAMA METALICA SENCILLA
[illegible]	[illegible]	[illegible]	[illegible]	CAMA METALICA SENCILLA
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULAR DE 3 PLANOS THOMP
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULAR DE 3 PLANOS THOMP. CON MARIMBAS
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULAR DE 3 PLANOS THOMP. CON MARIMBAS
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULAR DE 3 PLANOS THOMP. CON MARIMBAS
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULAR DE 3 PLANOS THOMP. CON MARIMBAS
[illegible]	[illegible]	[illegible]		FONENDOSCOPIO DE 2 IE INVIDIE PEDIATRIA
[illegible]	[illegible]	[illegible]		FONENDOSCOPIO DE 2 IE INVIDIE PEDIATRIA
[illegible]	[illegible]			FONENDOSCOPIO
[illegible]	[illegible]			FLUJOMETROS PARA OXIGENO CON MARCHA DE HUMIDIFICADOR
[illegible]	[illegible]			FLUJOMETROS PARA OXIGENO
[illegible]	[illegible]			FLUJOMETROS HOSPITALARIO
[illegible]	[illegible]			FLUJOMETROS HOSPITALARIO
[illegible]	[illegible]			FLUJOMETROS DE PARED PARA OXIGENO
[illegible]	[illegible]			FLUJOMETROS DE PARED PARA OXIGENO
[illegible]	[illegible]			FLUJOMETROS DE PARED HOSPITALARIO
[illegible]	[illegible]			FLUJOMETROS DE PARED HOSPITALARIO
[illegible]	[illegible]			FLUJOMETROS DE PARED
[illegible]	[illegible]			FLUJOMETROS CON HUMIDIFICADOR Y MAPLE
[illegible]	[illegible]			FLUJOMETROS CON HUMIDIFICADOR Y MAPLE
[illegible]	[illegible]	[illegible]		FLUJOMETRO PARA OXIGENO MARCA [illegible]
[illegible]				FLUJOMETRO PARA OXIGENO MARCA [illegible]
[illegible]				FLUJOMETRO PARA OXIGENO MARCA [illegible]
[illegible]				FLUJOMETRO PARA OXIGENO MARCA [illegible]
[illegible]	[illegible]			FLUJOMETRO DE PARED SENCILLO
[illegible]	[illegible]			FLUJOMETRO DE PARED SENCILLO
[illegible]	[illegible]			FLUJOMETRO DE OXIGENO DE 0 A 15 LITROS MARCA [illegible]
[illegible]	[illegible]			FLUJOMETRO DOBLE HOSPITALARIO CON HUMIDIFICADOR MCA. [illegible]
[illegible]				FLUJOMETRO DOBLE HOSPITALARIO CON HUMIDIFICADOR MCA. [illegible]
[illegible]				FLUJOMETRO DOBLE DE PARED CON CORREO CON CONECTORES
[illegible]	[illegible]			FLUJOMETRO DE OXIGENO DE 0 A 1 LITRO CONECTADO A 0 A METROS MARCA [illegible] MODELO CLASICO 1 LITRO
[illegible]	[illegible]			FLUJOMETRO DE OXIGENO DE 0 A 1 LITRO CONECTADO A 0 A METRO
[illegible]	[illegible]			FLUJOMETRO DE OXIGENO DE 0 A 1 LITRO CONECTADO A 0 A METRO
[illegible]	[illegible]			FLUJOMETRO DE OXIGENO DE 0 A 1 LITRO CONECTADO A 0 A METRO
[illegible]				FLUJOMETRO DE OXIGENO DE 0 A 1 LITRO [illegible]
[illegible]	[illegible]			FLUJOMETRO
[illegible]				EXTRACTOR ELECTRICO LAVADO CANAMA VACIO [illegible]
[illegible]				EXTRACTOR ELECTRICO LAVADO CANAMA VACIO [illegible]
[illegible]				EXTRACTOR ELECTRICO LAVADO CANAMA VACIO [illegible]
[illegible]				EXTRACTOR ELECTRICO LAVADO CANAMA VACIO [illegible]
[illegible]	[illegible]			EQUIPO DE ORGANOS Y LOS DE METODOS DE ALTA
[illegible]	[illegible]	[illegible]		EQUIPO DE ORGANOS DE LOS SISTEMAS
[illegible]	[illegible]	[illegible]		EQUIPO DE ORGANOS DE LOS SISTEMAS
[illegible]	[illegible]	[illegible]		EQUIPO DE ORGANOS DE LOS SISTEMAS
[illegible]	[illegible]	[illegible]		EQUIPO DE ORGANOS DE LOS SISTEMAS
[illegible]	[illegible]	[illegible]		EQUIPO DE ORGANOS DE LOS SISTEMAS
[illegible]	[illegible]	[illegible]		EQUIPO DE ORGANOS DE LOS SISTEMAS
[illegible]	[illegible]	[illegible]		EQUIPO DE ORGANOS DE LOS SISTEMAS

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				[illegible]
[illegible]	[illegible]			[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]

[illegible]	[illegible]	[illegible]		LARINGOSCOPIO PEDIATRICO 4 HOJAS CURVAS
[illegible]		[illegible]		LARINGOSCOPIO PARA ADULTO
[illegible]	[illegible]	[illegible]		LARINGOSCOPIO FIBRA OPTICA CON 3 HOJAS CURVAS [illegible]
[illegible]	[illegible]	[illegible]		LARINGOSCOPIO ADULTOS 1 HOJA MIX CURVA
[illegible]				LARINGOSCOPIO ADULTO FIBRA OPTICA MEX [illegible] ALLYN
[illegible]	[illegible]	[illegible]		LARINGOSCOPIO ADULTO FIBRA OPTICA MEX [illegible] ALLYN
[illegible]	[illegible]	[illegible]		LARINGOSCOPIO ADULTO SOLA CURVA
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]			SOPORTE PARA [illegible] DE 3
[illegible]	[illegible]			SOPORTE PARA [illegible] DE 3
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]				[illegible]
[illegible]	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]				[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]				REBUCEADOR MANUAL JAMES FONTINOO
[illegible]				REBUCEADOR MANUAL JAMES FONTINOO
[illegible]				REBUCEADOR MANUAL JAMES NIGNATAL
[illegible]				REBUCEADOR MANUAL JAMES NIGNATAL
[illegible]				REBUCEADOR MANUAL JAMES NIGNATAL
[illegible]				REBUCEADOR MANUAL JAMES NIGNATAL
[illegible]	[illegible]			REGULADOR PARA GASÓMO
[illegible]	[illegible]	[illegible]		[illegible]
[illegible]				REBUCEADOR MANUAL JAMES FEGNATINOO
[illegible]				REBUCEADOR MANUAL JAMES FEGNATINOO
[illegible]				REBUCEADOR MANUAL JAMES FEGNATINOO
[illegible]				REBUCEADOR MANUAL JAMES FEGNATINOO
[illegible]				REBUCEADOR MANUAL JAMES FEGNATINOO
[illegible]				REBUCEADOR MANUAL JAMES FEGNATINOO
[illegible]				TALLIMETRO PLMADERA PARA ADULTO
[illegible]	[illegible]		[illegible]	ALICOMADORES HIDROLO 1100 MANDA THOMAS
[illegible]	[illegible]		[illegible]	ALICOMADORES HIDR 1128
[illegible]	[illegible]		[illegible]	ALICOMADOR THOMAS BORE DAMAS
[illegible]	[illegible]		[illegible]	ALICOMADOR THOMAS MOD 1126 SIN [illegible]
[illegible]	[illegible]		[illegible]	ALICOMADOR THOMAS
[illegible]	[illegible]		[illegible]	ALICOMADOR
[illegible]	[illegible]		[illegible]	SOPORTE PARA LENTE DE ATRECOMAA PPT- [illegible]
[illegible]	[illegible]		[illegible]	SET DATTMA PAMPA [illegible]
[illegible]	[illegible]		[illegible]	TENSIOMETROS DE PARED
[illegible]				TENSIOMETRO FITSATRICO
[illegible]				TENSIOMETRO PARA ADULTO UMIDAD
[illegible]				TENSIOMETRO PARA ADULTO UMIDAD
[illegible]				TENSIOMETRO PARA ADULTO UMIDAD
[illegible]				TENSIOMETRO PARA ADULTO
[illegible]				TENSIOMETRO PARA ADULTO
[illegible]	[illegible]			TENSIOMETRO LACTIANTO
[illegible]			[illegible]	TENSIOMETRO AMBROSIOS MARCA TYCOS MODO BOSMATI
[illegible]			[illegible]	TENSIOMETRO AMBROSIOS MARCA TYCOS MODO BOSMATI
[illegible]	[illegible]			TENSIOMETRO AMBROSIOS OLIMSHOCK AGUA TDE MCA. MIN CH ALLYN
[illegible]	[illegible]	[illegible]		TENSIOMETRO AMBROSIOS OLIMSHOCK AGUA TDE MCA. MIN CH ALLYN
[illegible]				TENSIOMETRO AMBROSIOS OLIMSHOCK AGUA TDE MCA. MIN CH ALLYN
[illegible]	[illegible]			TENSIOMETRO AMBROSIOS OLIMSHOCK AGUA TDE MCA. MIN CH ALLYN
[illegible]	[illegible]			TARGO ACERO INOX DE 12 X 20
[illegible]		[illegible]		TALLIMETRO PARA ADULTO UMIDAD
[illegible]	[illegible]	[illegible]	[illegible]	TRANSDUCTOR LINEAL ELECTRONICO MULTP DE [illegible]
[illegible]			[illegible]	TRANSDUCTOR LINEAL PAT [illegible]
[illegible]			[illegible]	TRANSDUCTOR CONVERTIDOR PAM [illegible]
[illegible]	[illegible]		[illegible]	TEST DE LAVAMPSOM [illegible]
[illegible]	[illegible]		[illegible]	VENTILADOR NEONATAL [illegible]
[illegible]	[illegible]		[illegible]	VENTILADOR NEONATAL [illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR NUEVA COMPAQ [illegible]
[illegible]	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]		[illegible]	TRANSDUCTOR TRANSVIGNONA [illegible]
[illegible]			[illegible]	IMPRESORA LASER JET [illegible]

[illegible]	[illegible]		[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]				[illegible]
[illegible]			[illegible]	[illegible]
[illegible]				[illegible]
[illegible]			[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]

[illegible]			[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]

[illegible]	[illegible]	[illegible]	[illegible]	COMPUTADOR PENTIUM [illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR PENTIUM [illegible]
[illegible]	[illegible]		[illegible]	SCANNER HP [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MONITOR LCD PARA COMPUTADOR [illegible]
[illegible]	[illegible]		[illegible]	CPU GLON PENTIUM [illegible]
[illegible]	[illegible]		[illegible]	CPU GLON PENTIUM [illegible]
[illegible]	[illegible]		[illegible]	CPU GLON [illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR NEW COMPAQ [illegible]
[illegible]			[illegible]	IMPRESORA LASER JET [illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA OFICIO FX [illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA OFICIO FX [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CPU GLON ACTI GLON [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	COMPUTADOR NEW COMPAQ [illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA LASER JET [illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA LASER JET [illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA OFICIO FX [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	IMPRESORA OFICIO FX [illegible]
[illegible]			[illegible]	SCANNER HP [illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA LASER JET [illegible]
[illegible]	[illegible]			IMPRESORA OFICIO LX [illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA OFICIO LX [illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA OFICIO LX [illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA LX [illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA OFICIO LX [illegible]
[illegible]	[illegible]		[illegible]	MONITOR PARA COMPUTADOR [illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR PENTIUM [illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR [illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR [illegible]
[illegible]	[illegible]	[illegible]	[illegible]	IMPRESORA OFICIO LX [illegible]
[illegible]	[illegible]			IMPRESORA OFICIO LX [illegible]
[illegible]				MONITOR LCD PARA COMPUTADOR [illegible]
[illegible]	[illegible]	[illegible]		MONITOR LCD PARA COMPUTADOR [illegible]
[illegible]	[illegible]			MONITOR LCD PARA COMPUTADOR [illegible]
[illegible]	[illegible]			MONITOR LCD PARA COMPUTADOR [illegible]
[illegible]	[illegible]			MONITOR LCD PARA COMPUTADOR [illegible]
[illegible]	[illegible]			MONITOR LCD PARA COMPUTADOR [illegible]
[illegible]	[illegible]		[illegible]	MONITOR LCD PARA COMPUTADOR [illegible]
[illegible]				SMART SOPORTE PARA LECTOR DE CODIGO BARRAS [illegible]
[illegible]				SMART SOPORTE PARA LECTOR DE CODIGO BARRAS [illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA HP DESKJET [illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA HP LASER JET [illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA HP DESKJET [illegible]
[illegible]			[illegible]	IMPRESORA HEWLETT PACKARD DESKJET [illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA EPSON LX [illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA EPSON LX [illegible]
[illegible]	[illegible]		[illegible]	UNIDAD DE DISPERSIÓN [illegible]
[illegible]	[illegible]			MONITOR LCD PARA COMPUTADOR [illegible]
[illegible]	[illegible]			MONITOR LCD PARA COMPUTADOR [illegible]
[illegible]	[illegible]			MONITOR LCD PARA COMPUTADOR [illegible]
[illegible]	[illegible]			MONITOR LCD PARA COMPUTADOR [illegible]
[illegible]	[illegible]			MONITOR LCD PARA COMPUTADOR [illegible]

[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]			[illegible]
[illegible]	[illegible]			[illegible]
[illegible]	[illegible]			[illegible]
[illegible]	[illegible]			[illegible]
[illegible]	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]

[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]	

[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]

[illegible]	[illegible]	[illegible]	[illegible]	ATRIL PARA BOMBA DE INFUSIÓN MOD:CIF-3

[illegible]	[illegible]			[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]			[illegible]	[illegible]
[illegible]				[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]

[illegible]				[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]					[illegible]
[illegible]	[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]	[illegible]			[illegible]
[illegible]	[illegible]	[illegible]			[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]			[illegible]	[illegible]
[illegible]	[illegible]

[illegible]		10087		PIEZA DE MANO RECTA BAJA VELOCIDAD MCA. NSK	19/07/2014	420.941,19	300.671,20	[illegible]
[illegible]	34545	120807	8195	SILLA DE RUEDAS CROMADA ESTANDAR	19/05/2005	8.747,87	8.747,87	0,00
[illegible]	13049	117180	6108	LITS DE UNA MOD. PANYDS MARCA FOWERMARK	08/02/2008	1.280.410,88	1.280.410,88	0,00
[illegible]	10608		6848	PRINTA DE 100 A 240 LAMPARAS PREDONASTIPPE CAMLAS (CAMA BRANCA)	31/12/1972	146.411,49	146.411,49	0,00
[illegible]			11248	MONITOR DE SIGNOS VITALES MARCA DEDLIGHT+CAPNOGRAFIA+LINEAS	31/01/2012	7.832.377,48	[illegible]	[illegible]
[illegible]	11728		0031	CAMARA CALOR RADIANTE	01/04/2010	3.081.733,67	3.081.733,67	0,00
[illegible]	11248		11240	SCOM MIRELLE 8780 CUPC TRACHE 11 MMM PSE ACCESS POINT	27/05/2009	387.198,07	387.198,07	0,00
[illegible]	34480		8453	VENTILADOR NEONATAL 30 CMBS/ MOD.V 1000 S/1000	29/11/1997	3.797.300,00	3.797.300,00	0,00
[illegible]	34470		8452	VENTILADOR NEONATAL	29/11/1997	3.797.300,00	3.797.300,00	0,00
[illegible]			2458	ELECTROCARDIOGRAFO MARCA MEDMAR MODELO 1M410	01/06/2011	3.308.736,43	3.308.736,43	0,00
[illegible]	31002		7001	MONITOR DE SIGNOS VITALES DATICARE MOD 6014-T05 S	01/06/2005	4.882.540,93	4.882.540,93	0,00
[illegible]	31008		1206	MONITOR DE SIGNOS VITALES DATICARE MOD 6014-T05 S	01/06/2005	5.044.361,11	5.044.361,11	0,00
[illegible]			10800	BALANZA MEZCLADORA PARA COLECTA DE SANGRE	01/01/2010	5.097.377,44	5.097.377,44	[illegible]
[illegible]			10801	BALANZA MEZCLADORA PARA COLECTA DE SANGRE	01/01/2010	5.097.377,44	5.097.377,44	[illegible]
[illegible]	11098		10807	BALANZA ELECTRONICA SALUTARIOS	29/11/2007	180.194,10	180.194,10	0,00
[illegible]			3000	TENSIOMETRO AMBROSIA MARCA TYCOS ADULTO/ADAPTE	31/12/2010	597.403,01	597.403,01	0,00
[illegible]	8738		13064	BALANZA DE 100 KILOS PESA LIMPIADOR DE BOLSAS DE S	27/08/2008	1.357.347,43	1.357.347,43	0,00
[illegible]	11095	131001	1200	DESFIBRILADOR	04/01/2010	317.000,00	317.000,00	0,00
[illegible]			1704	DESFIBRILADOR BIFASICO MOD. XD-110 CMARREGANDO EXTERNO	16/09/2010	15.198.000,47	15.198.000,47	0,00
[illegible]			1708	DESFIBRILADOR BIFASICO MOD. XD-110 CMARREGANDO EXTERNO	23/01/2010	15.198.000,47	15.198.000,47	0,00
[illegible]				TENSIOMETRO PARA ADULTO UNIDAD	12/08/2010	87.280,00	87.280,00	0,00
[illegible]				ESTETOSCOPIO PARA ADULTO UNIDAD	13/01/2010	27.000,00	27.000,00	0,00
[illegible]	04700		10800	BANDEJA CON TALIMETRO	05/09/1990	4.000,00	4.000,00	0,00
[illegible]	11115	121040	11040	ELECTROBISTURI	31/01/2010	117.000,00	117.000,00	0,00
[illegible]	11108	100188	11280	ELECTROBISTURI	31/01/2010	117.000,00	117.000,00	0,00
[illegible]	01017	120810	8187	TRANSFORMADOR DE 100 A 12000 V	10/10/2003	499.000,00	499.000,00	0,00
[illegible]		100775-50885	8616	SILLA RECLINABLE SUPERFICIE LIMPIA LAVABLE	09/06/2014	1.198.712,60	894.313,11	[illegible]
[illegible]	8000		14107	SILLA GIRATORIA SIMPLES ERGONOMICA	19/10/2005	28.861,36	28.861,36	0,00
[illegible]	100048-3.000		11962	SILLA ERGONOMICA GIRATORIA ECONOMICA	29/04/2010	119.808,36	119.808,36	0,00
[illegible]	31.000	011108-80000	10107	SILLA GIRATORIA PARA PERSONAL GIRATORIA	18/02/1998	31.806,30	31.806,30	0,00
[illegible]	108067			SILLA METALICA ERGONOMICA SOPORTE ESPALDAR ZONA LUMBAR	07/08/2017	89.000,00	89.000,00	0,00
[illegible]				SILLA METALICA ERGONOMICA SOPORTE ESPALDAR ZONA LUMBAR	07/08/2017	89.000,00	89.000,00	0,00
[illegible]				SILLA GIRATORIA ERGONOMICA BRAZOS	06/08/2010	327.045,09	327.045,09	0,00
[illegible]				OUTACO GIRATORIO ESPALDA	31/08/2011	273.199,06	273.199,06	0,00
[illegible]	80700		10174	SILLA EJECUTIVA CIRRAZOS CIRPALDAR ACTO CARCAJA FIN	31/08/2006	71.105,06	71.105,06	0,00
[illegible]	101775-1000	121807	8005	SILLA DE RUEDAS CROMADA ESTANDAR	01/07/2004	87.444,30	87.444,30	0,00
[illegible]			10700-10700	SILLA ERGONOMICA CIRRAZOS ECONOMICA	29/04/2010	119.808,16	119.808,16	0,00
[illegible]			10171	SILLA ERGONOMICA CIRRAZOS ECONOMICA	29/04/2010	119.808,16	119.808,16	0,00
[illegible]	000		13404	ARCHIVADOR EN MADERA DE CUATRO GAVETAS	29/02/1984	27.750,35	27.750,35	0,00
[illegible]	01177		13475	SILLA ESCUELA EN MADERA 100000134	14/08/1983	18.800,41	18.800,41	0,00
[illegible]	01147		8458	LOCKER METALICO DE 4 PUESTOS	30/10/1973	112.812,61	112.812,61	0,00
[illegible]	32024		508	CAMINADOR ADULTO	18/08/1991	10.441,29	10.441,29	0,00
[illegible]	32003		8000	TELEVISOR A COLOR DE 14 SHARP	15/02/2007	80.330,00	80.330,00	0,00
[illegible]	10418		11300	MONITOR DE SIGNOS VITALES DATICARE MOD 6014-T05 S	21/06/2003	4.130.885,11	4.130.885,11	0,00
[illegible]	30049		10700	ESCRITORIO EN MADERA CON CARACA EN COMB. MEDIO CON GAV	26/02/1995	42.181,07	42.181,07	0,00
[illegible]	31908	113707	8040	ESCRITORIO MADERA 5 GAV LIDER 100000070	04/11/1994	84.000,01	84.000,01	0,00
[illegible]	31804	22708	8085	SILLA POLTRONA SIN BRAZOS COLOR NEGRA	30/08/1993	88.981,00	88.981,00	0,00
[illegible]	31808		8082	ESCRITORIO MADERA CON GAV. LIDER 100000070	23/08/1993	72.411,01	72.411,01	0,00
[illegible]	31803		8087	SUPERFICIE FORMICA DE 0.60*0.90 MTS	10/12/2003	34.348,80	34.348,80	0,00

[illegible]	[illegible]		13749	TANDEM DE 4 PUESTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA CUNA EN MADERA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	CARRO METALICO DE [illegible] (CUNA)	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	SUPERFICIE EN FORMICA DE [illegible] MTS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11914	TANDEM DE CUATRO PUESTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11750	ESCRITORIO EN MADERA DE 5 GAV. TAPA FORMICA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ESCRITORIO EN MADERA 2 GAV L. DER [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MUEBLE EN MADERA DE [illegible] UNA PUERTA Y [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	CAMAROTE METALICO SENCILLO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	REPISA EN MADERA DE PARED	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	ARCHIVADOR VERTICAL DE 4 GAV. METALICO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	TANDEM DE CUATRO PUESTOS COLOR NARANJA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CARRO METALICO DE [illegible] CON CANASTILLA Y ENTREPAÑO TAPA EN ACERO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	SOFA CAMA EN CUERO DIGITIMO SILLON DE 1 MS Y CAMA 1	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MESA PARA COMPUTADOR CON GAVETA LAD. DERECHO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	BIBLIOTECA EN MADERA CIRUELITA X4 CORRIDAS X M VIDRIO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	BIBLIOTECA 85 X 175 TOT	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	BIBLIOTECA MADERA FORRADA CORDOBAN VIDRIO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	VITRINA DE 1 PUERTA MGT. SOBOBAYTE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULAR DE 3 PLANOS TH DSP	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SILLA GIRATORIA SIN BRAZOS TAPIZADA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				SUTACO GIRATORIO ESPALDA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				SUTACO GIRATORIO ESPALDA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SILLA GIRATORIA TIPO EJECUTIVA SIN BRAZOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		SILLA PLIA PLASTICA GRANDE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA AUXILIAR MADERA DE [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MONITOR DE SIGNOS VITALES DEPRESIÓN NAVAGNA NIMP1 NIMS6	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		VIDEO LUGOENDOSCOPIO EG-2801TS SIN ESPARRICO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			VENTILADOR TRANSPORTE PULMONAR FLIGHT MEDICAL EQUIPAGE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	FLUXOMETRO MOA BIGLIGHT 9000 NIMS0 CON ADAPTADOR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	OXIMETRO DE PULSO NELLCOR 380	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			13944	FONDOSCOPIO CONCEPTO DE INTUBACION DIRECT.	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				SILLA RECLINABLE CON BRAZOS OMEGA NEGRA ASIENTI	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			SILLA RECLINABLE CON BRAZOS OMEGA NEGRA ASIENTI	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				SILLA RECLINABLE CON BRAZOS OMEGA NEGRA ASIENTI	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				SILLA RECLINABLE CON BRAZOS OMEGA NEGRA ASIENTI	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				SILLA RECLINABLE CON BRAZOS OMEGA NEGRA ASIENTI	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				SILLA RECLINABLE CON BRAZOS OMEGA NEGRA ASIENTI	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMILLA CON CAPACIDAD PARA 135 TIPO DE 3 SECCIONES	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	TELEFONO DIGITAL TIPO DIALOG 3701	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	TELEFONO DIGITAL	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	BALANZA MULTIUSOS PARA COLECTA DE SANGRE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MONITOR DE SIGNOS VITALES INVENTO DASH 3000	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	ESTANTERIA METALICA DE 5 ENTREPAÑOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	LOCKER DE 6 COMPARTIMIENTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA EPSON LX-300 SER ETUY ORIGINO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	VITRINA PANORAMICA CUPULAR MCA INSUFRAL	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	CARRO PORTAHISTORIA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			TENSIOMETRO PARA ADULTO UNIDAD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	NEVERA COLOR BOSCE AMBA	[illegible]	[illegible]	[illegible]	[illegible]

[illegible]	[illegible]		11804	1 BOTIQUIN MADERA DE 3 GAVS. DERECHO 140X70X70	15/10/1990	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		14819	1 ESTANTERIA GALVANIZADA DE 4 PUESTOS	01/12/1979	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	1 ESTANTERIA METALICA DE 5 ENTREPAÑOS	13/09/1979	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		10308	1 SILLA GIRATORIA OPERACION ERGONOMICA SIMBAZOS	18/09/2006	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11868	1 ARCHIVADOR METALICO DE CUATRO GAVETAS	01/08/1995	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	1 BOTIQUIN DE MADERA 3 GAV LIZCO 130X64X73	13/01/1991	[illegible]	[illegible]	[illegible]
[illegible]				1 SILLA EJECUTIVA ERGONOMICA ESPALDAR MEDIO AIR	01/04/2017	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	11150-14745	CAMA METALICA DE LUJO MOD. PITAMIR PACIENTES	20/03/2010	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMILLAS PARA RECUPERACION	08/11/1990	[illegible]	[illegible]	[illegible]
[illegible]				VENTILADOR DE TRANSPORTE MARCA SAVE MOD SAVO PLUS	19/10/2016	21.440.000,00	[illegible]	[illegible]
[illegible]				MONITOR MULTIPARAMETRICO DE SIGNOS VITALES	28/02/2011	5.075.887,43	[illegible]	[illegible]
[illegible]	[illegible]		11808	TANDEM DE 4 PUESTOS	26/09/1996	81.283,44	[illegible]	[illegible]
[illegible]				VENTILADOR PULMONAR ADU PEDIATRIC EVENT MEDICAL INSPIRATION 01 UNIDAD	01/06/2016	50.280.000,00	[illegible]	[illegible]
[illegible]				VENTILADOR PULMONAR ADU PEDIATRIC EVENT MEDICAL INSPIRATION 01 UNIDAD	01/06/2016	50.280.000,00	[illegible]	[illegible]
[illegible]				VENTILADOR PULMONAR ADU PEDIATRIC EVENT MEDICAL INSPIRATION 01 UNIDAD	11/06/2016	50.280.000,00	[illegible]	[illegible]
[illegible]				VENTILADOR PULMONAR ADU PEDIATRIC EVENT MEDICAL INSPIRATION 01 UNIDAD	10/06/2016	50.280.000,00	[illegible]	[illegible]
[illegible]				VENTILADOR PULMONAR ADU PEDIATRIC EVENT MEDICAL INSPIRATION 01 UNIDAD	11/06/2016	50.280.000,00	[illegible]	[illegible]
[illegible]				VENTILADOR PULMONAR ADU PEDIATRIC EVENT MEDICAL INSPIRATION 01 UNIDAD	11/06/2016	50.280.000,00	[illegible]	[illegible]
[illegible]		[illegible]	[illegible]	ELECTROCARDIOGRAFO DE 3 CANALES	01/06/2013	[illegible]	[illegible]	[illegible]
[illegible]				VENTILADOR TRANSPORTE PULMONAR FUSIT MEDICAL 60 UNIDAD	01/10/2016	36.660.000,00	[illegible]	[illegible]
[illegible]			13809	MONITOR FETAL FIDUAL KIWA	05/08/2014	[illegible]	[illegible]	[illegible]
[illegible]			11180	MONITOR DE SIGNOS VITALES BASICO MOD 30 (HOMBROMAP HPM MIWA)	01/06/2012	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	10801	ELECTROCARDIOGRAFO FUKUDA DENSHI	01/06/2003	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		15710	BALANZA PUNA BEBE CON PLATON	21/09/1994	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]	[illegible]	BALANZA MIXTA ADORNI PARA COLECTA DE SANGRE	31/01/2012	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13961	NIÑO SIMUL DOCIDLAR LAR 1992 SIN STET	18/04/1994	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	AUTOCLAVE TIPO OLLA DE 25 LIBRE	23/02/1994	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		7990	AUTOCLAVE CON DOS CANASTAS MARCA ASMCO	31/12/1973	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	1204	CAMA TUBULAR DE 3 PLANOS TAGNEP CON BARANDAS	31/12/1973	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULAR DE 3 PLANOS TAGNEP	31/12/1973	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA METALICA SENCILLA TIPO TABLA *	31/12/1973	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA METALICA 79 X 180 X 28	01/08/1991	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITALARIA TUBULAR	31/12/1973	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TIPO HOSPITALARIO	28/09/1973	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULAR DE 3 PLANOS CON BARANDAS CROMADAS	31/12/1973	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	TANDEM DE 4 PUESTOS PLASTICOS	26/05/2011	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	TANDEM DE 4 PUESTOS COLOR ROJO	09/04/1984	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]		PIPETA AUTOMATICA VARIABLE DE 5- 50 MLTS	30/06/2013	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			PIPETA DE 50 A 200 LAMBDAS INMUNOLOGIA	12/04/1994	[illegible]	[illegible]	[illegible]
[illegible]			13987	UPS DE 12000 VA INFAREX MOD POWERICON	11/06/2013	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	AIRE ACONDICIONADO DE 18000 BTU/220V TIPO MINISPLIT	18/12/2011	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	AIRE ACONDICIONADO TIPO PAQUETE DE 6 TR 220V	13/01/2007	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	AIRE ACONDICIONADO DE 24000 BTU/220V	19/01/2012	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	AIRE ACONDICIONADO DE 24000 BTU/220V	01/03/2006	[illegible]	[illegible]	[illegible]
[illegible]				SILLA DE RUEDAS TIPO SPORT PLEGABLE CROMADA	31/08/2017	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA ELECTRICA C/COLCHON Y RUEDAS BLOQUEO INGEP 4	08/02/2006	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA DE 4 PLANOS ELECTROMECANICO ALAMBRICO C/COLCHON	08/03/2010	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA DE 4 PLANOS ELECTROMECANICO ALAMBRICO C/COLCHON	08/03/2010	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	CAMA ELECTROMECANICA MCA LOS PINOS	23/07/2003	[illegible]	[illegible]	[illegible]

[illegible]	14462	108013	6995	CAMA HOSPITALARIA DE LUJO	31/12/1917	146.411,40	146.411,40	0,00
[illegible]	1.0980	108021	320	CAMA DE 4 PLANOS ELECTROMECANICA CICOLCHON	28/02/2013	730.847,82	[illegible]	0,00
[illegible]	18163	108023	7180	CAMA ELECTROMECANICA MCA. LOS PINOS	[illegible]	730.847,82	[illegible]	0,00
[illegible]	18097	108022 - 112002	9821	CAMA ELECTROMECANICA MCA. HUNTLEIGH	[illegible]	730.847,82	[illegible]	0,00
[illegible]	18048	108262	1981	CAMA ELECTROMECANICA	[illegible]	730.847,82	[illegible]	0,00
[illegible]	41140		9896	CAMA ELECTROMECANICA	[illegible]	730.847,82	[illegible]	0,00
[illegible]	19400		7990	CAMA ELECTROMECANICA MCA. LOS PINOS	[illegible]	730.847,82	[illegible]	0,00
[illegible]	14100	103109	11555	CAMILLA REF C-374	[illegible]	1.376.490,30	1.376.490,30	0,00
[illegible]	14156		11553	CAMILLA REF C-374	[illegible]	1.376.490,30	1.376.490,30	0,00
[illegible]	14171		11552	CAMILLA REF C-374	[illegible]	1.376.490,30	1.376.490,30	0,00
[illegible]	42251		14237	CAMILLA TRANSPORTADORA PERAC D376 CITRONDELEMBURG-CO	21/07/2005	996.674,17	[illegible]	0,00
[illegible]	13108	112348	8520	CAMILLA PARA TRANSPORTE DE PACIENTES CAMARANDA	25/07/2003	165.093,04	165.093,04	0,00
[illegible]	45368	102801	9488	CAMILLA FIJA CON COLCHONETA	13/03/1996	46.913,12	46.913,12	0,00
[illegible]	45338	45379	8731	CAMILLAS PARA RECUPERACION	06/11/1995	46.177,45	46.177,45	0,00
[illegible]	11708	108864	8790	CAMA METALICA DE LAVANTE RITMANP. PACIENTES	20/10/2010	1.081.984,78	1.081.984,78	0,00
[illegible]	11708	108873	8804	CAMA METALICA DE LAVANTE RITMANP. PACIENTES	20/10/2010	1.081.984,78	1.081.984,78	0,00
116067	121708		7188	CAMA DE 4 PLANOS ELECTROMECANICA CICOLCHON	20/08/2010	730.847,82	[illegible]	0,00
[illegible]	32613	108089	7197	CAMA ELECTRICA CICOLCHON Y RUEDAS BLOQUE D RICOLP. III	20/02/2003	730.847,82	[illegible]	0,00
[illegible]	32614	108088	7198	CAMA ELECTRICA CICOLCHON Y RUEDAS BLOQUE E RICOLP. III	20/02/2003	730.847,82	[illegible]	0,00
[illegible]	27417	124998	7709	CAMA TURBULAR DE 3 PLANOS TAYDER	31/12/1917	146.411,40	146.411,40	0,00
[illegible]	81608	109201 - 109201 - 109201	8102	CAMA SENCILLA EN MADERA	[illegible]	146.411,40	146.411,40	0,00
111192			9401	CAMAROTE SENCILLO TUBULAR DE 1.00 * 190 CITABLA	01/12/2010	248.199,95	248.199,95	0,00
111193			7994	CAMAROTE SENCILLO TUBULAR DE 1.00 * 190 CITABLA	01/12/2010	248.199,95	248.199,95	0,00
12c229			9496	SILLA REGULEMATIC SUPERFICIE LISA LAVABLE	09/08/2014	1.108.747,00	984.212,15	316.484,34
[illegible]	8980	84731	9823	SILLA REGULABLE CON BRAZOS	14/01/2008	217.998,90	217.998,90	0,00
121215			10916	SILLA TIPO EJECUTIVA NEUMATICA CBRAZOS	31/12/2012	201.921,51	201.921,44	0,07
[illegible]	32480	108088	8777	SILLA POLTRONA	19/02/1997	98.991,90	98.991,90	0,00
[illegible]	31088		10813	SILLAS FIBRA VIDRIO TAPERO ORDINADO CI AZUL	12/08/1918	12.513,64	12.513,64	0,00
101606			9846	ARCHIVADOR VERTICAL METALICO DE 4 GAVETAS	28/06/2011	826.765,34	826.765,34	0,00
[illegible]	81264		13876	ARCHIVADOR METALICO DE 4 GAVETAS	13/12/1998	34.936,80	34.936,80	0,00
[illegible]	46219		3997	ARCHIVADOR VERT 4 GAVETAS LIMADERA NOGAL GALAVE	13/04/1995	81.400,00	81.400,00	0,00
[illegible]	94401		8283	ARCHIVADOR EN MADERA 2*1	12/12/2003	44.671,28	44.671,28	0,00
[illegible]	98608	[illegible] - 98608	8972	ARCHIVADOR EN MADERA 4 GAVETAS	04/11/1994	35.720,00	35.720,00	0,00
[illegible]	98608		8968	ARCHIVADOR MADERA 4 GAVETAS	04/11/1995	37.714,13	37.714,13	0,00
112700				SILLA REGULABLE CON BRAZOS OMEGA NEGRA ASIENTI	12/08/2010	[illegible]	[illegible]	0,00
112604				SILLA REGULABLE CON BRAZOS OMEGA NEGRA ASIENTI	12/08/2010	[illegible]	[illegible]	0,00
112605				SILLA REGULABLE CON BRAZOS OMEGA NEGRA ASIENTI	12/08/2010	[illegible]	[illegible]	0,00
112708				SILLA REGULABLE CON BRAZOS OMEGA NEGRA ASIENTI	12/08/2010	[illegible]	[illegible]	0,00
112801				SILLA REGULABLE CON BRAZOS OMEGA NEGRA ASIENTI	12/08/2010	[illegible]	[illegible]	0,00
113000				SILLA EJECUTIVA ERGONOMICA ESPALDAR MEDIO G/B	31/08/2017	[illegible]	[illegible]	0,00
113017				SILLA EJECUTIVA ERGONOMICA ESPALDAR MEDIO G/B	31/08/2017	[illegible]	[illegible]	0,00
113119				BUTACO GIRATORIO GRATALDA	31/08/2017	213.700,00	213.700,00	0,00
[illegible]	81503		13848	BUTACOS GIRATORIOS CON APOYA PIES	31/12/1993	42.154,80	42.154,80	0,00
[illegible]	49180		8897	BUTACO GIRATORIO TRIPODE	03/10/1919	7.818,00	7.818,00	0,00
[illegible]	52193		11844	BUTACO TRIPODE	03/10/1919	7.818,00	7.818,00	0,00
[illegible]	13049			MARMITA A VAPOR DE 60 GALONES	30/12/1919	87.545,71	87.545,71	0,00
[illegible]	13045			MARMITA A VAPOR DE 60 GALONES	30/12/1917	87.545,71	87.545,71	0,00
[illegible]	13048			MARMITA A VAPOR DE 30 GALONES	30/12/1917	87.545,71	87.545,71	0,00
[illegible]	13047			MARMITA A VAPOR DE 30 GALONES	30/12/1917	87.545,71	87.545,71	0,00

[illegible]	[illegible]		7590	CARRO METALICO TRANSPORTADOR DE MEDICAMENTOS	28/10/2011	1.768.621,34	1.768.621,34		0,00
[illegible]			7591	CARRO METALICO TRANSPORTADOR DE MEDICAMENTOS	28/10/2011	1.768.621,34	1.768.621,34		0,00
[illegible]			7592	CARRO METALICO TRANSPORTADOR DE MEDICAMENTOS	28/10/2011	1.768.621,34	1.768.621,34		0,00
[illegible]	[illegible]			CARRO DE PLATAFORMA CON TAPA	19/09/1988	270.803,30	[illegible]		0,00
[illegible]	[illegible]	[illegible]	3100	CARRO DE CURACION DE BISKOBET	14/05/2000	66.345,71	[illegible]		0,00
[illegible]	[illegible]		14300	CARRO METALICO DE 48 X 80 X 94 CHICO	31/12/1918	38.475,18	[illegible]		0,00
[illegible]	[illegible]		1960	CARRO METALICO 1 CAJA 48 X 80 X 94	23/05/1998	34.326,21	[illegible]		0,00
[illegible]	[illegible]	[illegible]	8024	CARRO PORTA HISTORIAS DE 28 PUESTOS	08/12/2000	79.290,00	[illegible]		0,00
[illegible]	[illegible]	[illegible]	1850	CARRO PORTA HISTORIAS DE 28 PUESTOS	08/12/2000	79.290,00	[illegible]		0,00
[illegible]	[illegible]	[illegible]	7340	CARRO PORTA HISTORIAS	31/12/1973	74.545,45	74.545,45		0,00
[illegible]	[illegible]	[illegible]	19500	CARRO METALICO PARA TRANSPORTE DE OXIGENO	21/03/2008	57.590,41	57.590,41		0,00
[illegible]	[illegible]		7360	CUNAS EN BASE METALICA Y CANASTA EN ACRILICO	18/03/1998	52.727,21	[illegible]		0,00
[illegible]	[illegible]		7389	SILLA GIRATORIA ERGONOMICA BRAZOS TAPIZADA	11/12/2006	56.434,89	[illegible]		0,00
[illegible]	[illegible]		7390	SILLA GIRATORIA BRAZOS TAPIZADA EN MEDIO FIJAS	02/08/2006	55.639,27	[illegible]		0,00
[illegible]	[illegible]		7164	SILLA GIRATORIA ERGONOMICA NEUMAT. BRAZ. TAP. PAÑO	28/02/1998	22.826,34	[illegible]		0,00
[illegible]	[illegible]		18139	SILLA ALTA VIA FUJA EN MADERA CON BRAZOS	30/11/1918	13.413,84	[illegible]		0,00
[illegible]	25/04	14400	19400	SILLA DE RUEDAS CROMADA ESTANDAR	11/05/2004	67.444,44	[illegible]		0,00
[illegible]	[illegible]	[illegible]	14400	SILLA DE RUEDAS CROMADA ESTANDAR	11/05/2004	67.444,44	[illegible]		0,00
[illegible]	[illegible]	[illegible]	3050	SILLA DE RUEDAS EN ACERO OFTALTIGRA ELECTROSTATICA PLEGABLE	08/12/2004	68.807,97	[illegible]		0,00
[illegible]				SILLA DE RUEDAS TIPO SPORT PLEGABLE CROMADA	21/06/2017	840.000,00	[illegible]		0,00
[illegible]				SILLA DE RUEDAS TIPO SPORT PLEGABLE CROMADA	21/06/2017	840.000,00	[illegible]		0,00
[illegible]	[illegible]		[illegible]	SILLA DE RUEDAS ADULTO IMPORTADAS	23/11/2010	713.817,71	[illegible]		0,00
[illegible]	[illegible]	[illegible]	19977	SILLA DE RUEDAS CROMADA ESTANDAR	11/05/2004	67.444,44	[illegible]		0,00
[illegible]	[illegible]		14400	SILLA DE RUEDAS	12/02/1996	67.444,44	[illegible]		0,00
[illegible]	[illegible]	[illegible]	13131	SILLA ERGONOMICA ALTA SIN BRAZOS	29/04/1996	42.154,80	[illegible]		0,00
[illegible]	[illegible]		14984	SILLA GIRATORIA CON BRAZOS FORRADA CORDOBAN	31/12/1984	15.847,50	[illegible]		0,00
[illegible]	[illegible]		15130	SILLA RIMEX PLASTICA	31/12/1973	4.301,72	[illegible]		0,00
[illegible]	[illegible]	[illegible]	11477	SILLA STAR ALTA CBRAZOS NEUMATICA AZUL	10/12/2003	12.746,51	[illegible]		0,00
[illegible]	[illegible]	[illegible] 7417	13402	SILLA GIRATORIA ERGONOMICA CON BRAZOS TAPIZADO NEGR	01/04/1974	23.806,34	[illegible]		0,00
[illegible]	[illegible]		10403	SILLA GIRATORIA ERGONOMICA CORDOBAY NEGRO	30/12/1986	23.806,34	[illegible]		0,00
[illegible]	[illegible]	[illegible]	10385	SILLA ERGONOMICA GIRATORIA CBRAZOS NEGR TIPO PAÑO	02/12/1989	23.806,34	[illegible]		0,00
[illegible]	[illegible]		5094	SILLA GIRATORIA CON BRAZOS CORDEDORO	31/12/1984	19.805,34	[illegible]		0,00
[illegible]	[illegible]		[illegible]	SILLA ERGONOMICA EJECUTIVA CBRAZOS GIRATORIA TAPIZADA	29/04/2010	153.836,63	[illegible]		0,00
[illegible]	[illegible]		9810	SILLA GIRATORIA SIN BRAZOS TAPIZADA	03/08/2003	68.717,70	[illegible]		0,00
[illegible]	[illegible]		7772	SILLA GIRATORIA BRAZOS TAPIZADA EN MEDIO FIJAS	02/08/2003	57.804,98	[illegible]		0,00
[illegible]	[illegible]		9570	SILLA GIRATORIA SIN BRAZOS TAPIZADA	03/08/2003	48.103,34	[illegible]		0,00
[illegible]	[illegible]	[illegible]	11134	SILLA GIRATORIA SIN BRAZOS TAPIZADA	10/12/2003	48.103,34	[illegible]		0,00
[illegible]	[illegible]	[illegible]	11031	SILLA GIRATORIA GIRADOR BRAZOS ERGONOMICA	10/08/2003	33.094,91	[illegible]		0,00
[illegible]	[illegible]		6061	SILLA GIRATORIA TAPIZAÑO CHIS	31/08/1984	23.806,34	[illegible]		0,00
[illegible]	[illegible]		11960	SILLA TIPO MARINAL	31/12/1973	8.198,66	[illegible]		0,00
[illegible]	[illegible]			SILLA RIMAS ROJA	31/12/1987	4.361,72	[illegible]		0,00
[illegible]	[illegible]		14046	AGITADOR DE MAZERIC ELECTRONICO REF TA-08 INDULAB	11/07/2003	1.011.403,96	1.011.403,96		0,00
[illegible]	[illegible]		1330	ATRIL PORTA SUERO METALICO DE PISO	29/07/2011	282.171,08	[illegible]		0,00
[illegible]			1336	ATRIL PORTA SUERO METALICO DE PISO	29/07/2011	282.171,08	[illegible]		0,00
[illegible]	[illegible]		6096	ATRIL PARA BOMBA DE INFUSION MOD OF 2	21/07/2010	111.303,08	[illegible]		0,00
[illegible]	[illegible]	[illegible] - 108/00	867	ATRIL PARA BOMBA DE INFUSION MOD OF 2	22/07/2010	74.202,04	[illegible]		0,00
[illegible]	[illegible]		9864	ASPIRADOR TI-IDMAS MODELO 1100 MEDICPLUM	30/06/1995	215.365,28	[illegible]		0,00
[illegible]	[illegible]		4896	AUCCIONADOR MODELO 1100 BETA THOMAS	21/07/1995	215.365,28	[illegible]		0,00
[illegible]	[illegible]		1973	SILLA GIRATORIA ERGONOMICA ALTA CBRAZOS	29/04/2006	82.097,17	82.097,17		0,00

96

[illegible]	[illegible]		9412	SILLA LINEA 10 GIRATORIA SIN TAPIZAR SIN BRAZOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		7406	SILLA GIRATORIA ERGONOMICA SIN BRAZOS TAPIZADA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		10471	SILLA GIRATORIA CON CORDOBAN	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		8711	SILLA GIRATORIA CON PARIO CRES	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13745	SILLA GIRATORIA ERGONOMICA TAPIZADA PARIO AZUL	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		1881	SILLA GIRATORIA ERGONOMICA PAÑO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		9891	SILLA GIRATORIA ERGONOMICA CABRIZOS TAPIZADA EN CO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	14429	SILLA ERGONOMICA GIRATORIA BRAZOS TAPIZADA CORD.	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				VENTILADOR EVENT MEDICAL INSPIRATION U	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	8891	TERMOMETRO HIGROMETRO HARRY TAYLOR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		8112	TERMOMETRO HIGROMETRO HARRY TAYLOR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			REGULADOR DE OXIGENO CON FLUJOMETRO MARCA VICTOR MEDICAL	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			REGULADOR PARA OXIGENO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11680	SERVOVENTILADOR SIEMENS MOD SV 8000 SER 181418	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11585	SERVOVENTILADOR SIEMENS MOD SV 8000 SER 187768	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		7089	SERVOVENTILADOR SIEMENS MOD SV 8000 SER 181458	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		8086	SERVOVENTILADOR SIEMENS MOD SV 8000 SER 181464	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				TENSIOMETRO PEDIATRICO UNIBAD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			9792	TENSIOMETRO DE PARED	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			9795	TENSIOMETRO DE PARED	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			9798	TENSIOMETRO DE PARED	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			9715	TENSIOMETRO DE PARED	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			7009	TENSIOMETRO ANEROIDES MARCA TYCOS MOD ROYANTE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				TENSIOMETRO DE PARED	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		14280	TENSIOMETRO DE PARED WELLCH ALLINE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		9580	TENSIOMETRO DE PARED WELLCH ALLINE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		9797	TENSIOMETRO DE PARED WELLCH ALLINE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		9437	TENSIOMETRO DE PARED WELLCH ALLINE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		9421	TENSIOMETRO DE PARED WELLCH ALLINE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		9414	TENSIOMETRO DE PARED WELLCH ALLINE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		9808	TENSIOMETRO DE PARED WELLCH ALLINE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		9408	TENSIOMETRO DE PARED WELLCH ALLINE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		9818	TENSIOMETRO DE PARED WELLCH ALLINE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		9805	TENSIOMETRO DE PARED WELLCH ALLINE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		9437	TENSIOMETRO DE PARED WELLCH ALLINE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	10080	TENSIOMETRO DE PARED WELLCH ALLINE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		PIPETA DE 200 A 1000 LAMBDAS QUIMICA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		PIPETA DE 200 A 1000 LAMBDAS HEMATOLOGIA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		PIPETA DE 200 A 1000 LAMBDAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			PIPETA DE 0 A 80 LAMBDAS HEMENDSCH (BLOOM)	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		PIPETA DE 0 A 40 LAMDAS QUIMICA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			PIPETA DE 200 A 1000 LAMDAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			OTOSCOPIO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	PEAK FLOW DIGITAL	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	PINZA DAPSULOMHOS ULTRATA RECTA REF: 4-03501 (COMPUTADOR)	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			PIPETA AUTOMATICA DE 10-50 LAMBDAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		PIPETA AUTOMATICA DE 200-1000 LAMBDAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			PIPETA AUTOMATICA DE 200-1000 LAMBDAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			PIPETA AUTOMATICA DE 200-1000 LAMBDAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			PIPETA AUTOMATICA DE 5-40 LAMBDAS	[illegible]	[illegible]	[illegible]	[illegible]

[illegible]	[illegible]			PIPETA AUTOMATICA DE 20-200 LAMBDAS	13/02/1999	37.797,80	37.797,80	0,00
[illegible]	[illegible]			PIPETA AUTOMATICA DE 20-200 LAMBDAS	13/02/1999	37.797,80	37.797,80	0,00
[illegible]	[illegible]	[illegible]		PIPETA AUTOMATICA DE 5-50 LAMBDAS	16/03/1995	37.797,80	37.797,80	0,00
[illegible]	[illegible]			PIPETA AUTOMATICA DE 20-200 LAMBDAS	04/10/1993	38.708,00	38.708,00	0,00
[illegible]	[illegible]			PIPETA AUTOMATICA DE 20-200 LAMBDAS	04/10/1993	38.708,00	38.708,00	0,00
[illegible]	43410	[illegible]		PIPETA AUTOMATICA DE 5-50 LAMBDAS	31/12/1999	29.524,80	29.524,80	0,00
[illegible]	43410			PIPETA AUTOMATICA DE 5-50 LAMBDAS	31/12/1999	29.524,80	29.524,80	0,00
[illegible]	43410	[illegible]		PIPETA AUTOMATICA DE 5-50 LAMBDAS	31/12/1999	29.524,80	29.524,80	0,00
[illegible]				CAMA ELECTRICA DE TRES CUERPOS CON BALANZA UNIDAD	11/02/2016	9.990.080,00	7.999.080,24	9.990.080,00
[illegible]				PIPETA AUTOMATICA VARIABLE DE 100-1000 MLTS	30/08/2010	251.999,08	251.999,08	0,00
[illegible]		[illegible]		PIPETA AUTOMATICA VARIABLE DE 100-1000 MLTS	30/08/2010	251.999,08	251.998,29	0,79
[illegible]		[illegible]		PIPETA AUTOMATICA DE 5-50 LAMBDAS	11/08/2000	174.938,04	174.938,04	0,00
[illegible]				PIPETA AUTOMATICA VARIABLE DE 100-1000 MLTS	30/08/2010	141.312,80	141.312,80	0,00
[illegible]	[illegible]			PIPETA AUTOMATICA DE 5-50 LAMBDAS	28/11/1999	119.085,45	119.085,45	0,00
[illegible]	[illegible]			PIPETA AUTOMATICA DE 5-50 LAMBDAS	28/11/1999	119.085,45	119.085,45	0,00
[illegible]		[illegible]		PIPETA AUTOMATICA VARIABLE DE 100-1000 ML TS	30/08/2010	100.480,18	100.480,18	0,00
[illegible]				PIPETA AUTOMATICA VARIABLE DE 100-1000 MLTS	30/08/2010	70.984,78	70.984,78	0,00
[illegible]		[illegible]		PIPETA AUTOMATICA VARIABLE DE 100-1000 MLTS	30/08/2010	70.984,78	70.984,78	0,00
[illegible]		[illegible]		PIPETA AUTOMATICA VARIABLE DE 100-1000 MLTS	30/08/2010	70.984,78	70.984,78	0,00
[illegible]		[illegible]		PIPETA AUTOMATICA VARIABLE DE 100-1000 MLTS	30/08/2010	70.984,78	70.984,78	0,00
[illegible]				PIPETA AUTOMATICA VARIABLE DE 20-200 ML TS	30/08/2010	141.312,80	141.312,80	0,00
[illegible]				PIPETA AUTOMATICA VARIABLE DE 5-50 ML TS	30/08/2010	100.480,18	100.480,18	0,00
[illegible]				PIPETA AUTOMATICA VARIABLE DE 5-50 ML TS	30/08/2010	70.984,78	70.984,78	0,00
[illegible]				PIPETA AUTOMATICA VARIABLE DE 5-50 MLTS	30/08/2010	70.984,78	70.984,78	0,00
[illegible]				PIPETA AUTOMATICA VARIABLE DE 5-50 MLTS	30/08/2010	70.984,78	70.984,78	0,00
[illegible]		[illegible]		PIPETA AUTOMATICA VARIABLE DE 5-50 MLTS	30/08/2010	70.984,78	70.984,78	0,00
[illegible]		[illegible]		PIPETA AUTOMATICA VARIABLE DE 5-50 MLTS	30/08/2010	70.984,78	70.984,78	0,00
[illegible]		[illegible]		PIPETA AUTOMATICA VARIABLE DE 20-200 ML TS	30/08/2010	70.984,78	70.984,78	0,00
[illegible]				PIPETA AUTOMATICA VARIABLE DE 20-200 ML TS	30/08/2010	70.984,78	70.984,78	0,00
[illegible]		[illegible]		PIPETA AUTOMATICA VARIABLE DE 5-50 ML TS	30/08/2010	70.984,78	70.984,78	0,00
[illegible]	[illegible]		11146	TRANSDUCTOR COMBIMA REF. PVG-9MM S/N 1114/KT8MM	10/08/2000	5.010.010,01	5.010.010,01	0,00
[illegible]	[illegible]		[illegible]	TRANSFORMADOR DE PARTO	31/08/1980	187.015,27	187.015,27	0,00
[illegible]	[illegible]		[illegible]	VACUOMETRO DE VIDRIO CON FLUJOMETRO Y ADAPTADOR	17/07/2008	115.100,30	115.100,30	0,00
[illegible]	[illegible]		[illegible]	MODULO ELECTRONICO PARA CONTROL MARCA MPL MODELO	21/04/2000	820.314,81	820.314,81	0,00
[illegible]			11534	MONITOR DE SIGNOS VITALES E ONITICO DATASCOPE SPECTRUM	08/09/2010	16.464.705,50	16.464.705,50	0,00
[illegible]	[illegible]		7121	MONITOR SIEMENS SIRECUST MOD 1301 SIN 10308 DIMENSIONE	28/11/1997	10.000.026,12	10.000.026,12	0,00
[illegible]	[illegible]		[illegible]	MONITOR DE SIGNOS VITALES NO INVASIVO	10/03/2010	[illegible]	[illegible]	0,00
[illegible]	[illegible]		[illegible]	MONITOR DE SIGNOS VITALES NO INVASIVO MARCA SIMON	21/06/2005	4.080.171,00	[illegible]	0,00
[illegible]	[illegible]		7100	MONITOR SIGNOS VITALES C/INVASIVA MASIM 200 IX S	23/05/2004	3.192.797,08	3.192.797,08	0,00
[illegible]	[illegible]		[illegible]	MONITOR SIGNOS VITALES C/INVASIVA MASIM 200 IX S	23/03/2004	3.000.973,08	3.000.973,08	0,00
[illegible]			9500	MONITOR FETAL	23/04/2012	3.901.704,70	3.901.704,70	0,00
[illegible]	[illegible]		11461	MONITOR SIGNOS VITALES NEONATOLOGICO	09/03/2004	3.498.936,80	3.498.936,80	0,00
[illegible]	[illegible]		7958	NEGATOSCOPIO DE DOS CUERPOS	02/07/2003	42.917,83	42.917,83	0,00
[illegible]	[illegible]		10803	INCUBADORA DE TRANSPORTE MOD SAMO	08/12/1998	3.305.729,84	3.305.729,84	0,00
[illegible]	[illegible]		7866	INCUBADORA ABIERTA INNOTHERM 8000-S/908	21/07/1997	2.287.685,11	2.287.685,11	0,00
[illegible]	[illegible]		5400	INCUBADORA CERRADA MOD 2199 VISION S/N CL 1908	01/08/1996	1.136.484,73	1.136.484,73	0,00
[illegible]	[illegible]		5400	INCUBADORA	01/01/2010	980.747,41	[illegible]	0,00
[illegible]			11486	VENTILADOR DE TRANSPORTE MARCA BIRAM MOD BIRO PLUS	30/12/2010	23.017.000,47	23.017.000,47	0,00
[illegible]	[illegible]		11903	VENTILADOR NEUCON PUNTAN 150 SOT 3081000488	31/12/2008	8.992.288,80	8.992.288,80	0,00
[illegible]	[illegible]		11904	VENTILADOR NEUCON PUNTAN 150 SOT 3081000488	31/12/2008	8.992.288,80	8.992.288,80	0,00

[illegible]	[illegible]		11922	VENTILADOR NELCOR PURITAN BENNET 760 S/S/S/1/02/0401	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11897	VENTILADOR NELCOR PURITAN BENNET 760 S/S/S/1/02/0418	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		8481	VENTILADOR NEONATAL WP-8480 SN-U81714	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		8480	VENTILADOR NEONATAL WP-8480 SN-U81686	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				FLUJOMETRO DE ORIGENO DE 0-1 LPM 58 MPI PRESICION MEDI	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				FLUJOMETRO PARA OXIGENO MARCA WEBTLIN MEDICA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				FLUJOMETRO DOBLE DE PARED CON CONECTOR CHAMETRON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	16978			FLUJOMETRO DE PARED DOBLE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			FLUJOMETROS PARA OXIGENO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		FLUJOMETROS DE PARED MODGENO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			FLUJOMETRO DE ORIGENO DE 0-15 LPM 58 MPI PRESICION MEDICAL	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			FLUJOMETRO DE PARED DOBLE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		FLUJOMETRO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	5484	ELECTROCARDIGRAFO CON CARRO METALICO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			EQUIPO DE ORGANOS DE LOS SENTIDOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		8740	EQUIPO ORGANOS DE LOS SENTIDOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			EQUIPO ORGANOS DE LOS SENTIDOS WELCH ALLYN	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		9694	EQUIPO ORGANOS DE LOS SENTIDOS WELCH ALLYN	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			EQUIPO DE ORGANOS DE LOS SENTIDOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			EQUIPO DE ORGANOS Y SENTIDOS MARK RIESTER	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		747	EQUIPO DE ORGANOS DE LOS SENTIDOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11971	MAQUINA DE ANESTESIA PEDIATRICA MED. COMPACT 3	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			MANOMETRO PARA OXIGENO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			MANOMETRO PARA OXIGENO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			MANOMETRO FIBRA DE OXIGENO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				LARINGOSCOPIO ADULTO FIBRA OPTICA MCA WELCH ALLYN	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		LARINGOSCOPIO FIBRA OPTICA CON 5 HOJAS DURAND 1-2-3	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		LARINGOSCOPIO PREJULTO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		LARINGOSCOPIO ADULTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		LARINGOSCOPIO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13452	LARINGOSCOPIO CON 5 HOJAS DURAND	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		LARINGOSCOPIO PEDIATRICO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			GLUCOMETRO SERIE GA0014H02	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11577	FUENTE DE LUZ	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				FONENDOSCOPIO LITTMAN CLASICO II	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		FONENDOSCOPIO DE 2 BERVACOS MARCA 1139	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			FONENDOSCOPIO DE 2 BERVACOS MARCA 1139	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				FONENDOSCOPIO LITTMAN CLASICO II	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			7869	AUTOCLAVE VERTICAL AUTOMATICO DE PISO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	5806	CAMA TUBULAR DE 3 PLANOS TIPO BP CON BARANDAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	5807	CAMA SENCILLA METALICA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	5703	CAMA TUBULAR DE 3 PLANOS TIPO BP	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		10841	EQUIPO THERATRON 780	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		10711	BIJTACO TRIPODE GINATORIO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		10696	SILLA GINATORIA SIN BRAZOS TAPIZADA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ARCHIVADOR METALICO DE 2 GAVETAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		5806	NEVERA CENTRALES DE 214 LITROS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	NEVERA CENTRALES DE 214 LITROS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	NEVERA 106 SLT GENERAL ELECTRIC BLANCA LITROS 90	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	NEVERA CENTRALES DE 1 PIES COLOR BEIGE	[illegible]	[illegible]	[illegible]	[illegible]

[illegible]	[illegible]		15067	PRENSA HIDRAULICA	08/02/1968	58.209,27	58.209,27		0,00
[illegible]	[illegible]		[illegible]	AIRE ACONDICIONADO 11 HASTA 60000BTU/220V DACE/SPORER	19/03/2008	3.009.084,80	3.009.084,80		[illegible]
[illegible]	[illegible]	100081	5808	EQUIPO DE AIRE ACONDICIONADO	08/08/1987	2.990.292,24	2.990.292,24		[illegible]
[illegible]	[illegible]		14158	AIRE ACONDICIONADO DE 24000 BTU/220V TIPO MINISPLIT	13/01/2007	3.886.430,43	3.886.430,43		[illegible]
1308481	100000000 208		14001	AIRE ACONDICIONADO DE 18000 BTU/220V TIPO MINISPLIT	20/07/2012	2.385.581,31	1.385.184,51	[illegible]	[illegible]
[illegible]	[illegible]		13411	EQUIPO DE AIRE ACONDICIONADO	05/02/2003	352.391,48	352.391,48		0,00
[illegible]	[illegible]		11413	TANDEM 3 IN TAPIZAR DE 4 PUESTOS	10/09/2009	180.776,26	180.776,26		0,00
[illegible]	[illegible]	112002	6806	TANDEM AZUL TRANSLUCIDO	20/08/2004	140.011,73	140.011,73		0,00
[illegible]	[illegible]		8470	TELEVISOR DE 20 LG SIN [illegible]	04/11/2004	112.081,13	112.081,13		0,00
[illegible]	[illegible]	103258	8818	TELEVISOR TOSHIBA DE 14	21/09/1990	185.533,48	185.533,48		0,00
[illegible]	[illegible]		8648	TANDEM DE CUATRO PUESTOS COLOR NARANJA	18/04/1989	104.700,00	104.700,00		0,00
[illegible]	[illegible]		11814	TANDEM DE 4 PUESTOS COLOR CHAMPAÑA	20/08/1981	88.974,00	88.974,00		0,00
[illegible]	[illegible]		11800	TANDEM DE 4 PUESTOS SIN TAPIZAR	23/07/2009	88.974,00	88.974,00		0,00
[illegible]	[illegible]		4180	TANDEM DE 4 PUESTOS SIN TAPIZAR	23/07/2009	177.911,98	177.911,98		0,00
[illegible]	[illegible]		2036	TANDEM DE CUATRO PUESTOS SIN TAPIZAR	23/07/2009	177.911,98	177.911,98		0,00
[illegible]	[illegible]		11416	TANDEM 15 SIN TAPIZAR DE 4 PUESTOS	29/12/2009	154.891,70	154.891,70		0,00
[illegible]	[illegible]	103000-112040	3451	TANDEM DE CUATRO PUESTOS	29/12/2009	193.613,21	193.613,21		0,00
[illegible]	[illegible]		13981	TANDEM DE 4 PUESTOS COLOR AZUL	24/10/2001	146.011,73	146.011,73		0,00
[illegible]	[illegible]	103100-112008	7203	TANDEM DE CUATRO PUESTOS	03/08/2003	114.177,00	114.177,00		0,00
[illegible]	[illegible]		7204	TANDEM DE CUATRO PUESTOS	03/08/2003	114.177,00	114.177,00		0,00
[illegible]	[illegible]		7205	TANDEM DE CUATRO PUESTOS	03/08/2003	114.177,00	114.177,00		0,00
[illegible]	[illegible]		8089	TANDEM DE CUATRO PUESTOS COLOR NARANJA	18/04/1989	104.700,00	104.700,00		0,00
[illegible]	[illegible]	120008	8812	TANDEM DE 4 PUESTOS	20/04/1989	98.809,34	98.809,34		0,00
[illegible]	[illegible]		8380	TANDEM DE CUATRO PUESTOS	03/08/2003	98.809,34	98.809,34		0,00
[illegible]	[illegible]		11381	TANDEM DE 4 PUESTOS	20/05/1989	88.974,00	88.974,00		0,00
[illegible]	738		11812	TANDEM DE 4 PUESTOS COLOR ROJO	20/04/1989	88.974,00	88.974,00		0,00
[illegible]	[illegible]		11481	TANDEM DE CUATRO PUESTOS COLOR ZAPOTE	20/04/1989	88.974,00	88.974,00		0,00
[illegible]	[illegible]		8815	TANDEM DE 4 PUESTOS COLOR BLANCO	20/04/1989	88.974,00	88.974,00		0,00
[illegible]	[illegible]	100080	11381	TANDEM DE CUATRO PUESTOS	19/04/1989	44.500,00	44.500,00		0,00
[illegible]	[illegible]		11784	TANDEM DE CUATRO SIN LAS ASRILLAS	27/02/1989	44.500,00	44.500,00		0,00
[illegible]	[illegible]		2109	TANDEM DE 4 PUESTOS SIN TAPIZAR	23/07/2009	21.808,53	21.808,53		0,00
[illegible]	[illegible]		2109	TANDEM DE 4 PUESTOS SIN TAPIZAR	23/07/2009	20.808,49	20.808,49		0,00
[illegible]			14241	VIDEOGRABADOR POWER UTI 9 10	18/10/2013	1.242.608,87	1.242.608,87		0,00
[illegible]	[illegible]		11588	ELECTROCIRUGIA VIDA VALLEFLAM MOD FORCE FX	08/03/2010	11.837.104,87	11.837.104,87		0,00
[illegible]	[illegible]		7143	VENTILADOR NELCOR PORTAX BERNET 160 [illegible]	28/08/2003	10.051.575,81	10.051.575,81		0,00
[illegible]	[illegible]		7186	MESA EN MADERA DE 1 PIEZA	04/11/1984	37.737,14	37.737,14		0,00
[illegible]	[illegible]		14162	DESFIBRILADOR AUTOMATICO MARCA [illegible]	18/03/2013	4.814.416,31	4.814.416,31		0,00
[illegible]	[illegible]		13601	DIAFANOSCOPIO JUEGO 3 CAÑO	30/08/1993	37.205,45	37.205,45		0,00
[illegible]	[illegible]		13608	RESUCITADOR DE TURBULADURA MODELO AD-198	17/11/2006	1.438.888,88	1.438.888,88		0,00
1308844				INCUBADORA ESTANDAR	28/01/2016	44.900.000,00	44.900.000,00		0,00
1187106				VENTILADOR PULMONAR ADU PEDIATRICO EVENT MEDICAL INSPIRATION 61UNIDAD	19/11/2016	42.200.000,00	30.230.000,00		10.970.000,00
1187174				VENTILADOR PULMONAR ADU PEDIATRICO EVENT MEDICAL INSPIRATION 61UNIDAD	11/02/2016	52.200.000,00	39.150.000,00		13.050.000,00
1187177				VENTILADOR PULMONAR ADU PEDIATRICO EVENT MEDICAL INSPIRATION 61UNIDAD	11/02/2016	52.200.000,00	39.150.000,00		13.050.000,00
1187173				VENTILADOR PULMONAR ADU PEDIATRICO EVENT MEDICAL INSPIRATION 61UNIDAD	11/02/2016	52.200.000,00	39.150.000,00		13.050.000,00
1187178				VENTILADOR PULMONAR ADU PEDIATRICO EVENT MEDICAL INSPIRATION 61UNIDAD	11/02/2016	52.200.000,00	39.150.000,00		13.050.000,00
1188871				MONITOR DE SIGNOS VITALES DE PREESCOLARES INVASIVOS	01/06/2016	17.166.000,00	12.232.707,00		4.933.293,00
1188874				VENTILADOR PULMONAR ADU PEDIATRICO EVENT MEDICAL INSPIRATION 61UNIDAD	01/06/2016	52.200.000,00	37.410.000,00		14.790.000,00
1188877				VENTILADOR PULMONAR ADU PEDIATRICO EVENT MEDICAL INSPIRATION 61UNIDAD	08/06/2016	52.200.000,00	39.150.000,00		13.050.000,00
1187170				VENTILADOR PULMONAR ADU PEDIATRICO EVENT MEDICAL INSPIRATION 61UNIDAD	11/02/2016	52.200.000,00	39.150.000,00		13.050.000,00
[illegible]	[illegible]		13018	TENSIOMETROS DE PARED	23/07/2004	117.881,27	117.881,27		0,00

[illegible]				PRENSA DIGITAL BALTOR MOD 814	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	VENTILADOR NELCOR PURITAN STAR [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	VENTILADOR PEDIATRICO ADULTO NELCOR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			FONENDOSCOPIO PARA ADULTO UNIONO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				COMPUTADOR DELL INTEL CORE 2 RAM 6 GB DELLINO T T WINDOWS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR INTEL CORE I5 RAM 4GB DD 500GB MONITOR LCD 19"	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR INTEL CORE I5 RAM 4GB DD 500GB MONITOR LCD 19"	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR H.P. PHO [illegible] MT DD 320 GB MONITOR LED 17.0	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR COMPAQ CORE 5 [illegible] DD [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR H.P. PHO [illegible] MT DD 320 GB MONITOR LED 17.0	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR CLON ATX	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR HP SIN MONITOR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR AMD SEMPRON DD 500 GB M RAM 2 GB COMPLETO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR CLON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	COMPUTADOR CLON ATX	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR NEW COMPAQ HP DD[illegible] SIN MONITOR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				MONITOR LCD PARA COMPUTADOR DE 17	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]		MONITOR LCD PARA COMPUTADOR DE 17	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	COMPUTADOR AMD ATLHON X2 DD 320 GB M RAM 1 GB COMP	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	COMPUTADOR CLON ATX	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR H.P. DX 3400 INTEL DUALCORE 2 RAM [illegible] MON 17.0	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR H.P. DX 3400 INTEL DUALCORE 2 RAM [illegible] MON 17.0	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR HP	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR INTEL CORE DUO 2.66GHZ RAM [illegible] DD 250GB	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR PENTIUM IV 3.0 GHZ RAM 1 GB DD [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR PENTIUM IV 3.0 GHZ RAM 1 GB DD [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR PENTIUM IV 3.0 GHZ RAM 1 GB DD [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	COMPUTADOR PENTIUM IV 3.0 GHZ RAM 1 GB DD [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	COMPUTADOR CELERON 1.4 GB COMPAQ [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				MONITOR LCD PARA COMPUTADOR DE 17	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR H.P. DX 5150 AMD [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	MONITOR LCD PARA COMPUTADOR DE 17	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				SILLA RIMAX PLASTICA GIRATORIO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MICROSCOPIO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MICROSCOPIO TRIOCULAR MICON [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MICROSCOPIO TRIOCULAR PANOMICRO [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MICROSCOPIO BIOCULAR MICON [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MICROSCOPIO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	MONITOR MULTIPARAMETROS MODO ARTOUCH [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	UPS [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	U.P.S. GUARDIA DE BAJA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				VENTILADOR EVENT MEDICAL INSPIRATION [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	NEVERA PARA BANCO DE SANGRE MB-[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]		TERMOMETRO INFRARROJO SIN CONTACTO 32°C - 42.9°C CON ALERTA MCA CONTEC MOD TY-[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]		TERMOMETRO INFRARROJO SIN CONTACTO 32°C - 42.9°C CON ALERTA MCA CONTEC MOD TY-[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	MONITOR MULTIPARAMETROS DE SIGNOS VITALES	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	NEBULIZADOR MANUAL (AMBO) PEDIATRICO (NEGATOSCOPIO)	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR INTEL CORE I5 RAM 4GB DD 500GB MONITOR LCD 19"	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR INTEL CORE I5 RAM 4GB DD 500GB MONITOR LCD 19"	[illegible]	[illegible]	[illegible]	[illegible]

[illegible]		11321	COMPUTADOR HP PRO 3130 MT CD 580 GB [illegible] LCD 17 A	11/01/2011	940.080,14	940.080,14	0,00
[illegible]	[illegible]	12802	COMPUTADOR AMD SEMPRON 210 256 GB RAM MONIT. 17 ACER	31/03/2009	231.525,32	231.525,32	0,00
[illegible]	[illegible]	12051	COMPUTADOR PENTIUM IV 3.0 GHZ RAM 1 GB DISCO 160 G	31/12/2008	139.609,45	139.609,45	0,00
[illegible]	[illegible]	13088	COMPUTADOR PENTIUM DUAL DX 2400 DD 160 GB CORE 72180 LCD 17	08/05/2009	36.497,37	36.497,37	0,00
10403		10964	IMPRESORA LASER JET P2035 HEWLETT PACKARD	18/10/2014	526.302,91	526.302,91	0,00
[illegible]		11964	IMPRESORA LASER JET P2035 HEWLETT PACKARD	28/02/2014	921.670,88	921.670,88	0,00
[illegible]		2867	IMPRESORA LASER JET P2035 HEWLETT PACKARD	28/02/2014	921.670,88	921.670,88	0,00
[illegible]		1468	IMPRESORA LASER JET P2035 HEWLETT PACKARD	28/02/2014	921.670,88	921.670,88	0,00
[illegible]		10321	IMPRESORA LASER JET P2035 HEWLETT PACKARD	26/06/2012	494.552,08	494.552,08	0,00
[illegible]		14036	IMPRESORA LASER JET P2035 HEWLETT PACKARD	26/12/2012	494.552,08	494.552,08	0,00
[illegible]		7045	IMPRESORA LASER JET P2035 HEWLETT PACKARD	26/12/2011	368.258,10	368.258,10	0,00
[illegible]		10145	IMPRESORA LASER JET P2035 HEWLETT PACKARD	13/06/2011	368.258,10	368.258,10	0,00
[illegible]		8130	IMPRESORA LASER JET P2035 HEWLETT PACKARD	03/08/2010	316.300,20	316.300,20	0,00
[illegible]		12053	IMPRESORA LASER JET P2035 HEWLETT PACKARD	09/07/2010	316.300,20	316.300,20	0,00
[illegible]	[illegible]	5318	IMPRESORA LASER JET HP M201	09/07/2009	314.089,84	314.089,84	0,00
[illegible]		10391	IMPRESORA LASER JET P2035 HEWLETT PACKARD	05/05/2010	355.984,04	355.984,04	0,00
[illegible]		5809	TERMOHIGROMETRO ANALOGO BLANCA TYCOS MOD.HOGAR/TO	31/12/2010	687.483,61	687.483,61	0,00
[illegible]		1806	UPS ANDA DE PRESCRIPCION ELECTRONICA	31/11/2011	691.095,14	691.095,14	0,00
[illegible]	[illegible]	7531	MONITOR MAS TIPAMMETROS DE SIGNOS VITALES	[illegible]	13.021.097,60	[illegible]	[illegible]
10577			HOME CAGGER PULMONAR ACUPRO AMED EVENT MEDICAL VENTILATION 3 UNIDAD	11/06/2016	52.200.000,00	[illegible]	[illegible]
[illegible]	11367	10979	OXIMETRO MC OXIMACIA SIN FUNDA 02017 MD 9 DX 3140	27/08/2012	791.868,01	791.868,01	0,00
[illegible]	11321	13087	AGITADOR DE PLACQUETAS PLASUR TAMAÑO MEDIO CHILE MUS HOMO CARE	20/11/1984	525.518,91	525.518,91	0,00
10604		13382	COMPUTADOR PORTATIL COMPAQ 410 AMD ATHLON X2 [illegible] 320	03/05/2010	1.368.224,96	1.368.224,96	0,00
10570		13385	COMPUTADOR PORTATIL HP PRO HP PROBOOK 4530S	30/11/2011	1.368.224,96	1.368.224,96	0,00
10109		13378	COMPUTADOR PORTATIL HP PROBOOK 4530S CORE I5 RAM2GB DD320GB	31/01/2011	1.286.435,43	1.286.435,43	0,00
10109		13467	COMPUTADOR PORTATIL HP PROBOOK 4530S CORE I5 RAM2GB DD320GB	31/01/2011	1.286.435,43	1.286.435,43	0,00
10109		13378	COMPUTADOR PORTATIL HP PROBOOK 4530S CORE I5 RAM2GB DD320GB	31/01/2011	1.286.435,43	1.286.435,43	0,00
10030		14278	COMPUTADOR PORTATIL HP 4530S CORE I3 PB80 RAM2GB DD320GB	04/08/2010	1.216.180,43	1.216.180,43	0,00
10104		15400	COMPUTADOR PORTATILHP PROBOOK 4530S CORE I5 RAM2GB DD320GB	31/07/2011	1.216.180,40	1.216.180,40	0,00
10089		15401	COMPUTADOR PORTATILHP PROBOOK 4530S CORE I5 RAM2GB DD320GB	31/07/2011	1.216.180,40	1.216.180,40	0,00
10087		14276	COMPUTADOR PORTATILHP PROBOOK 4530S CORE I5 RAM2GB DD320GB	31/07/2011	1.216.180,40	1.216.180,40	0,00
10080		7140	COMPUTADOR PORTATILHP PROBOOK 4530S CORE I5 RAM2GB DD320GB	31/07/2011	1.216.180,40	1.216.180,40	0,00
10107			IMPRESORA EPSON FX-890	11/07/2011	908.255,04	908.255,04	0,00
10100		13171	COMPUTADOR PORT P IV P 3800S COMPAQ	31/10/2010	577.334,77	577.334,77	0,00
[illegible]	[illegible]	13169	COMPUTADOR PORTATIL COMPAQ PRESARIO 1700	18/01/2008	492.514,77	492.514,77	0,00
[illegible]	[illegible]	3085	COMPUTADOR CLON ATX CHIP 40 GB DD MOD KAZMOMTEK	05/05/2003	470.442,83	470.442,83	0,00
[illegible]	[illegible]	1004	COMPUTADOR CLON MAX	05/05/2003	470.442,83	470.442,83	0,00
[illegible]	[illegible]	7009	COMPUTADOR CLON ATX	05/05/2003	470.442,83	470.442,83	0,00
[illegible]	[illegible]	2907	COMPUTADOR CLON ATX	02/01/2003	484.295,21	484.295,21	0,00
10126		14908	IMPRESORA EPSON FX-890	13/04/2011	460.392,13	460.392,13	0,00
10104		15866	IMPRESORA LASER JET P2035 HEWLETT PACKARD	25/05/2011	369.270,88	369.270,88	0,00
10037		15491	COMPUTADOR PORTAPP. 6530S COMPEQUIP PB80 RAM2GB DD320GB	04/06/2010	365.151,30	365.151,30	0,00
10086		12305	COMPUTADOR HP PRO 3800 MT DD 320 GB MONITOR LCD 17 A	30/05/2010	310.997,27	310.997,27	0,00
[illegible]	[illegible]	4002	COMPUTADOR NEW COMPAQ HP SIN MU 04/09/07	30/04/2009	310.997,27	310.997,27	0,00
[illegible]	[illegible]	10270	COMPUTADOR NEW COMPAQ HP 6300 SIN MU 04/09/07	21/03/2009	310.997,27	310.997,27	0,00
[illegible]	[illegible]		COMPUTADOR ATU-BN X2 4000+ DD 320 GB MUNAI 2 GB	21/11/2008	310.997,27	310.997,27	0,00
[illegible]	[illegible]	1040	COMPUTADOR ATU-BN X2 4000+ DD 320 GB MUNAI 2 GB	21/11/2008	310.997,27	310.997,27	0,00
[illegible]	[illegible]	4003	COMPUTADOR PORTSMTV E7 DRZ RAM 1 GB DD 80 GB	21/12/2008	310.997,27	310.997,27	0,00
[illegible]	[illegible]	11303	COMPUTADOR NEW COMPAQ HP S CHC4010 PR	08/04/2008	310.997,27	310.997,27	0,00

[illegible]	[illegible]		12720	COMPUTADOR H.P. DX 5150 AMD 3200+ 512MB 80GB WXP	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	08054		9940	COMPUTADOR HOWELT PACKARD SIN MBD 512MB G1	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		12180	COMPUTADOR H.P. EVO DX 2000 P IV 3.4 GHZ -512MB 80G	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		3439	COMPUTADOR NEW COMPAQ HP DX2000 CON MONITOR DE 17	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13440	CPU PENTIUM IV 3.0 RAM 512MB DD 80GB CD-R DVD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		7000	IMPRESORA EPSON FX 890 DE BY 091727	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	04100		10676	CPU CLON PENTIUM IV 3.0 RAM 256MB DD 40GB CD-R DVD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			13980	COMPUTADOR H.P. PRO 3000 MT 192.300 DD MONITOR LCD 17.0	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	08314	08500	3990	IMPRESORA EPSON FX 890 SN DZ5Y001706	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11494	IMPRESORA EPSON LX-300+ EB TUY SUY 209908	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13480	IMPRESORA EPSON LX 300 SIN SBDY046118	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR (PANTALLA DOK NEC) DOR PORTATIL DONET 180 SONTE [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	8074		[illegible]	COMPUTADOR ATLON X2 4000 + DD 80	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		7842	COMPUTADOR CLON ATX	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11991	COMPUTADOR HOWELT PACKARD SIN MBD [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		5945	COMPUTADOR ATLON X2 4000 + DD 80	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		1835	COMPUTADOR CLON ATX	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			10700	MONITOR LCD PARA COMPUTADOR DE 17	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	102411-57500	14853	IMPRESORA EPSON FX 890 DE BY 091727	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		14856	IMPRESORA EPSON FX 890	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13968	IMPRESORA LASER JET P2035 HEWLETT PACKARD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		MONITOR PARA COMPUTADOR DE 19 PULGADAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13966	IMPRESORA HP DESKJET 6540 SERIAL MY4C74	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		14860	IMPRESORA EPSON MOD. LX 300 SIN ETUY 136977	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		14851	IMPRESORA EPSON LX 300	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13968	IMPRESORA EPSON LX 300 CON ETUY 146031	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		14860	IMPRESORA EPSON MOD. LX-300 SIN ETUY 146997	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		14852	IMPRESORA FX 1170 SER 021140[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13974	IMPRESORA EPSON LX 300 SIN CON ETUY 208996	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13967	COMPUTADOR ATLHON X2 4000+ DD 200 GB W RAM 2 GB	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			CPU ATHLON 64 3200 RAM 512 MB DD 80GB EVO DX 5150 W	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	13851	COMPUTADOR PENTIUM IV 3.2 GHZ 1 GB	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13964	COMPUTADOR HP DC 5000MT 3.0 GHZ 512 MB	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13960	COMPUTADOR ATLON X2 4000 + DD 80	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13968	COMPUTADOR NEW COMPAQ HP DX2000 CON MONITOR DE 17	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		14840	COMPUTADOR HP SIN MEDIA [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13960	COMPUTADOR HP	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13976	COMPUTADOR NEW COMPAQ HP DX2000 CON MONITOR DE 17	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13964	COMPUTADOR NEW COMPAQ HP DX2000 SIN MONITOR [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13966	COMPUTADOR CLON ATX	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13975	COMPUTADOR H.P. DX 5150 AMD 3200+ 512MB 80GB WXP	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13975	COMPUTADOR H.P. DX 5150 AMD 3200+ 512MB 80GB WXP	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13977	COMPUTADOR H.P. EVO DX 2000 P IV 3.4 GHZ -512MB 80G	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13968	COMPUTADOR H.P. EVO DX 2000 P IV 3.2 GHZ -512MB 80G	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13960	CPU ATHLON 64 3200 RAM 512MB DD 80GB EVO DX 5150 W	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		5951	SUPERVIC E DE 1.70KB 80MB LCN FERMICA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			14255	UPS DE 5 KVA APS SMARTH [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	11994		9104	UPS DE 10 KVA APS SMARTH-10000 RT	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		9100	UPS DE 10 KVA APS SMARTH-10000 RT	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]-[illegible]	[illegible]	GAMA ELECTRONEGAN CA MGN. LOS PINOS	[illegible]	[illegible]	[illegible]	[illegible]

[illegible]				SILLA EJECUTIVA ERGONOMICA CON APOYABRAZOS MEDIO SAG	24/03/2017	300.000,00	[illegible]		[illegible]
[illegible]				SILLA METALICA ERGONOMICA SOPORTE TAPIZADA TORNA LUMBAR	31/08/2017	80.000,00	[illegible]		[illegible]
[illegible]	391	[illegible]	14403	VITRINA MADERA DE DOS PUERTAS METALICAS	02/10/1974	33.985,19	33.985,19		[illegible]
[illegible]	[illegible]	[illegible]	13881	VITRINA METALICA DE 2 CUERPOS	13/06/1988	11.280,04	11.280,04		[illegible]
[illegible]	[illegible]	[illegible]	5806	JUEGO DE MAMAS DOBLES	24/09/2010	120.285,58	120.285,58		[illegible]
[illegible]	[illegible]		10889	ESCRITORIO METALICO DE 3 GAV. L/D Y LAM CENTRAL	02/08/1981	42.181,92	42.181,92		[illegible]
[illegible]	[illegible]		3846	DIVAN METALICO	09/06/1979	37.248,40	37.248,40		[illegible]
[illegible]	[illegible]	[illegible]	11071	ARMARIO EN MADERA DE DOS PUERTAS	23/06/1979	24.461,60	24.461,60		[illegible]
[illegible]	[illegible]	[illegible]	7076	MESA PRENSADORA EN MADERA Y BASE METAL	09/12/1984	21.968,60	21.968,60		[illegible]
[illegible]	[illegible]			MESA METALICA AUXILIAR PARA MECANOGRAFIA	31/12/1973	11.367,64	11.367,64		[illegible]
[illegible]	[illegible]		[illegible]	VITRINA EN MADERA CUATRO TRAMOS 8 PUERTAS CORRIDAS	29/12/1984	[illegible]	[illegible]		[illegible]
[illegible]		[illegible]	[illegible]	CARRO METALICO TRANSPORTADOR DE MEDICAMENTOS	29/10/2011	1.768.821,84	1.768.821,84		[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	PERCHERO DE TRABAJO MONAJAR DE 12 PARES CON ACCESORIOS	04/08/2009	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	19/12/1984	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]		[illegible]	MUEBLE EN MADERA DE 1/0 PUERTAS 4 PUERTAS	09/02/1988	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]		[illegible]	[illegible] MADERA DE 5 GAV. [illegible]	23/04/1979	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]	[illegible]	11975	[illegible] EN MADERA 1/0 GAVETAS L. DERECHO	14/09/1978	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]		11468	BANCO EN MADERA INCAMPRYTOLMA	13/08/1988	14.271,21	14.271,21		[illegible]
[illegible]	[illegible]	[illegible]	1979	SILLA GIRATORIA SIN BRAZOS TAPIZADA CORDONEGRO	18/08/1984	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]		12024	SILLA GIRATORIA SIN BRAZOS TAPIZADA	03/06/2003	89.717,70	89.717,70		[illegible]
[illegible]	[illegible]		12024	SILLA GIRATORIA SIN BRAZOS E ICRIMANDA	13/10/2003	87.084,98	87.084,98		[illegible]
[illegible]	[illegible]	[illegible]	10108	SILLA GIRATORIA CON BRAZOS COR. DE MADERA	13/05/1988	37.625,53	37.625,53		[illegible]
[illegible]	[illegible]		11867	SILLA GIRATORIA SIN BRAZOS PIÑÃO AZUL	31/10/1973	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]	[illegible]	11309	SILLA GIRATORIA SIN BRAZOS	17/11/1984	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]	[illegible]		SILLA PLANA	16/11/1986	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]			EQUIPO DE ÓRGANOS DE LOS SENTIDOS	30/09/2010	[illegible]	[illegible]		[illegible]
[illegible]			11906	ARCO EN C MARCA SIEMENS MODELO SIREMOBIL COMPACT L	30/04/2012	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]		11914	MONITOR SIGNOS VITALES SPACE	30/03/2009	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]		7196	MONITOR DE SIGNOS VITALES C 2/1 PIDO DATASCOPE SPECTRUM	09/04/2010	[illegible]	[illegible]		[illegible]
[illegible]			11346	MONITOR DE SIGNOS VITALES PANESTERIA DATASCOPE SPECTRUM	30/04/2010	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]		11210	MONITOR SIGNOS VITALES SPACE	30/03/2009	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]		11988	MONITOR DE SIGNOS VITALES INVASIVO DASH 3000	09/07/2009	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]		11575	MONITOR DE SIGNOS VITALES CINTYCON DASH MAP PLUS II	29/12/1981	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]		[illegible]	INCUBADORA CERRADA [illegible]	29/12/1981	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]		[illegible]	INCUBADORA LM MODELO VIRON FNA CERRADA SIN DL 1921	30/07/2009	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]		[illegible]	INCUBADORA MOA LM MOD VIRON 2196	30/07/2009	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]		[illegible]	INCUBADORA CERRADA ISOLJETE C-200 S/MK 19997	30/07/2009	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]		[illegible]	INCUBADORA ABIERTA MULTIVATRIN FANAMAOD 2001 S/N [illegible]	23/08/2003	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]		[illegible]	VENTILADOR PROVATRICO ADULTO MEDCOR SER 211 [illegible]	31/12/1988	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]		[illegible]	MONITOR DE SIGNOS VITALES INVASIVO DASH 3000	09/07/2004	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]		[illegible]	INCUBADORA CERRADA MOD 2196 VIRON SIN DL 1989	09/09/1984	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]		[illegible]	INCUBADORA CERRADA ISOLJETE C-200 S/MK 19997	29/12/1981	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]		[illegible]	MONITOR NIHON KOHDEN MOD. INVASIVA CON PRESION INVASIVA S/N [illegible]	03/03/2004	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]		[illegible]	MONITOR DE SIGNOS VITALES EXPRESION INVASIVA MAR-1 S/N [illegible]	21/09/2006	[illegible]	[illegible]		0,00
[illegible]	[illegible]		[illegible]	MONITOR NIHON KOHDEN MOD INVASIVA S/N [illegible]	09/03/2004	[illegible]	[illegible]		0,00
[illegible]	[illegible]		[illegible]	MONITOR DE SIGNOS VITALES EXPRESION INVASIVA MAR-1 S/N [illegible]	21/09/2006	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]		[illegible]	MONITOR DE SIG. VITAL EXPRES. INVAS. MAR1 KOHDE S/N [illegible]	21/09/2006	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]			DESFIBRILADOR MONITOR INTERNO MANUAL AUTOMAT CHAM CARVACIS	19/10/2010	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]			[illegible]	29/09/1969	[illegible]	[illegible]		[illegible]

Federico Lleras Acosta

[illegible]	51601		12998	UNIDAD ELECTRO QUIRURGICA MOD. 140 SIN 4130110[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	51612		12307	FUENTE DE LUZ HALOGENA MOD. CLA-4	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				TENSIOMETRO ANEROIDES MARCA TYCOS MOD. RIGIDANTE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	48241		10718	NEBULIZADOR DE DOS CUERPOS	[illegible]	[illegible]	[illegible]	[illegible]
151439	152511	1-08081	732	NEBULIZADOR DE 1 CUERPO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	1-4483	139144		RAYO INFRARROJO LAMPARA MOD. RICHARD WOLF	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	10600		7101	ELECTROCARDIOGRAFO PUNTUEA MOD. FX 3111 SIN 80904[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	12431	153527	97.3009	DESFIBRILADOR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	21448		11188	ELECTROBISTURI MOD. VALLEYLAB MOD. FORCE FX	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	10609		19934	BEROFUGA 1 CLAY ADAMS PARA 12 TUBOS SIN 307367	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	10361		7357	MONITOR MULTIPARAMETRICO DE SIGNOS VITALES	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	16669	10603-16669	1513	NEVERA ELECTROLUX DE 280 LITROS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	1.50847		10700	GRECA CON CAPACIDAD PARA 100 TINTOS DE 5 DEPTIDOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	70201		7878	TRITURADOR INDUSTRIAL, MARCA IN SINK MOD. 66700 SIN 3700[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	10234		13600	LICUADORA INDUSTRIAL DE 6 LITROS EN ACERO INOXIDA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	16194	67494	11975	GRECA CON CAPACIDAD PARA 200 TINTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	1.7143	103178	3680	NEVERA DE 304 LTS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	1.2073	103041	3135	LAVADORA INDUSTRIAL 60K 120 PSI, MODELO[illegible] INST ELECT. 240 V-10A 20.3 RPM VEL. DE LAVADO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	1.2072	103040	3136	LAVADORA INDUSTRIAL 60K 120 PSI, MODELO[illegible] INST ELECT. 240 V-10A 20.3 RPM VEL. DE LAVADO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	1.7030	103049	3138	ESCARIFICADORA INDUSTRIAL 110 LB, MODELO[illegible] INST ELECT. VAPOR 80LBS - 208V CONSUMO [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	1.7034	103048	3148	ESCARIFICADORA INDUSTRIAL 65 LB, MODELO[illegible] INST ELECT. VAPOR 80LBS - 220V CONSUMO [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		12025	CARRO PARA TRANSPORTAR DE ROPA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		12024	CARRO PARA TRANSPORTAR DE ROPA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		12023	CARRO PARA TRANSPORTAR DE ROPA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		12020	CARRO PARA TRANSPORTAR DE ROPA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		12017	CARRO PARA TRANSPORTAR DE ROPA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	14187	104265		NEVERA PLASTICA DE 6 LTS 1510 COLEMAN	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	21175			NEVERA COLEMAN DE 6 LITROS AZUL	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	10211		10600	DISPENSADOR DE AGUA FRIA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	25808	114801	698	CAMA ELECTRICA OSCILACION Y RUEDAS BLOQUEO INDEP. 9	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	91268		9602	TELEVISOR SAMSUNG DE 29 PANTALLA PLANA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		103130	12017	ALARMA HOSPITALARIA DE SEÑALES BARRA TIPO RUSTER UNIDAD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				ALARMA HOSPITALARIA DE SEÑALES BARRA TIPO RUSTER UNIDAD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	54153	103164-103124	9607	CITOFONOS DE DOS INTERNOS INSTALADOS EN	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		10571	1808	FAX PANASONIC KX-FT987	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			4104	FAX PANASONIC KX-FT987	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			9984	FAX PANASONIC KX-MB781 SAMURIOLUAR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			9980	FAX PANASONIC KX-MB781 SAMURIOLUAR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		9980	FAX PANASONIC KX-MB781 SAMURIOLUAR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	9789	FAX PANASONIC KX-T 807	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		9980	FAX PANASONIC MODELO KX-FT987	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			1808	FAX PANASONIC KX-FT981LA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		10602		RADIO MOTOR M 300 1-63 VHCH UNIDAD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	91403		7481	RADIO TIPO HANDY MARCA ICOM MODELO IC-F14 CON ACCESORIOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	10132			TELEFONO DIALOG 2751 ERICSSON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	6904		12080	TELEFONO DIGITAL ERICSSON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	52043	103600	3682	TELEFONO DIGITAL ERICSSON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	13159		12689	TELEFONO DIGITAL ERICSSON TIPO DIALOG 2751	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	59603	59603 - 59603	12723	TELEFONO DIGITAL PANASONIC HSF KX-T9500 SIN MMAC413089	[illegible]	[illegible]	[illegible]	[illegible]

[illegible]	[illegible]		[illegible]	TELEFONO DIGITAL TECNALOG REF. 2751	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		TELEFONO DIGITAL TECNALOG REF 2751	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		TELEFONO DIGITAL TIPO DIALOGO REF 2751	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		TELEFONO DIGITAL TIPO REF 2751	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			TELEFONO DIGITAL TIPO REF 2751	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	TELEFONO DIGITAL TIPO REF 2751	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		TELEFONO TIPO DIALOG	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	TELEVISOR A COLOR DE 14 SHARP	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	TELEVISOR A COLOR DE 14 SHARP	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	TELEVISOR A COLOR DE 20 PANASONIC	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	TELEVISOR A COLOR DE 20 PANASONIC	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	TELEVISOR 19" 21 LG	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	TELEVISOR [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	TELEVISOR PANASONIC	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			TELEVISOR PANASONIC MONO	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			COMPUTADOR TIPO MUNDO TELEVISOR [illegible] 4 GB 1 TB 19" LED LUNAVO	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR H.P. [illegible] MONITOR LCD 17.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	IMPRESORA EPSON FX [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	SCANNER HP 5590	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]	[illegible]	SCANNER HP 5590	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	SCANNER HP 5590	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	IMPRESORA LASER JET P1006 HEWLETT PACKARD	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	SCANNER HP 5590	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				MONITOR LED PARA COMPUTADOR DE 17	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR INTEL CORE DUO 3 [illegible] RAM 2GB DD 250GB	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR INTEL CORE DUO 3 [illegible] RAM 2GB DD 250GB	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR [illegible] REF LE 1200 RAM 3GB DD [illegible] LCD 19	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA EPSON FX-890 S/N [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR [illegible] REF LE 1200 RAM 3GB DD [illegible] LCD 19	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA HEWLETT PACKARD [illegible] 3590	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR CLON AMD	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR ATLHON [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	TELEVISOR SHARP DE 14 PULGADAS	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	TELEVISOR [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	TELEVISOR [illegible] COLOR CROWN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible] DE ALMARIO [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	VIDEOBEAM [illegible] LUMEN	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		VIDEOBEAM EPSON [illegible] MOD H309A	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	VIDEOBEAM MOD H709A EX 71 EPSON	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	VIDEOBEAM [illegible] 1100	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	VIDEOBEAM PANASONIC PT-LB 20 SU 20001 LUMENS SVGA SC [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]	[illegible]	VIDEOBEAM POWER LITE S 18 EPSON	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				TELON ELECTRICO ALAMBRICO E INALAMBRICO 4:3 [illegible] DOBL CONTR	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	UPS DE 1 KV POWER BACK	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	UPS DE 10KVA MC POWERCOM	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	UPS DE 10KVA VA MIRANDA MCA POWERCOM	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	UPS DE 10KVA VA MIRANDA MCA POWERCOM	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			UPS DE 1500 VA [illegible] TOMAS S-SRA	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	UPS DE 3 KVA 120 V MOD [illegible] LCD	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	UPS DE 1000 VA 120 V APC SMART	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

45

[illegible]	[illegible]			9777	UPS DE 40 KVA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			11420	TANQUE DE CUATRO PUESTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			10708	UPS DE 8 KVA MARCA ATEN	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			11508	UPS DE 500 KA MEA, A/C	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			11308	UPS MONOFASICA DE 2 KVA MOD VGD-2080 S/N [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				13508	BALANZA MEZCLADORA PARA COLECTA DE SANGRE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]					AIRE ACONDICIONADO 20TR TRIFASICO TRANE REFRIGERANTE R-410A	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]					AIRE ACONDICIONADO 10TR 120.000 BTU TRIFASICO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			8133	TERMOHIGROMETRO HIGROMETRO HARRY TOYLOR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]				TERMOHIGROMETRO HIGROMETRO HARRY TOYLOR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]				TERMOHIGROMETRO HIGROMETRO HARRY TOYLOR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]			TERMOHIGROMETRO DIGITAL DE SILLIO REMOTO REF 44-1002	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	9050	TERMOHIGROMETRO DIGITAL DE SILLIO REMOTO REF 44-1002	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			14100	TERMOHIGROMETRO DIGITAL	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			11800	MAQUINA DESLADORA DE INSTRUMENTAL QUIRURGICO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		1379	ESTABILIZADOR TR 1200 T 836	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			8707	ESTABILIZADOR MARCA INTELLECTRO DE 2 KVA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			1708	ESTABILIZADOR ERGON DE 1000 W	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			10791	ESTABILIZADOR ENGINEX	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		11778	ESTABILIZADOR 3000 W 8 KVA RIESTER ELECTRO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		9275	ESTABILIZADOR 5000 W DIPOLO 90-130V	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		9037	ESTABILIZADOR 5000 W DIPOLO 90-130V	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			9180	ESTABILIZADOR 5000 W DIPOLO 90-130V	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		12001	ESTABILIZADOR DE 1000 W	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			9039	ESTABILIZADOR DE 1000 W INMUNIRAL COSTA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			13496	ESTABILIZADOR DE 1000 WATTIOS 110 VOLTIOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		13786	ESTABILIZADOR DE 1000W ELECTRONIC	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			6569	ESTABILIZADOR DE 2000 WATTIOS 110 VOLTIOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			12359	ESTABILIZADOR DE 800 W OHMAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			14695	ESTABILIZADOR DE VOLTAJE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			14436	ESTABILIZADOR 3000 W REDUCTOR ARMONICO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			3878	ESTABILIZADOR 1000 W	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		14198	EQUIPO DE AIRE ACONDICIONADO MEA YORK MOD YE 24-BA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			12779	BALANZA PESA BEBE DE PLATON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]					SILLA EJECUTIVA ERGONOMICA ESPALDAR MEDIO SIN	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				10876	BALANZA PESA BEBE CON PLATON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]					SILLA REGULABLE CON BRAZOS UNIDOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]					SILLA REGULABLE MULTIPROPOSITO ESPUMA DOBLE DE ESPALDAR MOVIBLE SOPORTA MAX 120 KILOS - RODACHINES EMPUJADOR ATRIL PORTASUERO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]		8445	SILLA REQUIRIMIENTO INFANTIL DE LISA LAVABLE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			8777	SILLA RIMAX BLANCA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]			SILLA RIMAX PLASTICA GRANATE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			7980	SILLA TIPO IMPERIAL	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]				SILLA TIPO IMPERIAL GRIS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			9889	SILLAS EN MADERA CARRAZOS TAPAZIA EN CORDOBAN	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		13489	SILLAS ERG. G.R. BRAZOS TIBECRET, MEUM	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]					SILLA IMAGA PLAYSTA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]					SILLA ANTIALIGA ERGONOMICA SOPORTA ESPALDAR ZONA LUMBAR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			12180	SILLA POLTRONA BRAZOS FJ CORD. NEGRO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			12184	SILLA POLTRONA BRAZOS FJ CORD. NEGRO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			12183-12185	SILLA POLTRONA BRAZOS FJ CORD. NEGRO	[illegible]	[illegible]	[illegible]	[illegible]

[illegible]				SILLA RECLINABLE CON BRAZOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				SILLA RECLINABLE CON BRAZOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		SILLA RECLINABLE CON BRAZOS UNIDAD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				SILLA RECLINABLE CON BRAZOS UNIDAD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			SILLA RECLINABLE CON BRAZOS UNIDAD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	TANDEM DE 4 VERDE THANK LEGIO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	TANDEM AZUL TRANSLUCIDO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	TANDEM AZUL TRANSLUCIDO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	TANDEM DE 4 PUESTOS COLOR GRIS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	TANDEM DE 4 PUESTOS COLOR NARANJA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SILLA GIRATORIA SIN BRAZOS TAPIZADA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SILLA GIRATORIA SIN BRAZOS TAPIZADA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	SILLA GIRATORIA TAPIZADA DE PARO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SILLA LINEA IO CON BRAZOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SILLA LINEA IO GIRATORIA SIN TAPIZAR SIN BRAZOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	VITRINA TIPO SILICA METALICA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	VITRINA METALICA LAN CUERPO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	VITRINA METALICA DE 1/2 CUERPO DE [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	VITRINA METALICA DE DOS CUERPOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	VITRINA MET. INSTRUMENTAL, 1 PUERTA ALACENA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	VITRINA MET. CRUERTA Y VIDRIO, BANDA ALACENA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	TANDEM SIN TAPIZAR DE 4 PUESTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	TANDEM VERDE THANK LEGIO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	VENTILADOR DE PIE MARCA BAMURAI	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	VENTILADOR DE PIE MARCA BAMURAI	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	VENTILADOR SEMI INDUSTRIAL INTERRUPTOR PRONCO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	VITRINA DE 3 PUERTAS MET. ALACENA SUPERIOR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	VITRINA DOS PUESTOS VIDRIO Y ALACENA [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	VITRINA DE MADERA DE DOS PUERTAS [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	VITRINA MET. CUERPO PUERTAS CRISTAL 2 GAV. Y ALAC.	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	BOTA BRAZOS FIJOS EN MADERA TEJIDO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	SUPERFICIE DE TRABAJO IRREGULAR EN FORMICA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SUPERFICIE DE TRABAJO MICRO ANGULAR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SUPERFICIE DE TRABAJO DE 1.370.00	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	TABLERO PARA ASO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	TANDEM SIN TAPIZAR DE 4 PUESTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	TANDEM CARADOLA DE 4 PUESTOS COLOR BEIGE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	TANDEM DE 4 PUESTOS SIN TAPIZAR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	TANDEM DE CUATRO PUESTOS COLOR NARANJA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	SILLA GIRATORIA BRAZOS CROMADA LINEA 10 T	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	SILLA GIRATORIA BRAZOS TAPIZADA EN MICRO FIBRA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SILLA GIRATORIA BRAZOS TAPIZADA EN MICRO FIBRA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SILLA GIRATORIA SIN BRAZOS TAPIZADA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SILLA GIRATORIA SIN BRAZOS TAPIZADA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SILLA GIRATORIA SIN BRAZOS TAPIZADA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SILLA GIRATORIA SIN BRAZOS TAPIZADA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	SILLA ERGONOMICA GIR. NEUMATICA BRAZOS FIJOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	SILLA ERGONOMICA GIRATORIA CABEZAS NEUMATICA FIXED	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	SILLA ERGONOMICA GIRATORIA CABEZAS NEUMATICA FIXED	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			SILLA FUA PLASTICA GRANDE	[illegible]	[illegible]	[illegible]	[illegible]

Federico Uleras Acosta

[illegible]		[illegible]		SILLA FUA PLASTICA GRANDE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				SILLA FUA PLASTICA SIN BRAZOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				SILLA FUA PLASTICA SIN BRAZOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				SILLA FUA PLASTICA SIN BRAZOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				SILLA FUA PLASTICA SIN BRAZOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SILLA GIRATORIA GIRAZOO MINET	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SILLA GIRATORIA CON BRAZOS TAPIZADA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SILLA GIRATORIA ERGONOMICA EJECUTIVA CON BRAZOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	SILLA GIRATORIA ERGONOMICA REGULABLE GIRAZOS SALA JUNTAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	SILLA GIRATORIA ERGONOMICA REGULABLE GIRAZOS SALA JUNTAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	SILLA GIRATORIA ERGONOMICA GIRAZOS TAPIZADA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SILLA GIRATORIA ERGONOMICA GIRAZOS TAPIZADA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SILLA GIRATORIA ERGONOMICA GIRAZOS TAPIZADA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	SILLA GIRATORIA PIPAÑO GRIS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SILLA GIRATORIA METALICA COORDINACION	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SILLA GIRATORIA SIN TAPIZADA COORDINACION	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SILLA GIRATORIA GIRAZOS S CORONADA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SILLA GIRATORIA GIRAZOS S CORONADA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	ROPERO DE ARBOL EN MADERA LAVALAVAR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SILLA AUX EN MADERA GIRAZOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	SILLA CARACOLA CRUCIAGHIRES GIRAZOS SIN CORDOBAN	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	SILLA CARACOLA CRUCIAGHIRES GIRAZOS SIN CORDOBAN	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]		SILLA DE RUEDAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	SILLA DE RUEDAS ADULTO IMPORTADAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	SILLA DE RUEDAS CROMADA FERMATIDA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				SILLA DE RUEDAS TIPO SPORT RUEDAS CROMADA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	SILLA EJECUTIVA MADULAVIS ALTO PARA EL CABELLA GIRAZOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SILLA EJECUTIVA GIRAZOS ESPALDAR ALTO CABEZERA CN	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SILLA EJECUTIVA GIRAZOS ESPALDAR ALTO CABEZERA CN	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				SILLA EJECUTIVA ERGONOMICA ESPALDAR MEDIO SIN	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				SILLA EJECUTIVA ERGONOMICA ESPALDAR MEDIO SIN	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				SILLA EJECUTIVA ERGONOMICA ESPALDAR MEDIO SIN	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				SILLA EJECUTIVA ERGONOMICA ESPALDAR MEDIO SIN	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				SILLA EJECUTIVA ERGONOMICA ESPALDAR MEDIO SIN	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	SILLA ERGONOMICA GIRAZOS ECONOMICA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	SILLA ERGONOMICA GIRAZOS ECONOMICA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SILLA ERGONOMICA GIRAZOS ECONOMICA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	SILLA ERGONOMICA GIRAZOS ECONOMICA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MUEBLE METALICO DE 1.20 X0.60X 3 ENTREPAÑOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MUEBLE METALICO DE 1.40 X 30.00X CN BISAGRA VIS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MUEBLE METALICO DE 1640X1441 DE PUESTOS GRANDES Y 28 PEQUEÑOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	PANEL DE MELTO TAPIZADO CN PAÑO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	PANEL DE MELTO TAPIZADO CN PAÑO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			PATO COPROLOGICO ACERO INOX	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			PATO COPROLOGICO ACERO INOX	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			PATOCO COPROLOGICO EN ACERO INOX	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	PUNITO DE TRABAJO HOMIMPUTADOR GRIS INVIDER DE 3 O	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	PUNITO DE TRABAJO HOMIMPUTADOR GRIS SWETA AVECO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	PUFF SOFACAMA METALICO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			MODELO TRANSLADO DE PACIENTE	[illegible]	[illegible]	[illegible]	[illegible]

[illegible]	[illegible]			MODULO TRANSLADO DE PACIENTE	19/09/1994	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MESA PUENTE METALICA	31/12/1972	41.980,01	41.980,01	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA	31/12/1972	41.980,01	41.980,01	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA	31/12/1972	41.980,01	41.980,01	[illegible]
[illegible]	[illegible]		[illegible]	MESA PUENTE METALICA	31/12/1972	41.980,01	41.980,01	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA	31/12/1972	41.980,01	41.980,01	[illegible]
[illegible]	[illegible]		[illegible]	MESA PUENTE METALICA	31/12/1972	41.980,01	41.980,01	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA	31/12/1972	41.980,01	41.980,01	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA CON PROTECCION EN PLEXIGLAS	31/12/1972	41.980,01	41.980,01	[illegible]
[illegible]		[illegible]		MESA BIÓNICA MESA LUNA	08/12/2001	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MESITA D. PARA O DIPUTADOS	04/10/2000	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESITA 15 (72) 80 X 90 X 150	2006/2006	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MESITAS CH MADERA DE [illegible]	02/08/1981	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MESITAS MADERAS PECHERAS [illegible]	31/12/1983	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MESITAS METALICAS PLEGADIZAS DE 1,00X57X90	13/03/2008	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA	31/12/1972	41.980,01	41.980,01	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA	31/12/1972	41.980,01	41.980,01	[illegible]
[illegible]	[illegible]		[illegible]	MESA PUENTE METALICA	31/12/1972	41.980,01	41.980,01	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA	31/12/1972	41.980,01	41.980,01	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA	31/12/1972	41.980,01	41.980,01	[illegible]
[illegible]	[illegible]		[illegible]	MESA PUENTE METALICA	31/12/1972	41.980,01	41.980,01	[illegible]
[illegible]	[illegible]		[illegible]	MESA PUENTE METALICA	31/12/1972	41.980,01	41.980,01	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA	31/12/1972	41.980,01	41.980,01	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA	31/12/1972	41.980,01	41.980,01	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA	31/12/1972	41.980,01	41.980,01	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA	31/12/1972	41.980,01	41.980,01	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ESTANTERIA DE 4 ENTREPAÑOS	30/07/1974	48.727,27	48.727,27	[illegible]
[illegible]	[illegible]		[illegible]	ESTANTERIA GALVANIZADA DE 6 PUESTOS	31/12/1973	48.727,27	48.727,27	[illegible]
[illegible]	[illegible]		[illegible]	ESTANTERIA GALVANIZADA DE 6 PUESTOS	31/12/1973	48.727,27	48.727,27	[illegible]
[illegible]	[illegible]		[illegible]	ESTANTERIA GALVANIZADA DE 6 PUESTOS	31/12/1973	48.727,27	48.727,27	[illegible]
[illegible]	[illegible]		[illegible]	ESTANTERIA GALVANIZADA DE 6 PUESTOS	31/12/1973	48.727,27	48.727,27	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ESTANTERIA METALICA	31/12/1973	48.727,27	48.727,27	[illegible]
[illegible]	[illegible]		[illegible]	ESCRITORIO MAD. 8 GAVETAS LADERA [illegible]	09/12/1984	52.527,27	52.527,27	[illegible]
[illegible]	[illegible]		[illegible]	ESCRITORIO MAD. 4 CODOS 2 GAV. LADO DERECHO [illegible]	09/12/1984	42.181,82	42.181,82	[illegible]
[illegible]	[illegible]		[illegible]	ESCRITORIO MADERA 2 GAV. LAD. DER. [illegible]	04/11/1984	94.909,91	94.909,91	[illegible]
[illegible]	[illegible]		[illegible]	ESCRITORIO MADERA 2 GAV. LAD. DER. [illegible]	04/11/1984	94.909,91	94.909,91	[illegible]
[illegible]	[illegible]		[illegible]	ESCRITORIO MADERA 4 GAV. LADER. CORD. [illegible]	05/09/1984	97.909,84	97.909,84	[illegible]
[illegible]	[illegible]		[illegible]	ESCRITORIO MADERA DE 3 GAVETAS [illegible]	30/08/1972	39.027,27	39.027,27	[illegible]
[illegible]	[illegible]		[illegible]	ESCRITORIO MADERA DE 8 GAVETAS UNA GAVETA LADO D.	12/06/1979	42.181,82	42.181,82	[illegible]
[illegible]	[illegible]		[illegible]	ESCRITORIO MADERA DOS GAVETAS LAD [illegible]	19/12/1984	42.181,82	42.181,82	[illegible]
[illegible]	[illegible]		[illegible]	ESCRITORIO MADERA DOS GAVETAS LADO DERECHO	05/05/1983	99.903,19	99.903,19	[illegible]
[illegible]	[illegible]		[illegible]	ESCRITORIO MADERA DOS GAVETAS LADO IZQ. [illegible]	02/10/1984	38.705,36	38.705,36	[illegible]
[illegible]	[illegible]		[illegible]	ESCRITORIO MADERA METALICA [illegible] 1 GAV. [illegible]	03/03/1986	42.181,82	42.181,82	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ESCRITORIO MADERA METALICA [illegible]	03/03/1986	42.181,82	42.181,82	[illegible]
[illegible]	[illegible]		[illegible]	ESCRITORIO MET. CON 2 GAVETAS LADER 1 CON 1 [illegible]	30/12/1972	42.181,82	42.181,82	[illegible]
[illegible]	[illegible]		[illegible]	ESCRITORIO METAL. 3 GAV. LADO DERECHO 1 1 GAV. CENTR.	15/10/1984	42.181,82	42.181,82	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ESCRITORIO METALICO 2 GAV. LAD. DERECHO 1 GAV. [illegible]	08/06/1978	42.181,82	42.181,82	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ESCRITORIO METALICO 2 GAV. CENTRAL [illegible]	13/09/1973	42.181,82	42.181,82	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ESCRITORIO PEQUEÑO EJECUTIVO DE MADERCOR	14/10/2008	70.640,13	[illegible]	[illegible]

Federico Lleras Acosta

[illegible]	14480	135401	1017	ESCRITORIO TIPO SECRETARIA CON GAVETAS	12/04/2013	[illegible]	[illegible]	0,00
[illegible]	14487	4487-7389	135-1852	ESCRITORIO TIPO SECRETARIA CON GAVETAS	13/04/2013	[illegible]	[illegible]	0,00
[illegible]	[illegible]		11100	ESCRITORIO TIPO GAVETAS LADO DERECHO	[illegible]	[illegible]	[illegible]	0,00
131808	101006-83040		6801	ESCRITORIOS	29/08/2011	[illegible]	[illegible]	0,00
[illegible]	84081	84081 L-03500	3721	ESTACION DE TRABAJO MODULAR DE TAMPOS DIA DOS CIENTOS	8/08/2013	[illegible]	[illegible]	0,00
[illegible]	84080	84080-83080	8808	ESTACION DE TRABAJO MODULAR DE TAMPOS DIA DOS CIENTOS	8/08/2013	[illegible]	[illegible]	0,00
133047	132936	131640	1178	ESTANTE METALICO REFORZ LAT. CAL.24 - 7 ENTREPAÑOS	29/04/2012	[illegible]	[illegible]	[illegible]
133043		135044 L-03641	406	ESTANTE METALICO REFORZ LAT. CAL.24 - 7 ENTREPAÑOS	29/04/2012	[illegible]	[illegible]	[illegible]
133043		135046	662	ESTANTE METALICO REFORZ LAT. CAL.24 - 7 ENTREPAÑOS	29/04/2012	[illegible]	[illegible]	[illegible]
133047	131108	131608	2141	ESTANTE METALICO REFORZ LAT. CAL.24 - 7 ENTREPAÑOS	29/04/2012	[illegible]	[illegible]	[illegible]
[illegible]	23801	98051	6004	MESA PUENTE METALICA	24/10/2012	[illegible]	[illegible]	[illegible]
[illegible]	28083	103145	6871	MESA PUENTE METALICA	21/10/2012	[illegible]	[illegible]	[illegible]
[illegible]	28100	103258	6886	MESA PUENTE METALICA	24/10/2012	[illegible]	[illegible]	[illegible]
[illegible]	28108		6734	MESA PUENTE METALICA	24/10/2012	[illegible]	[illegible]	[illegible]
[illegible]	28122		6876	MESA PUENTE METALICA	21/12/2012	[illegible]	[illegible]	[illegible]
[illegible]	85144	132480	6861	SILLA DE RUEDAS ALTA TO IMPORTADA	29/01/2013	[illegible]	[illegible]	[illegible]
[illegible]	28731	115005-37457	6714	MESA PUENTE METALICA	21/12/2012	[illegible]	[illegible]	[illegible]
[illegible]	28716	135480	6716	MESA PUENTE METALICA	21/12/2012	[illegible]	[illegible]	[illegible]
[illegible]	31724	135474	6772	MESA PUENTE METALICA	21/12/2012	[illegible]	[illegible]	[illegible]
[illegible]	31725	135478-121606	6866	MESA PUENTE METALICA	21/12/2012	[illegible]	[illegible]	[illegible]
[illegible]	31725	135250-125244		MESA PUENTE METALICA	21/12/2012	[illegible]	[illegible]	[illegible]
[illegible]	31808	135471	6819	MESA PUENTE METALICA	21/12/2012	[illegible]	[illegible]	[illegible]
[illegible]	28048	114247	6030	MESA PUENTE METALICA	21/12/2012	[illegible]	[illegible]	[illegible]
[illegible]	34088	135467	6784	MESA PUENTE METALICA	21/12/2012	[illegible]	[illegible]	[illegible]
[illegible]	34155	114250	6025	MESA PUENTE METALICA	21/12/2012	[illegible]	[illegible]	[illegible]
[illegible]	45453	103217	6453	MESA PUENTE METALICA	21/12/2012	[illegible]	[illegible]	[illegible]
[illegible]	45440	114268	5846	MESA PUENTE METALICA	21/12/2012	[illegible]	[illegible]	[illegible]
[illegible]	45440	114263	5741	MESA PUENTE METALICA	21/12/2012	[illegible]	[illegible]	[illegible]
[illegible]	45432	114215	6703	MESA PUENTE METALICA	21/12/2012	[illegible]	[illegible]	[illegible]
[illegible]	45506	86071	6808	MESA PUENTE METALICA	21/12/2012	[illegible]	[illegible]	[illegible]
[illegible]	14451	133040	6628	MESA PUENTE METALICA	21/12/2012	[illegible]	[illegible]	[illegible]
[illegible]	10804		6843	MESA PUENTE METALICA	21/12/2012	[illegible]	[illegible]	[illegible]
[illegible]	22213	135864	6728	MESA PUENTE METALICA	21/12/2012	[illegible]	[illegible]	[illegible]
[illegible]	22215	135810	6869	MESA PUENTE METALICA	21/12/2012	[illegible]	[illegible]	[illegible]
[illegible]	22218	135878	6815-16235	MESA PUENTE METALICA	21/12/2012	[illegible]	[illegible]	[illegible]
[illegible]	22214	135868	6861	MESA PUENTE METALICA	21/12/2012	[illegible]	[illegible]	[illegible]
[illegible]	28038	100011	6872	MESA PUENTE METALICA	21/12/2012	[illegible]	[illegible]	[illegible]
[illegible]	98003		5045	MESA PARA COMPUTADOR	28/12/2012	[illegible]	[illegible]	[illegible]
131530			3113	SILLA CARACOLA CARGAMACHINES BRAZOS EN CONDORAN	28/09/2011	[illegible]	[illegible]	[illegible]
134820				VIDEOBEAM EPSON POWER LITE S 10	13/10/2012	[illegible]	[illegible]	[illegible]
[illegible]	81080		11966	MESA PARA COMPUTADOR MADERA NAMI METALICA	28/02/1994	[illegible]	[illegible]	[illegible]
[illegible]	84040		1030	MESA PARA COMPUTADOR UNA GAV	05/12/1994	[illegible]	[illegible]	[illegible]
[illegible]	81081		1997	MESA PARA IMPRESORA EN MADERA Y CAJON	20/08/1993	[illegible]	[illegible]	[illegible]
[illegible]	21402		7715	MESA PUENTE CITAVA SUPERIOR FORRADA EN FORMICA REF	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	34038	135825	6201	MESA PUENTE EN ACERO INOX	21/12/2012	[illegible]	[illegible]	[illegible]
[illegible]	22200	135830	6718	MESA PUENTE METALICA	21/12/2012	[illegible]	[illegible]	[illegible]
[illegible]	22216	135854	6784	MESA PUENTE METALICA	21/12/2012	[illegible]	[illegible]	[illegible]
[illegible]	22213	135840	6738	MESA PUENTE METALICA	21/12/2012	[illegible]	[illegible]	[illegible]
[illegible]	22208	135417	6818	MESA PUENTE METALICA	21/12/2012	[illegible]	[illegible]	[illegible]
[illegible]	28208	102804	6803	MESA PUENTE METALICA	21/12/2012	[illegible]	[illegible]	[illegible]

[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA	31/12/1973	41.980,81	41.980,81	0,00
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA	31/12/1973	41.980,81	41.980,81	0,00
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA	31/12/1973	41.980,81	41.980,81	0,00
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA	31/12/1973	41.980,81	41.980,81	0,00
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA	31/12/1973	41.980,81	41.980,81	0,00
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA	31/12/1973	41.980,81	41.980,81	0,00
[illegible]	[illegible]	[illegible]	[illegible]	MESA PUENTE METALICA	31/12/1973	41.980,81	41.980,81	0,00
[illegible]	[illegible]	[illegible]	[illegible]	MESA METALICA KARRIX MONDRIS	09/08/1991	16.337,45	16.337,45	0,00
[illegible]	[illegible]		[illegible]	MESA METALICA PARA FICHERO	31/12/1973	16.297,45	16.297,45	0,00
[illegible]	[illegible]	[illegible]	[illegible]	MESA METALICA TAPA CORALITO	28/04/1973	16.297,45	16.297,45	0,00
[illegible]	[illegible]	[illegible]	[illegible]	MESA METALICA MARIMBOS	01/10/2000	10.197,45	10.197,45	0,00
[illegible]	[illegible]		[illegible]	MESA PICOMPUTADOR BASE METALICA	11/01/1990	16.297,45	16.297,45	0,00
[illegible]	[illegible]		[illegible]	MESA PICOMPUTADOR CABEZA DE TECLADO E IMPRESORA	12/06/1990	15.523,48	15.523,48	0,00
[illegible]	[illegible]		[illegible]	MESA PARA COMPUTADOR	12/12/1991	155.400,14	155.400,14	0,00
[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE METALICA TAPA SUPERIOR ACE INOXIDAB	14/01/2009	95.146,47	95.146,47	0,00
[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE METALICA TAPA SUPERIOR ACE INOXIDAB	14/01/2009	95.146,47	95.146,47	0,00
[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE METALICA TAPA SUPERIOR ACE INOXIDAB	14/01/2009	95.146,47	95.146,47	0,00
[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE METALICA TAPA SUPERIOR ACE INOXIDAB	14/01/2009	95.146,47	95.146,47	0,00
[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE METALICA TAPA SUPERIOR ACE INOXIDAB	14/01/2009	95.146,47	95.146,47	0,00
[illegible]	[illegible]		[illegible]	MESA DE NOCHE EN LAMINA	02/09/1990	16.141,39	16.141,39	0,00
[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE EN LAMINA CALIBRE 22	30/12/2000	20.087,00	20.087,00	0,00
[illegible]	[illegible]		[illegible]	MESA CHAPA BASE METAL PARA COMPUTADOR	12/09/1990	21.980,00	21.980,00	0,00
[illegible]	[illegible]		[illegible]	MESA EN MADERA Y BASE LADEOCEDRO MARRON	10/10/1990	16.297,45	16.297,45	0,00
[illegible]	[illegible]		[illegible]	MESA EN MADERA BASE METALICA PARA COMPUTADOR	08/08/1990	16.023,36	16.023,36	0,00
[illegible]	[illegible]	[illegible]	[illegible]	MESA EN MADERA BLUE BOHEMIA	10/12/1973	81.168,13	81.168,13	0,00
[illegible]	[illegible]		[illegible]	MESA EN MADERA PYMPRESA Y MARGP BASE METAL ANDEGIA	30/03/1995	18.458,80	18.458,80	0,00
[illegible]	[illegible]		[illegible]	MESA EN MADERA Y METAL PICOMPUTADOR CHANDEJA 7P	27/08/1993	42.191,80	42.191,80	0,00
[illegible]	[illegible]		[illegible]	MESA CANGRINAL EN MADERA	30/07/1998	25.908,73	25.908,73	0,00
[illegible]	[illegible]		[illegible]	MESA MADERA CIRCULAR PARA JUNTAS	09/03/1998	25.908,73	25.908,73	0,00
[illegible]	[illegible]		[illegible]	MESA MADERA PICOMPUTADOR CAVERA PYTOCLADO	24/02/1998	20.090,81	20.090,81	0,00
[illegible]	[illegible]		[illegible]	MESA ALBELIAR EN MADERA 60 X 40 X 68	31/12/1973	16.297,45	16.297,45	0,00
[illegible]	[illegible]	[illegible]	[illegible]	MESA ALBELIAR EN MADERA KARRIX FORD CORDOBAN	23/08/1994	16.297,45	16.297,45	0,00
[illegible]	[illegible]	[illegible]	[illegible]	MESA ALBELIAR EN METALICA 42 X 80 X 72	10/09/1991	16.297,45	16.297,45	0,00
[illegible]	[illegible]	[illegible]	[illegible]	MESA ALBELIAR EN METALICA 47/100 X 78	10/09/1991	16.297,45	16.297,45	0,00
[illegible]	[illegible]	[illegible]	[illegible]	MESA ALBELIAR MADERA DE 57*47*58	24/10/1990	14.277,07	14.277,07	0,00
[illegible]	[illegible]	[illegible]	[illegible]	MESA ALBELIAR METALICA	20/08/1974	16.297,45	16.297,45	0,00
[illegible]	[illegible]		[illegible]	MESA ALBELIAR PARA EQUIPO DE RATOS 3	17/08/2003	69.005,01	69.005,01	0,00
[illegible]	[illegible]	[illegible]	[illegible]	MESA ALBELIAR RIÑONERA	31/12/1972	14.394,32	14.394,32	0,00
[illegible]	[illegible]	[illegible]	[illegible]	MESA ALBELIAR RIÑONERA	31/12/1972	16.297,45	16.297,45	0,00
[illegible]	[illegible]		[illegible]	MESA ALBELIAR RIÑONERA	31/12/1972	16.297,45	16.297,45	0,00
[illegible]	[illegible]		[illegible]	MESA ALBELIAR RIÑONERA DOBLE	31/12/1972	11.408,22	11.408,22	0,00
[illegible]	[illegible]	[illegible]	[illegible]	MESA ALBELIAR RIÑONERA	31/12/1972	16.297,45	16.297,45	0,00
[illegible]	[illegible]	[illegible]	[illegible]	MESA ALBELIAR RIÑONERA	31/12/1972	16.297,45	16.297,45	0,00
[illegible]	[illegible]		[illegible]	MESA ALBELIAR RIÑONERA	31/12/1972	16.297,45	16.297,45	0,00
[illegible]	[illegible]		[illegible]	CHARO DE CURADOR 1 CAJAS 1000000/08	28/04/1998	32.147,89	32.147,89	0,00
[illegible]	[illegible]		[illegible]	MESA ALBELIAR RIÑONERA METALICA	31/12/1973	16.297,45	16.297,45	0,00
[illegible]	[illegible]		[illegible]	MESA ALBELIAR RIÑONERA METALICA	31/12/1973	16.297,45	16.297,45	0,00
[illegible]	[illegible]		[illegible]	MESA BASE METALICA TACERO INOX DE 1.42000/08	26/07/2001	119.248,07	119.248,07	0,00
[illegible]	[illegible]	[illegible]	[illegible]	MESA DE MAYO	18/09/2000	6.673,07	6.673,07	0,00

4

Federico Lleras Acosta

[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE 48"SIN METAL PARA SUPERAVOR ACE INTA DAR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA DE NOCHE 48"SIN METAL PARA SUPERAVOR ACE INTA DAR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	ESTANTERIA METALICA 3 ENTREPAÑOS (OFICINA)	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	ESTANTERIA METALICA 3 ENTREPAÑOS DE 1800X1.00	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ESTANTERIA METALICA 7 ENTREPAÑOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	ESTANTERIA METALICA DE 6 ENTREPAÑOS SEMIABIERTA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ESTANTERIAS METALICAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				EXTINTOR TIPO ABC DE 20 LIBRAS MULTIPROPOSITO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	FOLDRAMA DE 1.00 X 5.80 X 1.40 CAL. 22	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	GABINETE DE PARED DE 3 PUERTAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	LOCKER DE 12 PUESTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	LOCKER DE 9 PUESTOS FAMBRINO REF LPB MEDIDAS 1.80	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	LOCKER DE 9 PUESTOS FAMBRINO REF LPB MEDIDAS 1.80	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	LOCKER METALICO IMPERSONAL DE 2 CUERPOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	LOCKER METALICO IMPERSONAL DE 2 CUERPOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	LOCKER METALICO DE 6 SERVICIOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	LOCKER METALICO DE 6 SERVICIOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	LOCKER SENCILLOS DE 2 SERVICIOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	LOCKER METALICO DE 8 PUESTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	LOCKER METALICOS DE 6 SERVICIOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MAQUINA DE ESCRIBIR FLEET, ET COMPACT 06	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		MAQUINA ELECTRICA DE RASURAR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MAQUINA ELECTRONICA ET 3380 OLIVETTI	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MAQUINA SELLADORA DE BANDA TRANS DIGITAL	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MESA AUX. MADERA MEDANO 1 CAJON 1 DAV 60X60X70	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MESA AUX. PARA MEDANO DRAFT MADERA 60X60X70	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MESA AUX. RINONERA METALICA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MESA AUXILIAR MADERA INTERNOR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	OLLAS PARED MODELO 0810 PATIAMBIPORTE DE 160 CENTIMAD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	OLLAS EN BASE METALICA Y CANASTA EN ACRILICO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	OLLAS EN BASE METALICA Y CANASTA EN ACRILICO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	SILLA CARACOLA CIRCULAR CHIMIK CANALIZOS EN CORDOBAN	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]		ESCALERA LA METALICA 2 PASOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	ESCRITORIO MEDIA LUNA 1 DAV LADO IZQ 120X60X74	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	ESCRITORIO 3 GAVETAS LADO DERECHO [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ESCRITORIO AUXILIAR DE 1.00 * 0.60	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	ESCRITORIO EJE EN MADERA TICONTINENTAL 2 GAVETAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	ESCRITORIO EJECUTIVO DE 1.00*0.70*0.70	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	ESCRITORIO EJECUTIVO EN MADERA DE DAV. LAD DER 16	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	ESCRITORIO EN MAD. 3 GAVETAS DAV 3 LADO IZQUIERDO	[illegible]	[illegible]	[illegible]	[illegible]

[illegible]	[illegible]		5989	ESCRITORIO EN MADERA 2 GAVETAS OFR 1[illegible]	12/05/1993	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		8235	ESCRITORIO EN MADERA 3GAV LIDER [illegible]	21/09/1991	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	10400	ESCRITORIO EN MADERA 3 GAV LAD OFR 12[illegible]	28/04/1994	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	ESCRITORIO EN MADERA 3GAV LAVANDA 12[illegible]	30/09/1992	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		1994	ESCRITORIO EN MADERA CIT CALDIN Y ARCHIVO LADO [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		2027	ESCRITORIO EN MADERA 02 GAV.	31/12/1992	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	ESCRITORIO EN MADERA 02 GAV. LADO DERECHO 12[illegible]	27/01/1994	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11190	ESCRITORIO EN MADERA CON UNA GAVETA	20/04/1994	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13773	ESCRITORIO EN MADERA DE 2 GAV. LADO DERECHO	09/05/1993	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		3013	ESCRITORIO EN MADERA DE 3 GAV. LIDER	08/10/1994	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	1404	ESCRITORIO EN MADERA DE UNA GAVETA	13/05/1994	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		10401	ESCRITORIO EN MADERA 1 ARCHIVO DE 1 GAV	31/10/1994	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	ESCRITORIO EN MADERA FOORO NEGRO 5 GAV. LIDER	05/12/1995	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	ESCRITORIO EN MADERA FOORO NEGRO TRES GAV L. LIDER	30/11/1995	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	ESCRITORIO EN MADERA FORRADO CONO DB LADO DER.	30/11/1994	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ESCRITORIO EN MADERA FOORO 3 GAV.LIDER N12008504	31/07/1994	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		12094	ESCRITORIO MAO 3 GAV LAD F GAV LIDER 1700TEKTS	23/05/1994	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	ESCRITORIO MAO 3 GAV LADO DER. FORRADO CONO	14/12/1993	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	CANASTA CUNA METALICA	01/12/1993	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible] 03/11/[illegible]	[illegible]	CARRO CUNA DOB BOX[illegible]	16/08/1996	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	11237	CARRO DE PLATAFORMA CONTAINA	26/05/1993	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	CARRO METALICO CERRADO	02/09/1991	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	CARRO METALICO PARA PAÑO 3 GAV. ALADINA 1 ENTREPAÑO LATERAL DE TENER 1.30	14/04/2000	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11975	CARRO METALICO PARA PLACAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11581	CARRO METALICO TRANSPORTE DE OXIGENO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11585	CARRO METALICO TRANSPORTE DE OXIGENO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	CARRO PARA TRANSPORTE DE EQUIPOS Y OTROS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	11047	CARRO PARA TRANSPORTE DE TANQUE DE OXIGENO	14/02/1997	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13084	CARRO PORTA ORDENES	13/05/1993	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	134041	[illegible]	CARRO TRANSPORT DE LAVOSA CON ACERO INOX [illegible]	16/08/1996	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	11813	CARRO TRANSPORTE DE OXIGENO	24/11/1994	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CARRO TRANSPORTE DE OXIGENO	24/11/1994	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	COMPRESORO METALICO PORTATILIDO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			1377	CONTADORA DE GASA ELECTRICA CARGO CIRCULAR DE 4	20/12/2010	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		1370	CONTADORA DE GASA ELECTRICA CARGO CIRCULAR DE 4	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	134091	87	CUERPO DE ESTANTERIA METALICA DE 5 ENTREPAÑOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CUNA PANDA MODELO DEFP INTRANSPORTE DE RECIEN NACI	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CUNA PANDA MODELO DEFP INTRANSPORTE DE RECIEN NACI	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CUNA PANDA MODELO DEFP INTRANSPORTE DE RECIEN NACI	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CUNA PANDA MODELO DEFP INTRANSPORTE DE RECIEN NACI	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CUNA PANDA MODELO DEFP INTRANSPORTE DE RECIEN NACI	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CUNA PANDA MODELO DEFP INTRANSPORTE DE RECIEN NACI	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMILLA DE DOLORA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMILLA DE DOLORA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMILLA DE DOLORA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMILLA FIJA CON COLCHONETA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]		CAMILLA PARA AMBULANCIA EN ALUMINIO CON BARANDAS UNIDAD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible] 112020	[illegible]	CAMILLA PARA RECUPERACION DE PACIENTES	[illegible]	[illegible]	[illegible]	[illegible]

[illegible]	[illegible]		9420	CAMILLA PARA RECUPERACION DE PACIENTES	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible] 113302	0700	CAMILLA TRANSPORTE PACIENTES GIMARAMA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		9855	CAMILLA TRANSP TEMPERATURA C/ STD GITRENDELEMBURG CO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		9906	CAMILLAS PARA RECUPERACION	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	9300	CAMILLAS PARA RECUPERACION	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		9345	CAMILLAS PARA RECUPERACION	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	9030	CAMILLAS PARA RECUPERACION	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	9419	CAMILLAS PARA RECUPERACION	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	10680	CANASTA CUNA EN ACERO CON RODICHINOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	9402	CANASTA CUNA METALICA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	9898	CAMA TUBULAR DE TRES PLANOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	9917	CAMA TUBULAR DE TRES PLANOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	11572	CAMA TUBULAR DE 3 PLANOS TROSF CON BARANDAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		CAMILLA DE COLERA

[illegible]	[illegible]		1945	ARCHIVADOR METALICO DE 4 GAVETAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULAR DE 3 PLANOS TH-03P	31/12/1972	146.411,45	146.411,45	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULAR DE 3 PLANOS TH-03P	31/12/1972	146.411,45	146.411,45	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULAR DE 3 PLANOS TH-03P	31/12/1972	146.411,45	146.411,45	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULAR DE 3 PLANOS TH-03P	31/12/1972	146.411,45	146.411,45	[illegible]
[illegible]	[illegible]		[illegible]	ATRIL CAMA BOMBA DE INFUSION MED-DF-2	21/01/2010	71.293,04	71.293,04	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULAR DE TRES PLANOS	31/12/1972	146.411,45	146.411,45	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULARES DE 3 PLANOS TH-03P CON BARANDAS	31/12/1972	73.049,00	73.049,00	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULARES DE 3 PLANOS TH-03P	31/12/1972	146.411,45	146.411,45	[illegible]
[illegible]	[illegible]			CAMA LA HOSPITALARIA (3 PLANOS CERRADAS CENTRAL EN ALUMINIO HYPNOVA BLOQUES INTERNAL 3a HUNTA SRC COLONIA, PORTABARRI Y CANASTA ALUMINIO	02/04/2015	3.408.000,00	1.927.732,34	[illegible]
[illegible]			308	CAMA LA PACIENTE ORANGWOOD COLCHONETA P. RODACHINES	26/02/2011	497.795,19	497.795,19	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMILLA PARA TRANSPORTE DE PACIENTES	11/11/1980	380.093,41	380.093,41	[illegible]
[illegible]	[illegible]			CAMPANA EXTRACTORA	31/12/1972	304.042,08	304.042,08	[illegible]
[illegible]	[illegible]			CAMPANAS EXTRACTORA	31/12/1972	304.042,08	304.042,08	[illegible]
[illegible]	[illegible]		002	CARRO CON RODADOR COMPLETO DE AREO	01/08/2003	101.377,94	101.377,94	[illegible]
[illegible]	[illegible]		7004	CANTILEVANA EN MADERA PUERTA CON VIDRIO 60X80	27/12/1912	12.945,45	12.945,45	[illegible]
[illegible]	[illegible]		11802	DIVAN METALICO	18/07/1991	27.249,43	27.249,43	[illegible]
[illegible]	[illegible]		1/2008	ESCRITORIO EN MADERA 1GAVDR LA DERECHO	28/11/1986	42.181,60	42.181,60	[illegible]
[illegible]	[illegible]	[illegible]	0808	ESCRITORIO EN MADERA 2 GAV.L DER. 1GAVDERCH	04/11/1984	84.089,01	84.089,01	[illegible]
[illegible]	[illegible]	[illegible]	6002	ESCRITORIO EN MADERA 3GAV.LAYDER MONACO	31/10/1984	42.181,60	42.181,60	[illegible]
[illegible]	[illegible]		10080	ESCRITORIO EN MADERA 01 GAV. U 108 MODULAR	03/06/1989	42.181,60	42.181,60	[illegible]
[illegible]	[illegible]		11945	ESCRITORIO MET. 2 GAVLAD. DER. 1 CENT. 1TAMBOR	03/06/1986	42.181,60	42.181,60	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA ELECTROMECANICA MCA. LOS PINOS SIN ASAR	03/03/2009	758.937,82	758.937,82	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITAL OTAMLERO FLIO CON POSICIONES	08/02/2004	146.411,45	146.411,45	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITAL OTAMLERO FLIO TENDIDO EN LAMINA 1 P.	14/01/2005	146.411,45	146.411,45	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITAL OTAMLERO FLIO TENDIDO EN LAMINA 1 P.	14/01/2005	146.411,45	146.411,45	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITAL OTAMLERO FLIO TENDIDO EN LAMINA 1 P.	14/01/2005	146.411,45	146.411,45	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITAL OTAMLERO FLIO TENDIDO EN LAMINA 1 P.	14/01/2005	102.488,02	102.488,02	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITAL OTAMLERO FLIO TENDIDO EN LAMINA 1 P.	14/01/2005	146.411,45	146.411,45	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITAL OTAMLERO FLIO TENDIDO EN LAMINA 1 P.	14/01/2005	146.411,45	146.411,45	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITAL OTAMLERO FLIO TENDIDO EN LAMINA 1 P.	14/01/2005	146.411,45	146.411,45	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITALARIA DE LUJO	[illegible]	146.411,45	146.411,45	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITALARIA REF. BOSC MODELO 2000 DICOLCHON	28/10/2005	230.047,82	230.047,82	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA METALICA DE LEVANTE PITRAMF PACIENTES	20/01/2010	1.081.884,78	1.081.884,78	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA METALICA DE LEVANTE PITRAMF PACIENTES	20/01/2010	1.081.884,78	1.081.884,78	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULAR DE 3 PLANOS TH-03P	31/12/1972	146.411,45	146.411,45	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULAR DE 3 PLANOS TH-03P	31/12/1972	146.411,45	146.411,45	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULAR DE 3 PLANOS TH-03P	31/12/1972	146.411,45	146.411,45	[illegible]
[illegible]	[illegible]		[illegible]	CAMA ELECTROMECANICA MCA. LOS PINOS	23/03/2009	758.937,82	758.937,82	[illegible]
[illegible]	[illegible]		[illegible]	VENTILADOR DE MANOS	21/06/1984	15.800,00	15.800,00	[illegible]
[illegible]	[illegible]		[illegible]	VITRINA EN MADERA DE TRANSMISIBS	12/11/1984	150.090,10	150.090,10	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	VITRINA MADERA 2GS CRISTOS	18/08/1984	27.792,18	27.792,18	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	VITRINA MET/8 SEMV 2 PUERTAS EN VIDRIO Y 1 MET.	01/08/1976	95.125,01	95.125,01	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA METALICA DE LEVANTE PITRAMF PACIENTES	20/01/2010	1.081.884,78	1.081.884,78	[illegible]
[illegible]	[illegible]		[illegible]	CAMILLA REF C-374	03/03/2005	1.533.114,70	1.533.114,70	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULAR DE 3 PLANOS TH-03P	31/12/1972	102.488,02	102.488,02	[illegible]
[illegible]	[illegible]		[illegible]	CAMILLA CON TENDIDO EN ACERO INOXIDABLE	26/05/2011	1.133.248,00	1.133.248,00	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CARRO DE PLATAFORMA CON TAPA	16/07/2004	41.700,74	41.700,74	[illegible]

Federico Lleras Acosta

[illegible]	48017			CHARÓ CON PANTALLA DE 14"17	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	43000		9811	TANDEM SIN TAPIZAR DE 4 PUESTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	43081		2000	TANDEM VERDE TRANSLUCIDO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		6815	TUBERIA PARA CORDON LIMPIEZA AL MESA DE NOCHE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		9808	TANDEM DE CUATRO PUESTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11881	TANDEM DE CUATRO PUESTOS COLOR NARANJA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	40831		18034	TANDEM DE CUATRO PUESTOS COLOR NARANJA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11161	TANDEM DE CUATRO PUESTOS TUBO REDONDO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11150	TANDEM DE CUATRO PUESTOS TUBO REDONDO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11080	TANDEM DE TRES PUESTOS TUBO REDONDO VERDE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11081	TANDEM 10 DE CUATRO PUESTOS BASE ALUM C. NARANJA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11436	TANDEM 10 DE CUATRO PUESTOS BASE ALUM C. NARANJA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	11082	TANDEM 10 DE CUATRO PUESTOS BASE ALUM C. NARANJA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		10112	ARCHIVADOR HORIZONTAL CON MADERA MADERA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		8420	MESA PLASTICA CUADRADA (MAX [illegible])	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]		MESA PUENTE EN MADERA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	8808	MESA PUENTE METALICA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	8814	MESA PUENTE METALICA (alto)	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		8800	MESA PIÑONERA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		1368	MUEBLE CARPETAS Y PORTAS ENTAMBORADAS CAL 18 DESPALDAR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	14044	MUEBLE EN MADERA DE 1200x400x73	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		12014	MUEBLE METALICO CERRADO PUERTAS CORREDIZAS 8 ENTREPAÑOS DE 1.400x90x1.10 CRS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		8463	PANEL - PUERTA DE 0.90 MTRS CON VIDRIO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		8389	PANEL 1.20 DE ALTURA MATICO EN PAÑO Y VIDRIO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11481	PANEL 1.60*0.85	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11480	PANEL 1.60*0.85	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	9802	ESCALERILLA DE DOS PASOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		8803	ESTANTERIA METALICA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	8803	SILLA DE RUEDAS ESTANDAR ORDINARIA CABEZAS Y DESCAN	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				SILLA REGULABLE CON BRAZOS UNIDAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		1874	MESA PARA COMPUTADOR BASE METALICA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				ELECTROCARDIOGRAFO WELCH ALLYN MOD. [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		8808	ESTANTERIA METALICA CON 6 ENTREPAÑOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	11801	ESTANTERIA METALICA CON DIVISIONES PARA HISTORIAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		8802	ESTANTERIA METALICA CON DIVISIONES PARA HISTORIAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	10954	JUEGO DE SALA CORDOBAN CAFE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	8021	LOCKER METALICO DE 8 SERVICIOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	8004	LOCKER METALICO DE 8 SERVICIOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	3	11071	LOCKERS DE 6 PUESTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	6003	MESA AUXILIAR PIÑONERA MEDIA LUNA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		12503	MESA EN ACERO INOX CON ESPALDAR Y SOPORTAR 1800X	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		12860	MESA EN MADERA [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	7802	AIRE ACONDICIONADO DE [illegible] BTU/DIA TIPO MINISPLIT	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		12862	AIRE ACONDICIONADO DE [illegible] BTU/DIA TIPO MINISPLIT	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		8115	AIRE ACONDICIONADO DE [illegible] BTU/DIA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		8808	AIRE ACONDICIONADO TIPO PAQUETE DE 5 TR 220V	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		15801	MONITOR DE SIGNOS VITALES BIOLIGHT CAPNOGRAFIA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		8176	AIRE ACONDICIONADO DE [illegible] BTU/DIA CONCENTRADOR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13863	RAMPLA DE 180 KGS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		7119	ESTANTERIA METALICA 3 CUERPOS PAÑOS DE [illegible] DE	[illegible]	[illegible]	[illegible]	[illegible]

[illegible]	[illegible]	[illegible]	[illegible]	ESTANTERIA METALICA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	ARMARIO ENAMORIA DE 2 PUERTAS 4 ENTREPAÑOS DE 1736X1.20X36	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	BASCULA DE 500 KG	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	BIBLIOTECA ENAMORIA 3 DIVISIONES PUERTAS CORREDIZ	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	BIBLIOTECA MADERA BANK Y PARTE SUPERIOR 1200X500X80	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	BOMBO DE TRES CUERPOS DE ACERO INOXIDABLE CITOLA Y REDACHIN	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	BOMBO DE TRES CUERPOS EN ACERO INOXIDABLE CITOLA Y REDACHIN	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	BOMBO DE TRES CUERPOS EN ACERO INOXIDABLE CITOLA Y REDACHIN	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				BUTACO CAJERO TULIP CON ARMAZON ALTO PIES	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				BUTACO GIRATORIO ERGA DIA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				BUTACO GIRATORIO ERGA DIA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				BUTACO GIRATORIO ERGALDA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	BUTACO GIRATORIO GARNECIA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	BUTACO GIRATORIO GARNECIA GUEMEA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	BUTACO GIRATORIO TRIPODE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	BUTACO METALICO GIRATORIO TRIPODE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	BUTACO TRIPODE GIRATORIO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	BUTACO TRIPODE GIRATORIO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	BUTACO TRIPODE GIRATORIO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	CAJON MONEDERO PUERTO BERAL	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA CON TABLERO METALICO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA CUNA EN MADERA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	CAMA DE 4 PLANOS ELECTRONICA ELECTRICA ALAMBRICO CICOLCHON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	CAMA DE 4 PLANOS ELECTRONICA ELECTRICA ALAMBRICO CICOLCHON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	CAMA DE 4 PLANOS ELECTRONICA ELECTRICA ALAMBRICO CICOLCHON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	CAMA DE 4 PLANOS ELECTRONICA ELECTRICA ALAMBRICO CICOLCHON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA DE 4 PLANOS ELECTRONICA ELECTRICA ALAMBRICO CICOLCHON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA DE 4 PLANOS ELECTRONICA ELECTRICA ALAMBRICO CICOLCHON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	CAMA DE 4 PLANOS ELECTRONICA ELECTRICA ALAMBRICO CICOLCHON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	CAMA DE 4 PLANOS ELECTRONICA ELECTRICA ALAMBRICO CICOLCHON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA DE 4 PLANOS ELECTRONICA ELECTRICA ALAMBRICO CICOLCHON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA DE 4 PLANOS ELECTRONICA ELECTRICA ALAMBRICO CICOLCHON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA DE 4 PLANOS ELECTRONICA ELECTRICA ALAMBRICO CICOLCHON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CONGELADOR BRAVOS MOAO 154311 NO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA DE 4 PLANOS ELECTRONICA ELECTRICA ALAMBRICO CICOLCHON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	CAMA DE 4 PLANOS ELECTRONICA ELECTRICA ALAMBRICO CICOLCHON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA DE 4 PLANOS ELECTRONICA ELECTRICA ALAMBRICO CICOLCHON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA DE 4 PLANOS ELECTRONICA ELECTRICA ALAMBRICO CICOLCHON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	CAMA DE 4 PLANOS ELECTRONICA ELECTRICA ALAMBRICO CICOLCHON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA DE 4 PLANOS ELECTRONICA ELECTRICA ALAMBRICO CICOLCHON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA DE 4 PLANOS ELECTRONICA ELECTRICA ALAMBRICO CICOLCHON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA DE 4 PLANOS ELECTRONICA ELECTRICA ALAMBRICO CICOLCHON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA DE 4 PLANOS ELECTRONICA ELECTRICA ALAMBRICO CICOLCHON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA DE 4 PLANOS ELECTRONICA ELECTRICA ALAMBRICO CICOLCHON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA DE LUJO TIPO HOSPITALARIO	[illegible]	[illegible]	[illegible]	[illegible]

[illegible]	[illegible]	[illegible]	[illegible]	CAMA DE LUJO TIPO HOSPITALARIO	[illegible]	146.411,45	146.411,45	0,00
[illegible]	[illegible]	102239-110907	[illegible]	CAMA DE LUJO TIPO HOSPITALARIO	[illegible]	146.411,45	146.411,45	0,00
[illegible]	[illegible]	102240-110016	[illegible]	CAMA DE LUJO TIPO HOSPITALARIO	[illegible]	146.411,45	146.411,45	0,00
[illegible]	[illegible]	[illegible]	[illegible]	CAMA ELECTRICA CIRCULACION Y RUEDAS IN OSCURO REF P. R	[illegible]	730.041,82	730.041,82	0,00
[illegible]	[illegible]	102205-112408	[illegible]	CAMA ELECTRICA CIRCULACION Y RUEDAS IN OSCURO REF P. R	[illegible]	730.041,82	730.041,82	0,00
[illegible]	[illegible]	110101-114101	[illegible]	CAMA ELECTRICA CIRCULACION Y RUEDAS IN OSCURO REF P. R	[illegible]	730.041,82	730.041,82	0,00
[illegible]	[illegible]	[illegible]		CUCHILLETE FINO PARA AMIGDALAS DE 24 CMS	[illegible]	11.700,00	11.700,00	0,00
[illegible]	[illegible]	[illegible]	[illegible]	CAMA ELECTRICA CIRCULACION Y RUEDAS IN OSCURO REF P. R	[illegible]	730.041,82	730.041,82	0,00
[illegible]				CAMA ELECTRICA DE TRES CUERPOS CON BALANZA UNIDAD	[illegible]	[illegible]	1.095.328,87	[illegible]
[illegible]	[illegible]	[illegible]		CUCHETA EN ACERO INOXIDABLE DE 68 x 48 SIN TAPA	[illegible]	27.975,00	8.835,30	19.140,00
[illegible]	[illegible]	[illegible]	[illegible]	CAMA ELECTROMECANICA MCA. HUNTLEIGH	[illegible]	730.047,82	730.047,82	0,00
[illegible]	[illegible]	[illegible]	[illegible]	CAMA ELECTROMECANICA MCA. LOS PINOS	[illegible]	730.047,82	730.047,82	0,00
[illegible]	[illegible]		[illegible]	CAMA ELECTROMECANICA MCA. LOS PINOS	[illegible]	730.047,82	730.047,82	0,00
[illegible]	[illegible]	[illegible]		CUCHETA EN ACERO INOXIDABLE DE 68 x 48	[illegible]	27.975,00	8.835,30	[illegible]
[illegible]	[illegible]		[illegible]	CAMA ELECTROMECANICA MCA. LOS PINOS	[illegible]	730.047,82	730.047,82	0,00
[illegible]	[illegible]		[illegible]	CAMPANA EXTRACTORA	[illegible]	[illegible]	[illegible]	0,00
[illegible]	[illegible]		[illegible]	CAMA ELECTROMECANICA MCA. LOS PINOS	[illegible]	730.047,82	730.047,82	0,00
[illegible]	[illegible]	[illegible]	[illegible]	CAMA ELECTROMECANICA MCA. LOS PINOS	[illegible]	730.047,82	730.047,82	0,00
[illegible]	[illegible]	102250-111107	[illegible]	CAMA ELECTROMECANICA MCA. LOS PINOS	[illegible]	730.047,82	730.047,82	0,00
[illegible]	[illegible]	[illegible]	[illegible]	CAMA ELECTROMECANICA MCA. LOS PINOS	[illegible]	730.047,82	730.047,82	0,00
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITALARIA DE LUJO	[illegible]	146.411,45	146.411,45	0,00
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITALARIA DE LUJO	[illegible]	146.411,45	146.411,45	0,00
[illegible]	[illegible]	100203-109213	[illegible]	CAMA HOSPITALARIA DE LUJO	[illegible]	146.411,45	146.411,45	0,00
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITALARIA DE LUJO	[illegible]	146.411,45	146.411,45	0,00
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITALARIA DE LUJO	[illegible]	146.411,45	146.411,45	0,00
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITALARIA DE LUJO	[illegible]	146.411,45	146.411,45	0,00
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITALARIA REF. MOD. MODELO 2000 CICLOLIHON	[illegible]	730.041,82	730.041,82	0,00
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITALARIA REF. MOD. MODELO 2000 CICLOLIHON	[illegible]	730.041,82	730.041,82	0,00
[illegible]			[illegible]	CAMILLA TIPO MILLER	[illegible]	304.945,85	304.981,34	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA HOSPITALARIA REF. MOD. MODELO 2000 CICLOLIHON	[illegible]	730.041,82	730.041,82	0,00
[illegible]	[illegible]	100903-114709	[illegible]	CAMA HOSPITALARIA TUBULAR	[illegible]	146.411,45	146.411,45	0,00
[illegible]	[illegible]		[illegible]	CAMA HOSPITALARIA TUBULAR	[illegible]	146.411,45	146.411,45	0,00
[illegible]	[illegible]	[illegible]		REVISTERO PENTAGO. DE DE LITERE	[illegible]	154.335,71	154.335,71	0,00
[illegible]	[illegible]	109080	[illegible]	CAMA HOSPITALARIA TUBULAR	[illegible]	146.411,45	146.411,45	0,00
[illegible]	[illegible]	109043	[illegible]	CAMA HOSPITALARIA TUBULAR	[illegible]	146.411,45	146.411,45	0,00
[illegible]	[illegible]	109080	[illegible]	CAMA HOSPITALARIA TUBULAR	[illegible]	146.411,45	146.411,45	0,00
[illegible]	[illegible]	100878-73080	[illegible]	CAMA METALICA CON TABLERO EN FORMICA	[illegible]	102.888,00	102.888,00	0,00
[illegible]	[illegible]	100857-112475	[illegible]	CAMA METALICA CON TABLERO EN FORMICA	[illegible]	146.411,45	146.411,45	0,00
[illegible]	[illegible]	133039	[illegible]	CAMA METALICA DE LEVANTE PITRAMP. PACIENTES	[illegible]	1.091.884,78	1.091.884,78	0,00
[illegible]	[illegible]	112597	[illegible]	CAMA METALICA DE LEVANTE PITRAMP. PACIENTES	[illegible]	1.091.884,78	1.091.884,78	0,00
[illegible]	[illegible]	133075	[illegible]	CAMA METALICA DE LEVANTE PITRAMP. PACIENTES	[illegible]	1.091.884,78	1.091.884,78	0,00
[illegible]	[illegible]	[illegible]	[illegible]	CAMA METALICA DE TIPO HOSPITALARIA	[illegible]	146.411,45	146.411,45	0,00
[illegible]	[illegible]	100073	[illegible]	CAMA METALICA DE TIPO HOSPITALARIA	[illegible]	146.411,45	146.411,45	0,00
[illegible]	[illegible]	112640	[illegible]	CAMA METALICA SENCILLA	[illegible]	146.411,45	146.411,45	0,00
[illegible]	[illegible]	100878-130031	[illegible]	CAMA METALICA SENCILLA	[illegible]	146.411,45	146.411,45	0,00
[illegible]	[illegible]	125047	[illegible]	CAMA TUBULAR DE 3 PLANOS TIHOSP.	[illegible]	146.411,45	146.411,45	0,00
[illegible]	[illegible]	114024	[illegible]	CAMA TUBULAR DE 3 PLANOS TIHOSP. CON BARANDAS	[illegible]	146.411,45	146.411,45	0,00
[illegible]	[illegible]	114000	[illegible]	CAMA TUBULAR DE 3 PLANOS TIHOSP. CON BARANDAS	[illegible]	146.411,45	146.411,45	0,00
[illegible]	[illegible]	[illegible]	[illegible]	CAMA TUBULAR DE 3 PLANOS TIHOSP. CON BARANDAS	[illegible]	146.411,45	146.411,45	0,00

[illegible]	[illegible]	[illegible]	[illegible]	CAMA TURNULAR DE 3 PLANOS THOSP. CON BARANDAS	31/12/1972	149.411,46	149.411,46		0,00
[illegible]	1.00004	[illegible]		FONENDOSCOPIO DE 2 SERVICIOS PAEDIATRIA	15/10/2010	32.357,75	32.357,75		0,00
[illegible]	1.00005	[illegible]		FONENDOSCOPIO DE 2 SERVICIOS PAEDIATRIA	15/10/2010	32.357,75	32.357,75		0,00
[illegible]	[illegible]			FONENDOSCOPIO	28/11/1979	15.830,32	15.830,32		0,00
[illegible]	[illegible]			FLUJOMETROS PARA OXIGENO CON VASO REGULADOR	27/10/2003	39.070,26	39.070,26		0,00
[illegible]	[illegible]			FLUJOMETROS PARA OXIGENO	19/01/1996	75.499,00	75.499,00		0,00
[illegible]	[illegible]			FLUJOMETROS PROPANO	04/10/1993	39.070,26	39.070,26		0,00
[illegible]	[illegible]			FLUJOMETROS PROPANO	04/10/1993	39.070,26	39.070,26		0,00
[illegible]	[illegible]			FLUJOMETROS DE PARED PARA OXIGENO	30/09/1994	39.070,26	39.070,26		0,00
[illegible]	[illegible]			FLUJOMETROS DE PARED PARA OXIGENO	30/09/1994	39.070,26	39.070,26		0,00
[illegible]	[illegible]			FLUJOMETROS DE PARED PROPANO	30/10/1994	39.070,26	39.070,26		0,00
[illegible]	[illegible]			FLUJOMETROS DE PARED PROPANO	31/07/2004	39.070,26	39.070,26		0,00
[illegible]	[illegible]			FLUJOMETROS DE PARED	30/12/1994	39.070,26	39.070,26		0,00
[illegible]	[illegible]			FLUJOMETROS CON ADAPTADOR Y NIPLE	04/10/1993	39.070,26	39.070,26		0,00
[illegible]	[illegible]			FLUJOMETROS CON ADAPTADOR Y NIPLE	04/10/1993	39.070,26	39.070,26		0,00
[illegible]	[illegible]	[illegible]		FLUJOMETRO PARA OXIGENO MARCA WESTERN MEDICA	04/01/2013	91.039,26	[illegible]		[illegible]
[illegible]				FLUJOMETRO PARA OXIGENO MARCA WESTERN MEDICA	06/12/2013	108.200,00	108.200,00		0,00
[illegible]				FLUJOMETRO PARA OXIGENO MARCA WESTERN MEDICA	13/08/2013	108.200,00	136.830,01		31.591,02
[illegible]				FLUJOMETRO PARA OXIGENO MARCA WESTERN MEDICA	18/01/2013	108.200,00	180.130,01		0,04
[illegible]	[illegible]			FLUJOMETRO DE PARED SENCILLO	23/10/2003	39.070,26	39.070,26		0,00
[illegible]	[illegible]			FLUJOMETRO DE PARED SENCILLO	23/10/2003	39.070,26	39.070,26		0,00
[illegible]	[illegible]			FLUJOMETRO DE OXIGENO DE 0-15 LPM VAINPT PRESSION MEDICAL	18/01/2010	39.070,26	39.070,26		0,00
[illegible]	[illegible]			FLUJOMETRO DOBLE PARA OXIGENO CON ADAPTADOR MCA AIR INSTAN	20/08/2010	39.070,26	39.070,26		0,00
[illegible]				FLUJOMETRO DOBLE PARA OXIGENO CON ADAPTADOR MCA AIR INSTAN	08/02/2011	75.499,03	75.499,03		0,00
[illegible]				FLUJOMETRO DOBLE DE PARED CON CONECTOR QUICKTECH	30/06/2010	75.499,03	75.499,03		[illegible]
[illegible]	[illegible]			FLUJOMETRO DE OXIGENO DE 0-1 LPM DIADEMA CHEMETRON MARCA TEMETRON MODELO CLASICO 1 LITRO	21/08/2009	39.070,26	39.070,26		0,00
[illegible]	[illegible]			FLUJOMETRO DE OXIGENO DE 0-1 LPM DIADEMA CHEMETRO	20/08/2009	39.070,26	39.070,26		0,00
[illegible]	[illegible]			FLUJOMETRO DE OXIGENO DE 0-1 LPM DIADEMA CHEMETRO	20/08/2009	39.070,26	39.070,26		0,00
[illegible]	[illegible]			FLUJOMETRO DE OXIGENO DE 0-1 LPM DIADEMA CHEMETRO	20/08/2009	39.070,26	39.070,26		0,00
[illegible]				FLUJOMETRO DE OXIGENO DE 0-1 LPM VAINPT PRESSION MED	22/12/2010	1.999.000,00	1.999.000,00		0,00
[illegible]	[illegible]			FLUJOMETRO	09/12/1993	39.070,26	39.070,26		0,00
[illegible]				EXTRACTOR ELECTRICO LAVANO DIADEMA VACIO 120V FILCHE MATER	12/10/2012	457.398,26	457.398,26		0,00
[illegible]				EXTRACTOR ELECTRICO LAVANO DIADEMA VACIO 120V FILCHE MATER	12/10/2012	457.398,26	457.398,26		0,00
[illegible]				EXTRACTOR ELECTRICO LAVANO DIADEMA VACIO 120V FILCHE MATER	12/10/2012	457.398,26	457.398,26		0,00
[illegible]				EXTRACTOR ELECTRICO LAVANO DIADEMA VACIO 120V FILCHE MATER	12/10/2012	457.398,26	457.398,26		0,00
[illegible]	[illegible]			EQUIPO DE ORGANOS Y LOS SENTIDOS WALCH ALLYN	20/08/2004	700.775,00	[illegible]		[illegible]
[illegible]	[illegible]	[illegible]		EQUIPO DE ORGANOS DE LOS SENTIDOS	01/01/2010	1.099.726,26	1.099.726,26		0,00
[illegible]	[illegible]	[illegible]		EQUIPO DE ORGANOS DE LOS SENTIDOS	01/01/2010	1.099.726,26	1.099.726,26		0,00
[illegible]	[illegible]	[illegible]		EQUIPO DE ORGANOS DE LOS SENTIDOS	01/01/2010	1.099.726,26	1.099.726,26		0,00
[illegible]	[illegible]	[illegible]		EQUIPO DE ORGANOS DE LOS SENTIDOS	01/01/2010	1.099.726,26	1.099.726,26		0,00
[illegible]	[illegible]	[illegible]		EQUIPO DE ORGANOS DE LOS SENTIDOS	01/01/2010	1.099.726,26	1.099.726,26		0,00
[illegible]	[illegible]	[illegible]		EQUIPO DE ORGANOS DE LOS SENTIDOS	24/03/2009	91.258,18	91.258,18		0,00
[illegible]	[illegible]	[illegible]		EQUIPO DE ORGANOS DE LOS SENTIDOS	24/03/2009	91.258,18	91.258,18		0,00
[illegible]	[illegible]	[illegible]	[illegible]	ELECTROCARDIOGRAFO PORTATIL MOD FX-2111 [illegible] PRESTAMO A U.C.I CORONARIOS	07/07/2003	880.041,00	880.041,00		0,00
[illegible]	[illegible]		[illegible]	ELECTROCARDIOGRAFO DIGITAL CARDIMAX FX-2111 [illegible]	10/08/2010	864.816,72	864.816,72		0,00
[illegible]	[illegible]	[illegible]	[illegible]	ELECTROCARDIOGRAFO DE 3 VIAS MARCHILLER [illegible]	31/07/1997	816.417,18	816.417,18		0,00
[illegible]				DESFIBRILADOR AUTOMATICO MARCA SCHINDE	31/12/2017	[illegible]	[illegible]		[illegible]
[illegible]	[illegible]			AMBULANCIA ADULTO	13/03/2006	28.758,71	28.758,71		0,00
[illegible]	[illegible]	[illegible]	[illegible]	ASPIRADOR THOMAS MODELO 1138 MEDIC PUR	30/09/1993	218.300,20	218.300,20		0,00

45

[illegible]	[illegible]	[illegible]	[illegible]	ASPIRADOR TYSONS MODELO [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	AUTOCLAVE ELECTRICA A VAPOR EN FORMA DE OLLA MODELO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	BASCULA PROFESIONAL MECANICA (ANALOGA) CEBADE Y PLATAFORMA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	BASCULA PROFESIONAL MECANICA (ANALOGA) CEBADE Y PLATAFORMA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	CAMILLA PACIENTE CIRUGANDA COLCHONETA Y RODACHINGS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	CAMILLA PACIENTE CIRUGANDA COLCHONETA Y RODACHINGS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMILLA CIRUGANDAS RAMO PACIENTE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	CAMILLA PARA RECUPERANDAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	CAMILLA PACIENTE CIRUGANDA COLCHONETA Y RODACHINGS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	CAMILLA PACIENTE CIRUGANDA COLCHONETA Y RODACHINGS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMILLAS PARA RECUPERACION DE PACIENTES CON BRAZOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			CAMILLA DOS PLANOS CON BLOQUEO CENTRAL	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	CAMILLA RODDA REF. [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	CAMILLA RODDA REF. [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMILLA RODDA REF. [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	CAMILLA TIPO BELLER	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	CAMILLA TIPO BELLER	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	CAMILLA TIPO BELLER	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	CAMILLA TIPO BELLER	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	CAMILLA TIPO BELLER	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	CAMILLA TIPO BELLER	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	CAMILLA TIPO BELLER	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMILLA TIPO BELLER	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	CANINADOR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			CUBETA ACERO INOX DE 30 X 30 CTS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		CUBETA CON TAPA EN ACERO INOX. DE 30 X 15 X 4 CM	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		CUBETA DE 40 X 15	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		CUBETA EN ACERO INOX. DE 30 X 10	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	DESFIBRILADOR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MONITOR DE SIGNOS VITALES OPRESION INVASIVA MINI SAM	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MONITOR DE SIGNOS VITAL EN OPRESION INVASIVA MINI SAM	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	MONITOR DE SIGNOS VITAL DE BASICO MOD. NEONATY 5130C-37	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	MONITOR DE SIGNOS VITALES BASICO KOCUCHT PRESION INVASIVA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MICROSCOPIO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			MICROMOTOR HIGH MAX N. DE APACH SPORT	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MESA RODANIA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MESA EN ACERO INOXIDABLE DE 0.80*1.40*0.75 CAPACIDAD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MESA EN ACERO INOX. CAPT. 200 KG CIRUGIAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MARCAPASO MONITORIADOS SIN ELECTRODOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			NEBULIZAR DE ANBITO SIN CAMERA EXCEL 210 SIN AIRE DISE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			NAVOSCOPIO PARA LA DIAGNOSTICO MARCA VICTOR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			NAVOSCOPIO PARA DIAGNOSTICO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		NAVIDAD REFURB No. 5	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				LENTE DE 30° 5mm REF. [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]		LARINGOSCOPIO PEDIATRICO DIRECTA DE 90.080 CURVAS Y RECTAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		LARINGOSCOPIO PEDIATRICO 4 HOJAS CURVAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]		LARINGOSCOPIO PALETA TIPO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		LARINGOSCOPIO FIBRA OPTICA CON 2 HOJAS CURVAS T. 3-4	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		LARINGOSCOPIO ADULTOS + HOJA NO3 CURVA	[illegible]	[illegible]	[illegible]	[illegible]

[illegible]				LARINGOSCOPIO ADULTO FIBRA OPTICA MCA WELCH ALLYN	30/09/2012	748.996,85	621.101,84	127.895,01
[illegible]	[illegible]	130081		LARINGOSCOPIO ADULTO FIBRA OPTICA MCA WELCH ALLYN	08/04/2013	448.996,47	448.996,47	0,00
[illegible]	[illegible]	134081		LARINGOSCOPIO ADUL TO SHIGUA CUHÑA	08/10/2001	137.276,29	137.276,29	0,00
[illegible]	[illegible]		10009	INCUBADORA COMPRADA ADULTOS C DOB EMBRIDEF	30/07/2008	12.469.391,49	12.469.391,49	0,00
[illegible]	[illegible]		7711	INCUBADORA COMPRADA CALCO	16/09/2010	30.299.087,58	30.299.087,58	0,17
[illegible]	[illegible]		8944	INCUBADORA A VAPOR MARCA 3M	30/07/2004	921.003,64	921.003,64	0,00
[illegible]	[illegible]			MONITOR PARA HEMATOCRITO N° 3	07/11/1996	11.369,11	11.369,11	0,00
[illegible]	[illegible]			MONITOR PARA HEMATOCRITO N° 3	07/11/1996	11.369,11	11.369,11	0,00
[illegible]	[illegible]		11546	FUENTE DE LUZ HALOGENO BRINCALLA MGO CUH-4	30/04/1991	368.200,19	368.200,19	0,00
[illegible]				FONENDOSCOPIO LITTMANN CLASSIC II PEDIATRICO	31/12/2010	437.308,00	437.308,00	0,00
[illegible]	[illegible]	13468		FONENDOSCOPIO DE 2 SENSORES PRADA 709	15/10/2010	92.357,70	92.357,70	0,00
[illegible]	[illegible]	81568		FONENDOSCOPIO DE 2 SENSORES PRADA 709	15/10/2010	92.357,70	92.357,70	0,00
[illegible]	[illegible]	31568		FONENDOSCOPIO DE 2 SERVICIOS PRADA 709	15/10/2010	92.357,70	92.357,70	0,00
[illegible]	[illegible]	130710	14407	OXIMETRO DE PULSO ADULTO MCA. MINERAY PM90	18/01/2012	847.846,47	847.846,47	0,00
[illegible]	[illegible]		19983	OXIMETRO DE PULSO ADULTO MCA. MASIMO MOD RADICAL	09/12/2008	836.746,87	836.746,87	0,00
[illegible]	[illegible]	[illegible]		OTOSCOPIO	01/01/2010	813.000,00	813.000,00	0,00
[illegible]	[illegible]		11853	NEGATOSCOPIO SENCILLO	23/09/1995	14.391,82	14.391,82	0,00
[illegible]	[illegible]		11768	NEGATOSCOPIO DOS CUERPOS	23/09/1995	14.277,27	14.277,27	0,00
[illegible]	[illegible]		7464	NEGATOSCOPIO DE UN CUERPO	23/09/1995	10.022,36	10.022,36	0,00
[illegible]	[illegible]		10871	NEGATOSCOPIO DE MUELLE UN CUERPO	23/09/1995	16.267,42	16.267,42	0,00
[illegible]	[illegible]		10512	NEGATOSCOPIO DE 2 CUERPOS	30/09/2004	60.031,00	60.031,00	0,00
[illegible]	[illegible]		7100	NEGATOSCOPIO DE 2 CUERPOS	30/09/2004	60.083,48	60.083,48	0,00
[illegible]	[illegible]		11838	NEGATOSCOPIO DE 2 CUERPOS	20/07/1992	13.572,36	13.572,36	0,00
[illegible]				TENSIOMETRO PARA ADULTO	12/06/2010	87.295,00	87.295,00	0,00
[illegible]	[illegible]	110462	4600	MONITOR FETAL SEMICLAR CON PANTALLA LCD CDI-OR	30/06/2006	3.066.475,30	3.066.475,30	0,00
[illegible]			4600	MONITOR FETAL ANTEPARTO SMA FUNTUSBH	30/06/2011	10.281.785,17	10.281.785,17	0,00
[illegible]				MONITOR FETAL FS EDAN UNIDAD	11/03/2016	4.700.466,00	3.928.115,00	772.351,00
[illegible]				MONITOR FETAL FS EDAN	01/03/2017	4.053.309,00	4.053.309,00	0,00
[illegible]	[illegible]		10003	MONITOR SIGNOS VITALES SENSE	10/03/2008	5.751.045,74	5.751.045,74	0,74
[illegible]	[illegible]		11374	MONITOR SIGNOS VITALES NIHON KOHEN C PANTALLA MASIMO SIG 14 A 6558 INTERFACE CON UN ROBOTA	03/03/2004	3.600.819,80	3.600.819,80	0,00
[illegible]	[illegible]		2974	MONITOR SIGNOS VITALES C PANTALLA MASIM 230 14 S	03/03/2004	3.760.767,85	3.760.767,85	0,00
[illegible]	[illegible]		11384	MONITOR SIGNOS VITALES C PANTALLA MASIM 230 14 S	03/03/2004	3.600.819,80	3.600.819,80	0,00
[illegible]			8681	MONITOR DE SIGNOS VITALES PANTALLA DA VASCOPE SPECTRUM	08/06/2010	14.630.601,83	14.630.601,83	0,00
[illegible]			13348	MONITOR DE SIGNOS VITALES PANTALLA DA VASCOPE SPECTRUM	28/06/2010	14.630.601,83	14.630.601,83	0,00
[illegible]	[illegible]	7380	11900	MONITOR DE SIGNOS VITALES NO INVASIVO	03/03/2010	5.686.552,81	5.686.552,81	0,00
[illegible]	[illegible]	121780	7188	MONITOR DE SIGNOS VITALES NO INVASIVO	03/03/2010	5.577.014,11	5.577.014,11	0,00
[illegible]	[illegible]		11308	MONITOR DE SIGNOS VITALES NO INVASIVO CONTRATADO 6558 230 14 SIN 8984	05/03/2004	3.797.797,08	3.797.797,08	0,00
[illegible]	[illegible]		11303	MONITOR DE SIGNOS VITALES NO INVASIVO DAÑA 2008	05/01/2005	3.789.080,74	3.789.080,74	0,00
[illegible]	[illegible]		11340	MONITOR DE SIGNOS VITALES C PRESION INVASIVA MPA 31 S 14280	31/09/2003	4.138.083,71	4.138.083,71	0,00
[illegible]	[illegible]		3176	MEDIDA ATOR PARA AIRE	30/12/2008	134.469,15	134.469,15	0,00
[illegible]	[illegible]		VENTILAN - 10175	FINI DEL PATADOR DE MASCOR DE CONTRASTE	11/12/2003	964.153,38	964.153,38	0,00
[illegible]	[illegible]	11808		PLATON ACCESO INCOSANAT	31/12/1973	7.082,21	7.082,21	0,00
[illegible]	[illegible]			PIPETA AUTOMATICA DE SUR LABRAVA	17/08/2000	134.658,04	134.658,04	0,00
[illegible]		104808	0080	PULSOXIMETRO MCA BIOLIGHT MOD. M400 CON ADAPTADOR	23/07/2012	700.447,03	700.447,04	0,01
[illegible]		130804	0071	PULSOXIMETRO MCA BIOLIGHT MOD. M400 CON ADAPTADOR	23/07/2012	700.447,03	700.447,04	0,01
[illegible]	31310		9687	PULSOXIMETRO CRITICARE 504 CE S/N 0200 8677	07/08/2002	701.808,01	701.808,01	0,00
[illegible]			10590	OXIMETRO DE PULSO NELLCOR MIO	24/12/2010	2.556.919,96	2.556.919,95	0,01
[illegible]	81430	30408	7343	OXIMETRO DE PULSO MODELO X-3	09/03/2010	946.244,85	946.244,85	0,00
[illegible]	34134		13984	OXIMETRO DE PULSO ADULTO PEDIATRICO MCA. MASIMO MODELO RADICAL SIN SONIDO	15/09/2006	836.746,87	836.746,87	0,00
[illegible]				RESUCITADOR MANUAL LAMPUG PEDIATRICO	14/01/2010	45.904,00	45.904,00	0,00

[illegible]				RESUCITADOR MANUAL (AMBU) PEDIATRICO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				RESUCITADOR MANUAL (AMBU) NEONATAL	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				RESUCITADOR MANUAL (AMBU) NEONATAL	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				RESUCITADOR MANUAL (AMBU) NEONATAL	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				RESUCITADOR MANUAL (AMBU) NEONATAL	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			REGULADOR PARA OXIGENO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		BAPTAMADOR FONDO 17.5 CM3	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				RESUCITADOR MANUAL (AMBU) PEDIATRICO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				RESUCITADOR MANUAL (AMBU) PEDIATRICO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				RESUCITADOR MANUAL (AMBU) PEDIATRICO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				RESUCITADOR MANUAL (AMBU) PEDIATRICO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				RESUCITADOR MANUAL (AMBU) PEDIATRICO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				RESUCITADOR MANUAL (AMBU) PEDIATRICO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				TALLIMETRO EN MADERA PARA ADULTO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		5219	SUCCIONADORES MODELO 1158 MARCA THOMAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		9408	SUCCIONADORES MOD 1130	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		8917	SUCCIONADOR THOMAS SERIE: [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		9001	SUCCIONADOR THOMAS MOD 1130 S/N [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		8002	SUCCIONADOR THOMAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13502	SUCCIONADOR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		7993	SOPORTE PARA CENTIL DE VITALEOTOMIA REF: 12-790 (ESTANTE)	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11090	SET SISTEMA [illegible] / CONCENTOMO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		10990	TENSIOMETRO DE MANO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				TENSIOMETRO PEDIATRICO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				TENSIOMETRO PARA ADULTO UNIDAD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				TENSIOMETRO PARA ADULTO UNIDAD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				TENSIOMETRO PARA ADULTO UNIDAD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				TENSIOMETRO PARA ADULTO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				TENSIOMETRO PARA ADULTO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			TENSIOMETRO LACTANTE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			10000	TENSIOMETRO ANEROIDES MARCA TYCOS MOD RODAMYTE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			10000	TENSIOMETRO ANEROIDES MARCA TYCOS MOD RODAMYTE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			TENSIOMETRO ANEROIDES DURASFIGCK ADULTOS MCA RIELCH ALLYN	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		TENSIOMETRO ANEROIDES DURASFIGCK ADULTOS MCA RIELCH ALLYN	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				TENSIOMETRO ANEROIDES DURASFIGCK ADULTOS MCA RIELCH ALLYN	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			TENSIOMETRO ANEROIDES DURASFIGCK ADULTOS MCA RIELCH ALLYN	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			TARRO ACERO INOX DE 12 X 30	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]		TALLIMETRO PARA ADULTO UNIDAD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	11187	TRANSDUCTOR LINEAL ELECTRONICO MULTIF. DE 10 a 90 S	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			11187	TRANSDUCTOR LINEAL Ref: PLM-600A-T	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			11187	TRANSDUCTOR CONVEX REF: PVM-375AT	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	TEST DE LA MARIPOSA ESTEREO OPTICAL	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	VENTILADOR NEONATAL WIPHARO WAMDT149	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	VENTILADOR NEONATAL WIPHARO WAMDT149	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR NEW DOMPAQ HP [illegible] S/N [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		UROSCOPIO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11146	TRANSDUCTOR TRANSVERSAL REF: PVC-601V S/N [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	IMPRESORA LASER JET [illegible] HEWLETT PACKARD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SOFTCOOK COMPAQ MOD. M. [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	IMPRESORA HP LJ [illegible] MODEL [illegible]	[illegible]	[illegible]	[illegible]	[illegible]

[illegible]				COMPUTADOR INTEL CORE I5 RAM 4GB DD 500GB MONITOR LCD 19" UNIDAD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			10708	COMPUTADOR INTEL CORE I5 RAM 4GB DD 500GB MONITOR LCD 19" UNIDAD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				COMPUTADOR HP INTEL CORE I5 RAM 8GB DD 1 T MONITOR LCD 18.5" UNIDAD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR HP INTEL CORE I5 RAM 8GB DD 1 T MONITOR LCD 18.5" UNIDAD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR HP INTEL CORE I5 RAM 8GB DD 1 T MONITOR LCD 18.5" UNIDAD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	I5 RAM4G DD 1TB MB INTEL DQ77KB 3.7GHz 8M RAM7680 WINDOWS 7 E 8	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR COMPAQ HP PRO 4000	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SCANNER HP DUPLEX SJ 7500	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR INTEL CORE I5 RAM 4GB DD 500GB MONITOR LCD 19"	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	IMPRESORA DE CODIGOS DE BARRA ZEBRA S4M	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	SCANNER HP DUPLEX SJ 7500 UNIDAD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	PC TABLET H.P. ELITEBOOK 2740P CORE I5 RAM 8GB DD 320GB	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR COMPAQ HP PRO 4000	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR COMPAQ HP PRO 4000	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	SWITCH DE 24 PUERT DG 10/100/1000 3 COM 4200	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	IMPRESORA EPSON FX 890	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	IMPRESORA EPSON FX 890	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR PORTATIL HP PRO HP PROBOOK 4520S	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR PORTATIL HP PRO HP PROBOOK 4520S	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	PUNTO ACCESO INALAMBRICO SOHOPOINT NE POE DAVAPTADOR UNIDAD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	PUNTO ACCESO INALAMBRICO SOHOPOINT NE POE DAVAPTADOR UNIDAD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	PUNTO ACCESO INALAMBRICO SOHOPOINT NE POE DAVAPTADOR UNIDAD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR H.P. PRO [illegible] DD 320 GB MONITOR LCD 17.5	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR PORTATIL HP PRO HP PROBOOK 4520S	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]		[illegible]	[illegible]	COMPUTADOR PORTATIL HP PRO HP PROBOOK 4520S	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR PORTATIL HP PRO HP PROBOOK 4520S	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR H.P. PRO [illegible] DD 320 GB MONITOR LCD 17.5	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	PC TABLET H.P. ELITEBOOK 2740P CORE I5 RAM 8GB DD 320GB	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR PORTATIL [illegible] CORE I5 [illegible] RAM500 DD320GB	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR PORTATIL PROBOOK [illegible] CORE I5 RAM500 DD320GB	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR PORTATIL PROBOOK [illegible] CORE I5 RAM500 DD320GB	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] [illegible]		[illegible]	COMPUTADOR PORTAL [illegible] CORREO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR NEW COMPAQ HP DC5800 SIN MONITOR FDTA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR PORTATIL HP PAVILION DV 3500 RAM 1GB DD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SUPER STACK 3 SWITCH 3300 XG 24 10/100	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SUPER STACK 3 SWITCH 3300 XG 24 10/100	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR CORE I5 2 GHz RAM4GB DD750GB	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	IMPRESORA EPSON FX 890	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	IMPRESORA EPSON FX 890	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				PISTOLA AUTOMATICA PARA CODIGO BARRAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				PISTOLA AUTOMATICA PARA CODIGO BARRAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	COMPUTADOR PORTATIL ACER ASPIRE 4540	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	IMPRESORA EPSON FX 890	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	IMPRESORA EPSON FX 890	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	IMPRESORA EPSON FX 890	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	IMPRESORA EPSON FX 890	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	IMPRESORA EPSON FX 890	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	IMPRESORA EPSON FX 890	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	IMPRESORA EPSON FX 890	[illegible]	[illegible]	[illegible]	[illegible]

Federico Lleras Acosta

NIT: [illegible]

[illegible]			1498	IMPRESORA EPSON FX-890	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			12181	IMPRESORA PANASONIC LASER MAGAZINE MULTIFUNCIONAL	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			9469	IMPRESORA LASER JET P2035 HEWLETT PACKARD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		14361	SWITCH DE 48 PUERTOS 10/100 3COM 4500	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11109	COMPUTADOR CLON ATX	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	COMPUTADOR CLON ATX	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		12344	IMPRESORA EPSON FX-2190	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	COMPUTADOR CLON ATX	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13886	COMPUTADOR CLON ATX	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		12196	COMPUTADOR NEW COMPAQ HP DX2080 MX03110897	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11828	COMPUTADOR NEW COMPAQ HP DX2080 MXD 30803 Y	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		8894	COMPUTADOR NEW COMPAQ HP DX2080 MXD1 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		10418	SCANNER METROCOGIC Mod. [illegible] LECTOR DE CODIGO DE BARRAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	1800	IMPRESORA EPSON FX-890	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		9861	IMPRESORA EPSON FX-890	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			8348	IMPRESORA LASER JET P2035 HEWLETT PACKARD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			7749	IMPRESORA LASER JET P2035 HEWLETT PACKARD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			168	IMPRESORA LASER JET P2035 HEWLETT PACKARD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		9389	IMPRESORA HP LASER JET [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	3383	IMPRESORA EPSON FX-2190	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			12234	IMPRESORA LASER PRO P1102W HEWLETT PACKARD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			14038	COMPUTADOR PORTATIL MINI HP1000 INTEL ATOM 1Ghz 2G160gb	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			14041	COMPUTADOR PORTATIL MINI HP1000 INTEL ATOM 1Ghz 2G160gb	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			14039	COMPUTADOR PORTATIL MINI HP1000 INTEL ATOM 1Ghz 2G160gb	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			14037	COMPUTADOR PORTATIL MINI HP180e INTEL ATOM 1Ghz 2G160gb	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			14036	COMPUTADOR PORTATIL MINI HP180e INTEL ATOM 1Ghz 2G160gb	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			14040	COMPUTADOR PORTATIL MINI HP180e INTEL ATOM 1Ghz 2G160gb	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		9140	CPU PENTIUM IV 3.0 RAM 512MB DD 80GB CD-R DRIVE 3M 3COM [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	3COM [illegible] DUAL RADIO 11A/B/G POL ACCESS POINT	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA EPSON FX 890 SIN [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11437	IMPRESORA EPSON FX-890	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		8718	IMPRESORA EPSON FX-890 SIN [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		12112	COMPUTADOR H.P. DX 2100 AMD [illegible] 512MB [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		10748	COMPUTADOR H.P. DC 5100MT PIV 3.0 GHZ [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		12358	COMPUTADOR NEW COMPAQ HP DX2000 SIN MXD4[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		7466	COMPUTADOR NEW COMPAQ HP DX2000 MXD [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		10948	COMPUTADOR H.P. DX 2100 AMD 3200+ 512MB [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		8348	COMPUTADOR PENTIUM IV 3.0 GHZ RAM 1 GB DOURO 160 G	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			COMPUTADOR PORTATIL DUAL DX 2400 DD 160 GB	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13511	COMPUTADOR PENTIUM IV 3.0 GHZ RAM 1 GB DOURO 160 G	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11018	COMPUTADOR H.P. DX 2400 INTEL DUAL CORE 2 RAM DD250 MON 17LC	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	COMPUTADOR H.P. DX 2400 INTEL DUAL CORE 2 RAM DD250 MON 17LC	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		2841	COMPUTADOR NEW COMPAQ HP DX2000 SIN MXD41[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		8580	COMPUTADOR NEW COMPAQ HP DX2000 SIN MONITOR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	11520	COMPUTADOR COMPAQ DX2000	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11580	COMPUTADOR NEW COMPAQ HP DX2000 SIN MONITOR	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		2533	COMPUTADOR NEW COMPAQ HP DX2000 SIN MXD1[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		9733	COMPUTADOR PENTIUM IV 3.2 GHZ RAM 1 GB DD 240 160 G	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR BELTRAN	[illegible]	[illegible]	[illegible]	[illegible]

[illegible]	[illegible]	[illegible]	[illegible]	COMPUTADOR COMPAQ	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR INTEL CORE2DUO [illegible] DD 250GB	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	COMPUTADOR PENTIUM DUAL [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR PENTIUM IV 3.2 GHZ RAM 1 GB RAM2 160 G	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SCANNER [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	MONITOR LCD PARA COMPUTADOR DE 17 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	CPU CLON PENTIUM IV 3.0 RAM 256MB DD 40GB CD-R [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	CPU CLON PENTIUM IV 3.0 RAM 256MB DD 40GB CD-R [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	CPU CLON BIMPRODIMEN WITS RAM 512MB DD 80GB	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR NEW COMPAQ HP [illegible] SIN [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	IMPRESORA LASER JET [illegible] HEWLETT PACKARD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA EPSON FX-890 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA EPSON FX-890	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CPU CLON ATHLON XP [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	COMPUTADOR NOW COMPAQ TY [illegible] SIN MXE [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA LASER JET HP MOD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA LASER JET [illegible] HEWLETT PACKARD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA EPSON FX-890 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	IMPRESORA EPSON FX-890 SIN [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	SCANNER HP [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA LASER JET [illegible] HEWLETT PACKARD SIN [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			IMPRESORA EPSON LX-300 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA EPSON LX-300	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA EPSON LX-300 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA LX-300 EPSON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA EPSON LX-300 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MONITOR PARA COMPUTADOR DE 17 MCA. HP COMPAQ 7540	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR PENTIUM IV 3.2 GHZ 256 MB DD 80GB	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR BELTRON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	COMPUTADOR ATLHON [illegible] DD 250 GB M RAM 2 GB	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	IMPRESORA EPSON LX-300 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			IMPRESORA EPSON LX-300 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				MONITOR LCD PARA COMPUTADOR DE 17	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		MONITOR LCD PARA COMPUTADOR DE 17	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			MONITOR LCD PARA COMPUTADOR DE 17	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			MONITOR LCD PARA COMPUTADOR DE 17	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			MONITOR LCD PARA COMPUTADOR DE 17	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MONITOR LCD PARA COMPUTADOR DE 17	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				BASE SOPORTE PARA LECTOR [illegible] CODIGO BARRAS UNIDAD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				BASE SOPORTE PARA LECTOR DE CODIGO BARRAS UNIDAD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA HP DESKJET [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA HP LASER JET [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA HP DESKJET [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	IMPRESORA HEWLETT PACKARD DESKJET [illegible] MULTIFUNCIONAL	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA EPSON LX-300 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	IMPRESORA EPSON LX-300 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	UNIDAD DE [illegible] CATERNA UNIDAD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			MONITOR LCD PARA COMPUTADOR DE 17	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			MONITOR LCD PARA COMPUTADOR DE 17	[illegible]	[illegible]	[illegible]	[illegible]

Federico Lieras Acosto

[illegible]	[illegible]			MONITOR LCD PARA COMPUTADOR DE 17	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			MONITOR LCD PARA COMPUTADOR DE 17	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			MONITOR LCD PARA COMPUTADOR DE 17	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11919	FAX MULTIFUNCIONAL HP OFFICE JET J3180 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	2966	GUARNITTE MARCA QUEST DE 39	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11464	IMPRESORA EPSON LX 300 SER. [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11966	IMPRESORA HEWLETT PACKARD 3940	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		10780	CENTINELA DE REPOSICION (MONTEADOR DE PAPEL)	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		14087	IMPRESORA EPSON LX 300 ETJ7 [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			MONITOR LCD PARA COMPUTADOR DE 17	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		14060	IMPRESORA EPSON FX-[illegible] SIN FC [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		14064	IMPRESORA EPSON FX 2190	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			MONITOR LCD PARA COMPUTADOR DE 17	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			MONITOR LCD PARA COMPUTADOR DE 17	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			COMPUTADOR CLON (DIRECTOR PREF)	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		IMPRESORA EPSON LX-300 ETJ7 [illegible] (PRIMA KELLY RECTA)	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		8848	BIBLIOTECA FORRADA CORDOBAN NEGRO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		7754	MESA DE 1.20 DE DIAMETRO TAPA EN FORMICA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	11724	CUERPO DE ESTANTERIA DE ESTIREPAÑOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13900	ESCRITORIO EN MADERA CE DAV. LADO IZQUIERDO [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		7210	ESCRITORIO EN MADERA (DAV.) DERECHO RECTA [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	14400	CAJA DE MADERA [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		7019	MESA RINCONAL EN MADERA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	13934	CARTEL PINAS EN MADERA (PUERTA CON VIDRIO [illegible])	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		7980	MESA AUXILIAR EN MADERA 1 GAV. [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		12081	MESA EN MADERA DE TERMINAD	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]		CAMILLA TRANSPORTE DE PACIENTES LEVANTE HIDRAULICO BARANDAS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	10617	TANDEM DE CUATRO PUESTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11080	TANDEM DE CUATRO PUESTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11417	TANDEM DE CUATRO PUESTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	11813	TANDEM DE 4 PUESTOS COLOR AZUL	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	8904	TANDEM DE 4 PUESTOS COLOR AZUL	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11802	TANDEM DE 4 PUESTOS COLOR AZUL	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	11917	TANDEM DE CUATRO PUESTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11064-11365	TANDEM DE CUATRO PUESTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	10650-11368	TANDEM DE CUATRO PUESTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11363	TANDEM DE CUATRO PUESTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11369	TANDEM DE CUATRO PUESTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	10889	TANDEM DE CUATRO PUESTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	11362	TANDEM DE CUATRO PUESTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11459	TANDEM O AZUL TRANSLUCIDO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11097	TANDEM MANUFORK 4 PUESTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		5995	TANDEM SIMPLE DE 4 PUESTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11096	TANDEM AZUL TRANSLUCIDO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		5991	TANDEM AZUL TRANSLUCIDO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible] L-[illegible]	2716	TANDEM DE 4 PUESTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	11409	TANDEM DE 4 PUESTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11708	TANDEM DE 4 PUESTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11704	TANDEM DE 4 PUESTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11960	TANDEM DE 4 PUESTOS COLOR AZUL	[illegible]	[illegible]	[illegible]	[illegible]

[illegible]	[illegible]		10843	SILLA GIRATORIA SIN BRAZOS TAPIZADA	[illegible]	40.670,07	[illegible]	0,00
[illegible]	[illegible]	[illegible] 28000	6419	SILLA INTERLOCUTORA SIN BRAZOS TAPIZADA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			SILLA REGULABLE CON BRAZOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]			SILLA RITO BANCA CON BRAZOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		13175	SILLA EJECUTIVA CON BRAZOS TAPIZADA ALTO CARGADA S/N	[illegible]	71.706,80	71.706,80	[illegible]
[illegible]	[illegible]		8037	SILLA TAMBURELLO RIGIDA CHOMAGA CON BRAZOS CINCORO	[illegible]	104.307,84	104.307,84	[illegible]
[illegible]	[illegible]		11365	SILLA ERGONOMICA GIRATORIA CON BRAZOS TAPIZADA S/N	[illegible]	30.094,81	30.094,81	[illegible]
[illegible]	[illegible]		7906	SILLA GIRATORIA PRISMA SIN BRAZOS TAPIZ. CORDOBAR	[illegible]	31.636,30	31.636,30	[illegible]
[illegible]	[illegible]	[illegible]	1/08	SILLA GIRATORIA ERGONOMICA NEUMATICA CON BRAZOS SALA JUNTAS	[illegible]	130.945,30	130.945,30	[illegible]
[illegible]	[illegible]	[illegible] 42175	11318	SILLA GIRATORIA OPERADOR SIN BRAZOS ERGONOMICA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	10600	SILLA GIRATORIA SIN BRAZOS R ERGONOMICA	[illegible]	87.984,98	87.984,98	[illegible]
[illegible]	[illegible]		8420	PANEL 3.00 DE ALTURA MIXTO EN PAÑO Y VIDRIO	[illegible]	189.014,44	189.014,44	[illegible]
[illegible]	[illegible]		8401	PANEL 3.10 DE ALTURA MIXTO EN PAÑO Y VIDRIO	[illegible]	199.323,46	199.323,46	[illegible]
[illegible]	[illegible]		11139	SILLA AUX. DE MADERA EN TANTILLA TAPIZADA PARDO	[illegible]	12.613,84	12.613,84	[illegible]
[illegible]	[illegible]		9009	SILLA AUXILIAR FIJA DE MADERA SIN BRAZOS	[illegible]	12.613,84	12.613,84	[illegible]
[illegible]	[illegible]		7114	SILLA DE MUEBLE CROMADA ESTILTRICA	[illegible]	67.444,30	[illegible]	[illegible]
[illegible]	[illegible]		13177	SILLA EJECUTIVA CON BRAZOS TAPIZADA ALTO CARGADA S/N	[illegible]	71.706,80	71.706,80	[illegible]
[illegible]	[illegible]	[illegible]	12704	[illegible] DE 1.200x0.60 MTS CON CUELLERA ERGONOMICA	[illegible]	34.596,58	34.596,58	[illegible]
[illegible]				SILLA REGULABLE CON BRAZOS	[illegible]	850.850,00	[illegible]	[illegible]
[illegible]				SILLA REGULABLE CON BRAZOS	[illegible]	834.050,00	[illegible]	[illegible]
[illegible]				SILLA REGULABLE CON BRAZOS	[illegible]	834.050,00	[illegible]	[illegible]
[illegible]	[illegible]			SILLA REGULABLE CON BRAZOS UNIDAD	[illegible]	834.050,00	[illegible]	[illegible]
[illegible]				SILLA REGULABLE MULTIPROPOSITO CIPLAM DESDE 28 CENTIMETROS MOVIBLE SOPORTA MAX 120 KILOS - RODACHINES CAMBIADOR ATRIL POSTAGUERO	[illegible]	1.609.982,00	1.609.982,00	[illegible]
[illegible]				SILLA REGULABLE MULTIPROPOSITO CIPLAM DESDE 28 CENTIMETROS MOVIBLE SOPORTA MAX 120 KILOS - RODACHINES CAMBIADOR ATRIL POSTAGUERO	[illegible]	1.609.982,00	1.609.982,00	[illegible]
[illegible]			[illegible]	SILLA REGULOMATIC SUPERFICIE LINA LAVABLE	[illegible]	1.138.787,60	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	SILLAS CON MADERA CON BRAZOS TAPIZADA EN CORDOBAM	[illegible]	12.613,84	12.613,84	[illegible]
[illegible]	[illegible]		11976	SILLAS CON MADERA CON BRAZOS TAPIZADA EN CORDOBAM	[illegible]	12.613,84	12.613,84	[illegible]
[illegible]	[illegible]		11143-13173	TANDEM DE CUATRO PUESTOS COLOR NARANJA	[illegible]	104.700,80	104.700,80	[illegible]
[illegible]	[illegible]	[illegible]	11969	TANDEM DE CUATRO PUESTOS COLOR NARANJA	[illegible]	95.924,80	95.924,80	[illegible]
[illegible]	[illegible]		13917	TANDEM DE CUATRO SILLAS FORLUCO	[illegible]	44.999,85	44.999,85	[illegible]
[illegible]	[illegible]	[illegible]	9400	TANDEM FIJOS DE 2 PUESTOS	[illegible]	95.975,33	95.975,33	[illegible]
[illegible]	[illegible]		11408	TANDEM FIJOS DE 3 PUESTOS	[illegible]	119.481,28	119.481,28	[illegible]
[illegible]	[illegible]	[illegible]	11900	TANDEM DE 4 PUESTOS	[illegible]	85.024,08	85.024,08	[illegible]
[illegible]	[illegible]	[illegible]	11917	TANDEM DE 4 PUESTOS	[illegible]	85.024,08	85.024,08	[illegible]
[illegible]	[illegible]	[illegible]	11411	MESAS DE TRIPLANO PEQUEÑO CAMBIAR	[illegible]	33.134,68	33.134,68	[illegible]
[illegible]	[illegible]	[illegible]	3452	TANDEM 10 SIN TAPIZAR DE 4 PUESTOS	[illegible]	154.861,70	154.861,70	[illegible]
[illegible]	[illegible]		11080	TANDEM 10 SIN TAPIZAR DE 4 PUESTOS	[illegible]	154.861,70	154.861,70	[illegible]
[illegible]	[illegible]	[illegible]	11144	TANDEM 10 SIN TAPIZAR DE 4 PUESTOS	[illegible]	154.861,70	154.861,70	[illegible]
[illegible]	[illegible]	[illegible]	11422	TANDEM 10 SIN TAPIZAR DE 4 PUESTOS	[illegible]	154.861,70	154.861,70	[illegible]
[illegible]	[illegible]	[illegible]	9089	TANDEM VERDE TRANSLUCIDO	[illegible]	149.811,70	149.811,70	[illegible]
[illegible]	[illegible]	[illegible]	11083	TANDEM DE 4 PUESTOS COLOR BEIGE	[illegible]	95.924,80	95.924,80	[illegible]
[illegible]	[illegible]	[illegible]	11101	TANDEM DE 4 PUESTOS COLOR GRIS	[illegible]	95.924,80	95.924,80	[illegible]
[illegible]	[illegible]		11109	TANDEM DE 4 PUESTOS COLOR NARANJA	[illegible]	95.924,80	95.924,80	[illegible]
[illegible]	[illegible]		10884	TANDEM DE 4 PUESTOS COLOR ROJO	[illegible]	95.924,80	95.924,80	[illegible]
[illegible]	[illegible]	[illegible] 112192	4162	TANDEM DE 4 PUESTOS SIN TAPIZAR	[illegible]	31.820,45	31.820,45	[illegible]
[illegible]	[illegible]		8261	TANDEM DE CUATRO PUESTOS	[illegible]	126.320,69	126.320,69	[illegible]
[illegible]	[illegible]		8367	TANDEM DE CUATRO PUESTOS	[illegible]	80.845,34	80.845,34	[illegible]
[illegible]	[illegible]		7726	TANDEM DE CUATRO PUESTOS	[illegible]	114.177,08	114.177,08	[illegible]

Federico Lleras Acosta

[illegible]	[illegible]		[illegible]	TANDEM DE CUATRO PUESTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	TANDEM DE CUATRO PUESTOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	TANDEM DE CUATRO PUESTOS (ATRIL)	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	11152	TANDEM DE CUATRO PUESTOS COLOR NARANJA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	BOTACAMA FORRADO EN CUERINA COLOR NEGRO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	BOTACAMA FORRADO EN CUERINA COLOR NEGRO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	BOTACAMA FORRADO EN CUERINA COLOR NEGRO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	BOTACAMA FORRADO EN CUERINA COLOR NEGRO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	BOTACAMA FORRADO EN CUERINA COLOR NEGRO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		11149	TRANSDUCTOR LINEAL REF. PLS [illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	MONITOR DE SIGNOS VITALES INVASIVO DASH 3000	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA ELECTRICA CICOLCHON Y RUEDAS IN DUQUE INDEP. R	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	BANCO DE TRES CUERPOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	MONTAJE DE TRES CUERPOS EN ACERO INOXIDABLE CITELA Y BORDADURA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				BUTACO GIRATORIO ESPALDA	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	CAMA DE 4 PLANOS ELECTROMECANICA ALAMBRADO CICOLCHON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	CAMA DE 4 PLANOS ELECTROMECANICA ALAMBRADO CICOLCHON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA DE 4 PLANOS ELECTROMECANICA ALAMBRADO CICOLCHON	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA DE LUJO TIPO HOSPITALARIO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	CAMA ELECTRICA CICOLCHON Y RUEDAS IN DUQUE INDEP. R	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			11077	ATRIL PORTA SUERO METALICO DE PISO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			11023	ATRIL PORTA SUERO METALICO DE PISO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	ATRIL PORTASUERO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ATRIL PORTASUERO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ATRILES METALICOS DE PIE	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ATRIL PARA BOMBA DE INFUSION MOD DF-2	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ATRIL PARA BOMBA DE INFUSION MOD DF-2	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ATRIL PARA BOMBA DE INFUSION MOD DF-2	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ATRIL PARA BOMBA DE INFUSION MOD DF-2	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				ATRIL PARA SUERO FABRICADO EN ACERO INOX DE 1/2 y 3/4	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	ATRIL PARA SUERO FABRICADO EN ACERO INOX DE 1/2 y 3/4	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				ATRIL PARA SUERO FABRICADO EN ACERO INOX DE 1/2 y 3/4	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	ATRIL PARA SUERO FABRICADO EN ACERO INOX DE 1/2 y 3/4	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]				ATRIL PARA SUERO FABRICADO EN ACERO INOX DE 1/2 y 3/4	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	ATRIL PARA SUERO FABRICADO EN ACERO INOX DE 1/2 y 3/4	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	ATRIL PORTA SUERO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	ATRIL PORTA SUERO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]			[illegible]	ATRIL PORTA SUERO METALICO DE PISO	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	CAMA ELECTROMECANICA LOS PINOS	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ATRIL PARA BOMBA DE INFUSION MOD DF-2	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ATRIL PARA BOMBA DE INFUSION MOD DF-2	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ATRIL PARA BOMBA DE INFUSION MOD DF-2	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ATRIL PARA BOMBA DE INFUSION MOD DF-2	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ATRIL PARA BOMBA DE INFUSION MOD DF-2	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ATRIL PARA BOMBA DE INFUSION MOD DF-2	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ATRIL PARA BOMBA DE INFUSION MOD DF-2	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ATRIL PARA BOMBA DE INFUSION MOD DF-2	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	ATRIL PARA BOMBA DE INFUSION MOD DF-2	[illegible]	[illegible]	[illegible]	[illegible]

[illegible]	L7599	131125	846	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	18/01/2010	74.202,04	74.202,04	0,00
[illegible]	L7171	131107 132094	1906	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	18/01/2010	111.303,06	111.303,06	0,00
[illegible]	L7117	131104 117649	2905	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	18/01/2010	111.303,06	111.303,06	0,00
[illegible]	L7113	131101 117376	3610	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	18/01/2010	111.303,06	111.303,06	0,00
[illegible]	L7176	131093 133523 129167	3577	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	18/01/2010	74.202,04	74.202,04	0,00
[illegible]	L7177	131109	6304	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	18/01/2010	18.820,16	18.820,16	0,00
[illegible]	L7178	131145	3015	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	18/01/2010	111.303,06	111.303,06	0,00
[illegible]	L7150	133066 134863	3013	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	18/01/2010	111.303,06	111.303,06	0,00
[illegible]	L7150	117098	1128	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	18/01/2010	74.202,04	74.202,04	0,00
[illegible]	L7150	133063 133634	3871	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	18/01/2010	111.303,06	111.303,06	0,00
[illegible]	L7152	133635 133868 - 128114	3830	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	18/01/2010	74.202,04	74.202,04	0,00
[illegible]	L7181 - 117618	130860	3829	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	18/01/2010	74.202,04	74.202,04	0,00
[illegible]	L7102	130862	3833	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	18/01/2010	74.202,04	74.202,04	0,00
[illegible]	L7103	130836	3837	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	18/01/2010	74.202,04	74.202,04	0,00
[illegible]	L7154	132574 130863	3814	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	18/01/2010	111.303,06	111.303,06	0,00
[illegible]	L7142	132173 130184	3201	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	18/01/2010	111.303,06	111.303,06	0,00
[illegible]	50583		852	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	20/01/2010	74.202,04	74.202,04	0,00
[illegible]	18344		5238	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	20/01/2010	27.431,47	27.431,47	0,00
[illegible]	20198		6860	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	21/01/2010	13.114,13	13.114,13	0,00
[illegible]	20174		6737	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	21/01/2010	18.820,16	18.820,16	0,00
[illegible]	20172		717	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	21/01/2010	74.202,04	74.202,04	0,00
[illegible]	20218	128408	716	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	21/01/2010	74.202,04	74.202,04	0,00
[illegible]	20218		6290	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	21/01/2010	13.114,13	13.114,13	0,00
[illegible]	14428	132190	289	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	28/01/2010	111.303,06	111.303,06	0,00
[illegible]	14431	132928	846	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	28/01/2010	74.202,04	74.202,04	0,00
[illegible]	14436	133044 133441	1376	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	28/01/2010	111.303,06	111.303,06	0,00
[illegible]	14436	133273 133449	1363	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	28/01/2010	111.303,06	111.303,06	0,00
[illegible]	L7177	131190	1101	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	18/01/2010	111.303,06	111.303,06	0,00
[illegible]	L7164	131092	867	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	18/01/2010	74.202,04	74.202,04	0,00
[illegible]	68982		13408	ANCHAVIDRIO VERTICAL EN MADERA DE 4 GAVETAS	30/01/1996	30.389,08	30.389,08	0,00
[illegible]	8000	133010	896	ATRIL METÁLICO DE PIE	04/02/1994	18.474,32	18.474,32	0,00
[illegible]	14368	112035	1408	ATRIL METÁLICO DE PIE	04/02/1994	111.303,06	111.303,06	0,00
[illegible]	10016	133047	9831	ATRIL METÁLICO DE PIE	04/02/1994	27.752,19	27.752,19	0,00
[illegible]	10819	112037	9860	ATRIL METÁLICO DE PIE	04/02/1994	27.752,19	27.752,19	0,00
[illegible]	8498	112052	941	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	22/01/2010	111.303,06	111.303,06	0,00
[illegible]	64606		8000	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	22/01/2010	18.820,16	18.820,16	0,00
[illegible]	64606		8000	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	22/01/2010	18.820,16	18.820,16	0,00
[illegible]	64603		8011	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	22/01/2010	111.303,06	111.303,06	0,00
[illegible]	66580	133056 22730	844	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	21/01/2010	74.202,04	74.202,04	0,00
[illegible]	15040		5828	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	20/01/2010	111.303,06	111.303,06	0,00
[illegible]	15040		5812	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	20/01/2010	27.431,47	27.431,47	0,00
[illegible]	15047		598	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	20/01/2010	111.303,06	111.303,06	0,00
[illegible]	20173		6700	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	21/01/2010	18.820,16	18.820,16	0,00
[illegible]	20172	13487	881	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	21/01/2010	74.202,04	74.202,04	0,00
[illegible]	20174		6861	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	21/01/2010	13.114,13	13.114,13	0,00
[illegible]	53804		6980	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	20/01/2010	111.303,06	111.303,06	0,00
[illegible]	65546	110001 130804	940	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	21/01/2010	74.202,04	74.202,04	0,00
[illegible]	65550		6000	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	21/01/2010	17.813,13	17.813,13	0,00
[illegible]	65551	129075	947	ATRIL PARA BOMBA DE INFUSIÓN MOD DF-2	21/01/2010	74.202,04	74.202,04	0,00

Federico Lleras Acosta

		138000						
1020145817	43817	85002	1048	ESCRITORIO METAL 3 GAVETAS COLOR 2 CONT 115800805	30/12/1989	42.161,80	42.161,82	0,00
101916	101916-4439		10306	ESCRITORIOS	30/06/2011	444.107,99	444.107,99	0,00
1021130814	93815	130080	11548	ESTANTE DE MADERA	31/12/1992	49.127,27	49.127,27	0,00
1021180808	80080		10879	ESTANTERIA DE 4 ENTREPAÑOS	1990/1991	49.127,27	49.127,27	0,00
100003				AMBULANCIA CHEVROLET SUBURBAN MOD. 97 - CJD 480	01/01/2010	11.800.000,00	11.800.000,00	0,00
1030115947	97847		11401	ELECTROBISTURI MICA VALLEYLAB MOD FORCE FX	02/08/2010	10.012.987,76	10.012.987,76	0,00
1001031003	31011		7315	NEGATOSCOPIO DE 1 CUERPO	01/06/1996	14.281,00	14.281,00	0,00
115291			9756	MODULO DE PRESION NO INVASIVA FIRENITOR DATASCOPE SPECTRUM	31/05/2011	1.869.131,74	1.869.131,74	0,11
1031031016	31016		10602	INCUBADORA STANDARD GRAYLER 8000 INC 8010	31/01/1991	1.512.080,00	1.512.080,00	0,00
108183				ELECTROCAUTERIO MANO PEAN BC 8010 UNIDAD	03/08/2016	3.049.000,00	3.049.000,00	1.829.100,13
1031018031	26003		7097	VENTILADOR NEC COR PULMTAN BENNA 7 MB 8000/10/20/30	20/08/2003	14.980.945,74	14.980.945,74	0,00
18034	V000038			CAMARA DE HOOD GRANDE BILLA PRIMA	01/01/2010	180.195,41	180.195,00	0,41
1031000541	1.1947	130000 L-01807	191	CAMAROTE SENCILLO TUBULAR DE 1.00 * 190 GITANILA	02/04/2010	181.180,27	181.180,27	0,00
1031000539	1.1918	130713	579	CAMAROTE SENCILLO TUBULAR DE 1.00 * 190 GITANILA	02/04/2010	181.180,27	181.180,27	0,00
1031138840	3648		8457	CAMILLA PRECUPER GRANDADES	17/08/1994	83.800,27	83.800,27	0,00
104176			11973	CAMILLA TIPO MILLER	09/04/2013	246.045,88	206.081,34	39.964,54
112194				BUTACO GRANDERO ESPALDA	01/03/2011	273.700,00	273.700,00	0,00
1031018139	14318	130018	8141	CAMA HOSPITALARIA REF. 8081 MODELO 2005 CICOLCHON	09/12/2005	130.047,00	130.047,00	0,00
1031000812	0812		8080	CAMA MANUAL (TUERCA PARA CORDON UMBILICAL)	09/12/2010	146.411,45	146.411,45	0,00
V000032	V000032	16/04/2010		CAMARA DE HOOD GRANDE	01/01/2010	196.195,41	68.196,00	127.013,41
V000031	V000040	16/04/2010		CAMARA DE HOOD GRANDE	01/01/2010	196.195,41	68.196,00	127.013,41
V000034	V000041	16/04/2010		CAMARA DE HOOD GRANDE	01/01/2010	196.195,41	68.196,00	127.013,41
V000035	V000042	16/04/2010		CAMARA DE HOOD GRANDE	01/01/2010	196.195,41	68.196,00	127.013,41
1031018154	45154		9874	BALANZA DE PREEGO EN DIGITAL ELECTRICA	08/11/1991	102.194,71	102.194,71	0,00
103094	103094		10990	BRONCO DE TRES CUERPOS EN ACERO INOXIDABLE GITILLA Y RODACHIRI	03/08/2010	55.813,21	55.813,21	0,00
103098	10001		14401	BRONCO DE TRES CUERPOS EN ACERO INOXIDABLE GITILLA Y RODACHIRI	03/08/2010	125.734,31	125.734,31	0,00
1031111801	11001	113130	9449	ANAQUEL METALICO 90 X 40 180	01/06/1990	146.826,40	146.826,40	0,00
1031148857	41001		6990	AUTOCLAVE TIPO OLLA DE 25 LIRAS	01/08/1984	68.754,80	68.754,80	0,00
1021191834	91334		10878	BAULE DERECHO	08/01/1993	27.752,19	27.752,19	0,00
103248		70120	11922	BALANZA DE PLATAFORMA EN COLORES TECLADO NUMERICO	09/08/2012	408.313,78	408.313,78	28.687,54
1030000116	42196			TERMOMETRO HIDROMETRO HARRY TAYLOR	31/12/1973	54.655,18	54.655,18	0,00
1031000002	64802			TERMOMETRO HIDROMETRO HARRY TAYLOR	31/08/2004	57.810,31	57.810,31	0,00
1031181903	10903		10900	TRANSFORMADOR DE AISLAMIENTO GALVANIDO	09/07/2001	130.083,08	130.083,08	0,00
1030000011	70011		3403	BRONCHOMETRO TAMAÑO EN ACERO INOX DE 30X08 DOS LITROS CON TAPA	31/12/1973	42.181,80	42.181,80	0,00
1030000106	42106		7998	ESTANTERIA COMPAS GASTROVIGILO RECTO REF. 2-013	21/05/2010	81.080,50	81.080,50	0,00
1031404705	94705		11973	BRISAI ESPECULO VAGINAL GRANDE	20/03/1990	16.297,46	16.297,46	0,00
1200000089	00089	03000 - 81121	11989	ARCHIVADOR EN MADERA DE CUATRO GAVETAS	31/12/1973	42.000,01	42.000,01	0,00
1031000204	91204	95408		PRENSA AUTOMATICA DE 8-40 LAMINAS	10/08/1995	37.797,00	37.797,00	0,00
1031104420	45420			PRENSA DE 18 A 80 LAMINAS	31/12/1973	100.481,16	100.481,16	0,00
103084			8380	POLIGRAFO 140 MCA MOD 1011 MOD. 1600 CON ADAPTADOR	03/03/1972	280.441,03	280.441,04	0,01
1031000301	91301		13402	BEROCUGA CLAY ADAMS SIN 3080180	08/08/1989	223.584,15	223.584,15	0,00
104429			9191	TRANSMOMETRO AMENTICIDES MARCA TYCOS MOD ROCKWATE	31/12/2010	391.410,13	391.410,13	0,00
1030000304	73004			TERMOHIGROMETRO DIGITAL CON BULBO REMOTO	03/08/1990	30.880,00	30.880,00	0,00
1030131190	45190			TERMOMETRO DIGITAL DE BULBO REMOTO REF 446708	26/11/1992	30.880,00	30.880,00	0,00
1030314180	14180	100168		TERMOMETRO DIGITAL DE BULBO REMOTO REF 446703	18/10/2005	97.675,96	97.675,96	0,00
1031005820	03020		13040	TERMOMETRO DIGITAL DE BULBO REMOTO REF 446703	18/10/2005	97.675,96	97.675,96	0,00
1031031804	19804		14171	TERMOMETRO DIGITAL DE BULBO REMOTO REF 446703	31/10/2005	173.780,18	173.780,18	0,00
112190				TERMOMETRO DIGITAL DE PUNZON	31/01/2017	301.000,00	301.000,00	0,00
1031100844	344		14129	BASCULA	09/08/1990	10.433,24	10.433,24	0,00

REFERENTES DOCUMENTALES PARA LA VALUACIÓN

Son documentos de este estudio de valuación:

Resolución No. 2295 del 31 de agosto de 2023.

Concepto técnico de bienes muebles emitidos por el área de almacén.

PERSPECTIVA DE VALORIZACIÓN

Los equipos biomédicos, bienes muebles y enseres; equipos de oficina del Hospital Federico Lleras Acosta E.S.E. sede limonar , que existen en bodegas del almacén y otras dependencias, bienes que se encuentran inservibles, deteriorados, obsoletos y en desuso, que han sido devueltos y que no prestan ningún servicio y tampoco pueden ser objeto de reparación por el mal estado en que se encuent4ran o ya cumplieron su vida útil.

DESCRIPCIÓN LEGAL Y CARACTERIZACIÓN FÍSICA DE LA MAQUINARIA

TRADICIÓN Y REGISTRO LEGAL DE LA PROPIEDAD

Equipos biomédicos obsoletos, muebles y enseres inservibles y en desuso, equipos de oficina y sistema de ventilación y ductos de aires acondicionados en mal estado del Hospital Federico Lleras Acosta E.S.E.

IDENTIFICACIÓN TÉCNICA DURANTE LA VISITA DE INSPECCIÓN PERICIAL CON FINES VALUATORIOS

MARCO NORMATIVO PARA LA VALUACIÓN DE MERCADO

- MINISTERIO DE DESARROLLO ECONÓMICO. Decreto 2649 (29 de diciembre de 1993). Por el cual se reglamenta la contabilidad en general y se expiden los principios o normas de contabilidad generalmente aceptados en Colombia. Bogotá D.C El ministerio, 1999.47p.
- Normas Internacionales de valuación (IVS). International Valuation Standars Committee. 2005, 2007,2011.
- Valoraciones RICS- Estándares Profesionales-marzo 2012.
- Norma Técnica Sectorial Colombiana NTS S 04 Código de conducta del valuador ICONTEC.
- Norma Técnica Sectorial Colombiana GTS G 02 Conceptos y principios generales de valuación ICONTEC.
- Norma Técnica Sectorial Colombiana NTS S 01, Bases para la determinación del valor de mercado ICONTEC..

ASPECTOS ECONÓMICOS

En general, todo proceso de valoración de maquinaria y otros activos está estrechamente vinculado con la problemática de la renovación económica de equipos.

Para la valoración o tasación de las máquinas, equipos y vehículos, se debe partir del principio fundamental del Valor Actual de un bien, el cual queda resumido en la siguiente expresión matemática:

Valor de Actual (VA) = Valor de Reposición (VR) - Depreciación Acumulada (DA) Para determinar el precio que tendría que pagarse hoy por un bien mueble nuevo, igual o semejante al que se avalúa nos basamos en cotizaciones, facturas de compra, contrato o información actualizada de bienes que se comercializan actualmente en el país o que se comercializan internacionalmente ajustando el precio total como la suma del activo más los costos de traslado e instalación (factor de importación).

ASPECTOS VALORIZANTES

No presentan

ASPECTOS DESVALORIZANTES

Propiedad y bienes

Mayor y mejor uso.

Principio de sustitución.

Precio, costo, mercado y valor.

Valor de mercado.

Utilidad

Enfoque o métodos de valuación

USO ACTUAL Y USO POTENCIAL (MAYOR Y MEJOR USO)

Los implementos por su estado de obsolescencia, daños de los equipos, el estado actual de los muebles y enseres, se hacen inservibles, se convierten en un entorpecimiento, para el normal desarrollo del servicio que presta el Hospital Federico Lleras Acosta E.S.E. sede Limonar por lo que se recomienda la chatarrización de los mismos.

FACTORES ANALIZADOS PARA EL AVALÚO

• Maquinaria con la Vida útil cumplida.

• Maquinaria con obsolescencia funcional y económica alta

• Mal Estado

• Mercado limitado a Chatarrización

• Ubicación en la Ciudad de Ibagué

METODOLOGÍA VALUATORIA

14.1 PRINCIPIOS VALUATORIOS

Principio de Mayor y Mejor Uso: El valor de un inmueble susceptible de ser dedicado a diferentes usos o de ser construido con distintas intensidades edificatorias, es el que resulta de destinarlo, dentro de las posibilidades legales y físicas, al uso más probable y financieramente aconsejable, con la intensidad que permita obtener el mayor valor. Principio de Sustitución: El valor de un inmueble es equivalente al de otros activos de similares características sustitutivos de aquel. 10 Principio del Valor Residual: El valor atribuible a cada uno de los factores de producción inmueble, es la diferencia entre el valor total de dicho activo y los valores atribuibles al resto los factores. Principio de Anticipación: El valor de un inmueble que se encuentre en explotación económica, es función de las expectativas de renta que previsiblemente proporcionará en el futuro.

Principio de Finalidad: La finalidad de la valoración condiciona el método y las técnicas de valoración a seguir.

Para la determinación del valor comercial de la maquinaria, objeto de valuación, se visitó formalmente El Hospital Federico Lleras Acosta, con el propósito de realizar el correspondiente análisis de la Maquinarias y dentro de este proceso se tuvieron en cuenta los siguientes factores:

FACTORES DE CARÁCTER GENERAL:

Se identificaron todos los factores como, el estado de los equipos, el mantenimiento y conservación, reparaciones y mejoras que permiten determinar los procesos de Valorización o des-valorización y su incidencia sobre su desempeño.

FACTORES DE CARÁCTER INTRÍNSECO:

Permiten conocer y analizar, los aspectos específicos de los equipos, la época de adquisición, mantenimiento, mejoras, adiciones, obsolescencia tecnológica, que determinan su rendimiento, eficiencia y productividad en el proceso.

FACTORES DE CARÁCTER PROFESIONAL

El estudio se compone de evaluaciones de tipo objetivo y medible, además de los subjetivos del avaluador, basados en la experiencia laboral y experiencia en la materia, en el conocimiento del mercado y en las diferentes perspectivas del sector, los cuales son de vital importancia en la calificación y descripción de detalles.

CRITERIOS

Valor de mercado: es la cuantía estimada por la que un bien podría intercambiarse, en la fecha de evaluación, entre un comprador dispuesto a comprar y un vendedor dispuesto a vender, en una transacción libre, tras una comercialización adecuada en la que las partes actúan con la información suficiente, de manera prudente y sin coacción.

Valor de salvamento: Es el valor de los materiales recuperados de un bien después de haber agotado su vida útil. También puede definirse como el valor recuperado al vender el bien depreciado, en mercado de segundas. Para ello se tomó el 0%, del valor actual del bien

Precio actual de reposición: Costo de reemplazo o valor actual de reposición que puede darse con base en la averiguación en el mercado de equipos nuevos iguales o similares, o que puede calcularse a partir de su precio histórico.

Vida útil: Considerada como el período de tiempo productivo y rentable de un equipo o maquinaría, enseres, entre otros. Para el presente estudio se tomaron diferentes datos de vida útil, teniendo en cuenta que los bienes prestaban servicio público y de acuerdo con el mantenimiento de los mismos, esta va de 5 a 15 años; en los listados se observan activos con fecha de compra desde el año 1972 hasta el año 2021.

Mantenimiento o servicio que se presta al bien: Consistente en las reparaciones y reposiciones que en cierta forma compensan la depreciación.

Estados de conservación y de funcionamiento: Deben ser cotejados visualmente y sobre la marca y operación del equipo, verificando el aspecto exterior, las funciones, el funcionamiento, la capacidad productiva y el grado de eficiencia actual. Los bienes se encuentran deteriorados, en estado inservible, para el desarrollo de la actividad o servicio que presta el Hospital Federico Lleras Acosta E.S.E. Sede Limonar.

Facilidad de prestarle un buen mantenimiento: Dependiente de la oferta de repuestos y del personal idóneo para poder repararlo en el tiempo adecuado.

Comerciabilidad o facilidad de comprar o vender el bien: Depende esencialmente de la aceptación, o demanda de un mercado especifico, en este caso nula.

Depreciaciones sufridas por el bien: Definidas como la pérdida de valor útiles debida al empleo, uso o desgaste, y a la acción del tiempo y los elementos.

Obsolescencia: Que puede connotar estos dos significados: La pérdida normal del valor causado por el progreso normal de la industria; la inadecuación; cambios de la demanda, en los productos o en la ubicación; o alguna otra causa semejante. La pérdida no prevista en el valor, e inesperada, ocasionada por alguna otra causa que sea mera contingencia.

Mejoras que se le hayan hecho a los equipos, máquinas, o vehículos enumerándolas y cuantificándolas.

Mayor y mejor uso: Se debe constatar la capacidad utilizada del equipo. Se le ha dado el uso y mantenimiento adecuado, según indicaciones del fabricante.

Grado de especialización del equipo: Disminuye o aumenta su radio de acción y de comercialización.

Bien similar: Bien con características relevantes en la formación de valor, equivalentes a las del evaluado, tales como función, desempeño operacional y estructura constructiva.

Valor de reposición: Determina el costo de reposición para equipos disponibles en el mercado o bienes de similar característica y especificación cuando los modelos o referencias, ya no se encuentran disponibles en el mercado.

Depreciación inicial: Pérdida de valor de un bien en función de la des caracterización del bien como nuevo.

Máquina: Todo y cualquier aparato, compuesto por uno o más equipos, destinado a ejecutar una o más funciones específicas a un trabajo o a la producción industrial.

Manutención: Conjunto de acciones preventivas o correctivas necesarias para preservar las condiciones normales de preservación de un bien.

Desmonte de estructuras: Es el valor que cuesta desmontar una o varias estructuras que cumplen con un fin u objeto especifico, para este informe es necesario tener en cuenta que el sistema de ventilación, inyección y renovación de aire acondicionado, ventilación mecánica y climatización del Hospital Federico Lleras Acosta E.S.E Sede Limonar se encuentra en el piso sexto de la entidad y se hace necesario costear o tener en cuenta un valor correspondiente al de el desmonte de los ductos de ventilación, condensadores, evaporadores, compresores, etc los cuales por su tamaño, peso y ubicación se hace difícil y costoso su traslado hasta la parte exterior del hospital además de la manipulación de retal de fibra de vidrio usado para aislar las secciones de tubería y ductos es necesario contar con personal calificado para realizar dicha actividad. El valor estimado de este desmonte supera los dieciocho millones de pesos ($ 18.000.000 COP) si se tiene en cuenta la necesidad de contratar los servicios de montacargas, equipos de soldadura eléctrica y autógena, elevadores hidráulicos, andamios, personal calificado y con experiencia es este tipo de trabajos que además cumpla con los requisitos de ley y equipos de protección personal para trabajos en altura, riesgo de caídas y manipulación de gases refrigerantes para evitar fugas de los mismo y una posible contaminación ambiental dentro de las instalaciones del hospital.

Valor de chatarra: Valor de mercado de los materiales re-aprovechables de un bien, en la condición de desactivación, sin que estos sean utilizables para fines productivos. Para efectos del cálculo valuatorio es dar un valor total general a todos los artículos relacionados en este informe

ESTIMACIÓN ESTADO ACTUAL

Con base en aspectos analizados como son: tipo de maquinaria, clase de construcción, mantenimiento, factores de uso como horas, motor, caja de velocidades se determina un estado inservible, equipos para dar de baja.

COMERCIABILIDAD

Considerada como limitadas dentro del grado aceptación en el mercado del usado y/o mercado de chatarrización.

CONSIDERACIONES GENERALES

En la determinación del valor comercial materia del presente informe, se ha tenido en cuenta lo siguiente:

• Valor de reposición obtenido en el mercado de equipos nuevos iguales o similares.

• Determinación de la vida técnica de la maquinaria, partiendo de la época de compra.

• Estado de conservación y mantenimiento, apoyado en el estado de la maquinaria, además de consulta de la información con técnicos y mecánicos de la zona.

• la adquisición de repuestos, bien en el mercado local o el mercado nacional.• Depreciación aplicada, teniendo en cuenta en cuenta la vida técnica de los equipos y su mantenimiento. .

• Grado de comercialización El valor comercial actual de la maquinaria se determina partiendo del valor de reposición más el valor de instalación o montaje por factor de depreciación acorde a edad y vida útil por un factor de estado.

MÉTODOS VALUATORIOS

Para la realización del avalúo se utilizó el VALOR FÍSICO O VALOR NETO DE REPOSICION (VNR) Valor actual de un bien, considerando su depreciación por antigüedad, estado de conservación funcionalidad, calidad y grado de obsolescencia.
• Propiedad y bienes
• Mayor y mejor uso.
• Principio de sustitución.
• Precio, costo, mercado y valor.
• Valor de mercado. • Utilidad
• Enfoque o métodos de valuación

10.1 MÉTODO DE COMPARACION DE MERCADO Es la técnica valuatoria que busca establecer el valor comercial del bien, a partir del estudio de valor actual de bienes semejantes, comparables o sustitutos al del objeto de avalúo. Tales ofertas o transacciones deben ser calificadas, analizadas e interpretadas para llegar a la estimación del valor comercial. Se fundamenta en el principio de sustitución que dice: “Nadie pagará por un bien más de lo que le costaría adquirir otro de la misma calidad, utilidad, edad y estado de conservación”.

10.1.1 JUSTIFICACIÓN DEL MÉTODO Este método No se utilizó para este Avalúo debido a que en la investigación no fue posible encontrar información de ofertas y/o transacciones de bienes que se puedan comparar con los bienes objeto de la valuación, esto por las siguientes razones:

Las referencias objeto de estudio
• La utilidad de los elementos a avaluar
• El estado actual de los elementos a avaluar
• La obsolescencia de los elementos a avaluar

METODOLOGÍA VALUATORIA ESPECÍFICAMENTE EMPLEADA

10.2 MÉTODO DE COSTO

Este enfoque considera la determinación del valor de mercado mediante la estimación del valor de reposición a nuevo, la aplicación de un demérito en función de factores que afectan el valor del bien en su estado actual,

como desgaste, deterioro, edad, mantenimiento recibido, obsolescencia, entre otros. Se sustenta en el principio de sustitución que dice que "nadie pagará por un bien más de lo que costaría construir uno de la misma calidad y utilidad". Permite una aproximación al valor de mercado, en los casos en los que no existe información suficiente de valores en el mercado de maquinaria usada. Los pasos para seguir deben ser los siguientes:

1) Determinación del valor de reposición a nuevo: El Valor de Reposición (VR) del bien, es determinar el precio que tendría que pagarse hoy por un bien nuevo, igual o semejante al que se avalúa. Se puede obtener de forma directa o indirecta.

a) Forma Directa: Consiste en determinar el valor del bien a partir de información referencial, esto es, averiguar el valor actual de otro bien igual o similar a partir de datos de proveedores y fabricantes: Debe tener en cuenta las diferencias existentes entre el bien objeto de valuación y el bien del cual se obtiene información.

   Este método exige conocimientos técnicos para identificar los parámetros claves y basar la comparación. También conocimientos de comercio exterior, aduanas y costos asociados a la nacionalización del bien.

b) Forma indirecta: A partir de valores de años anteriores: Debe tener en cuenta el efecto de la variación de tasas de cambio según el país de origen del equipo y la tendencia de precios específica para el tipo de maquinaria.

c) A partir de cálculos del costo de reconstrucción.

2) Cálculo del valor actual - Aplicación de los deméritos:

Al valor de reposición a nuevo determinado según el numeral anterior, se debe restar un demérito que permita reconocer la pérdida de valor del bien por efecto de variables o factores como: edad, vida útil, estado de conservación, carga de trabajo, mantenimiento recibido, mantenimientos o reparaciones mayores, obsolescencia (técnica, funcional, ambiental, económica), entre otros.

CALCULO DE VALORES

LOTES	EQUIPOS	VALOR COMERCIAL RAZONABLE
Artículos relacionados en la resolución 2295 del 31 de agosto del 2023 Y soportados con los listados "relación de elementos baja Francia agosto 2023" y "elementos no activos agosto 2023" listados con 2.029 items y 1.696 items respectivamente.	Equipos Biomédicos, equipos de oficina, muebles y enseres en general, equipos de ventilación, camas, camillas, aires acondicionados, vehículos y artículos inservibles, deteriorados, obsoletos y en desuso.	$ 17.500.000
VALOR TOTAL		$ 17.500.000

SON: DIECISIETE MILLONES QUINIENTOS MIL PESOS MONEDA LEGAL VIGENTE. ($ 17.500.000)

PRESUPUESTO OFICIAL: DIECISIETE MILLONES QUINIENTOS MIL PESOS MONEDA LEGAL VIGENTE. ($ 17.500.000). Dicho valor corresponde al **PRECIO MÍNIMO DE VENTA**, asignado a los bienes objeto de

enajenación.

JUSTIFICACIÓN DE LA METODOLOGÍA EMPLEADA

Para este avalúo, se utilizó, el método de Costo (Cálculo del valor actual – Aplicación de deméritos), debido a que en la investigación no se encontró mercado del usado para el implemento que se está avaluando.

II. Aspectos Generales

A. Invitación a las veedurías ciudadanas

El Hospital Federico Lleras Acosta de Ibagué Tolima Empresa Social del Estado, invita a todas las personas y organizaciones interesadas en hacer control social al presente Proceso de Contratación, en cualquiera de sus fases o etapas, a que presenten las recomendaciones que consideren convenientes y a que consulten los Documentos del Proceso en www.hflleras.gov.co.

b. Compromiso anticorrupción

Los Proponentes deben suscribir el compromiso anticorrupción contenido en el **Anexo 2** en el cual manifiestan su apoyo irrestricto a los esfuerzos del Estado colombiano contra la corrupción. Si se comprueba el incumplimiento del Proponente, sus empleados, representantes,asesores o de cualquier otra persona que en el Proceso de Contratación actúe en su nombre, es causal suficiente para el rechazo de la Oferta o para la terminación anticipada del contrato, si el incumplimiento ocurre con posterioridad a la adjudicación del mismo, sin perjuicio de que tal incumplimiento tenga consecuencias adicionales.

c. Costos derivados de participar en el Proceso de Contratación

Los costos y gastos en que los interesados incurran con ocasión del análisis de los Documentos del Proceso, la presentación de observaciones, la preparación y presentación de las Ofertas, la presentación de observaciones a las mismas, la asistencia a audiencias públicas y cualquier otro costo o gasto relacionado con la participación en el Proceso de Contratación estará a cargo exclusivo de los interesados y Proponentes.

d. Comunicaciones

Las comunicaciones en el marco del Proceso de Contratación deben hacerse por escrito radicando directamente en la oficina de gerencia del hospital Federico Lleras Acosta E.S.E.

De conformidad con lo establecido en la circular Externa Única de Colombia Compra Eficiente, la entidad utilizará para la publicación del presente proceso la página web del hospital, dado que solo es obligatorio publicar la actividad contractual en el SECOP siempre y cuando el contrato ejecute o tenga como fuente de financiación dineros públicos; el objeto de la presente selección es la enajenación de bienes muebles, enseres, equipos de cómputo y ambulancias inservibles dados de baja del inventario del hospital, que carecen de valor contable y que por sus condiciones se encuentran clasificados como chatarra.

Teniendo en cuenta lo dispuesto por anterior los términos de condiciones junto con el análisis de conveniencia y oportunidad, permanecerá publicado en la página web de Hospital Federico Lleras Acosta E.S.E., página http://www.hflleras.gov.co/, para consulta de todos los interesados.

Cualquier interesado puede solicitar aclaraciones adicionales, que entidad contratante responderá mediante comunicación escrita, la cual remitirá al interesado y publicará en la página web de la entidad. Cualquier comunicación deberá presentarse a través de la oficina de Gerencia del Hospital Federico Lleras Acosta E.S.E.

La consulta o su respuesta no producirán efecto suspensivo sobre el plazo de presentación de la propuesta y en consecuencia las condiciones de los pliegos y sus adendas habrán de tomarse como se expidieron originalmente.

Las aclaraciones y adendas y demás comunicaciones serán publicadas en la página web de Hospital Federico Lleras Acosta E.S.E., página http://www.hflleras.gov.co/, razón por la cual es responsabilidad del proponente conocer las adendas y aclaraciones y demás comunicaciones que surjan en desarrollo de la presente convocatoria.

Las adendas o la información sobre preguntas y respuestas se publicarán en el término establecido en el cronograma del proceso y dicha información deberá ser tenida en cuenta para la presentación de las propuestas respectivas.

En concordancia con lo establecido en el Estatuto de contratación, la entidad puede modificar las condiciones a través de adendas expedidas antes del vencimiento del plazo para presentar ofertas, tal y como se indica en el cronograma del proceso y dicha información deberá ser tenida en cuenta para la presentación de las propuestas respectivas, tal y como lo establece la ley.

En caso de consorcio o unión temporal la información sobre preguntas y respuestas entregada a uno de los integrantes se considera como recibida por el proponente asociativo.

e. Cierre

Las propuestas deberán ser presentadas impresas en su totalidad y en sobres cerrados, **en la Oficina Asesora jurídica del Hospital Federico Lleras Acosta E.S.E**; o enviadas a través de correo certificado, las cuales solo se recibirán hasta la fecha y hora programada para el cierre en el cronograma. Para todos los casos se tomará como fecha y hora de recepción la indicada en el reloj de la oficina designada para recibir el sobre y reseñada en el sello de recibido.

Para el efecto, el Hospital Federico Lleras Acosta E.S.E. llevará un registro de entrega de las propuestas, el cual contendrá: fecha y hora de presentación de las mismas, nombre del proponente, teléfono, dirección, correo electrónico, nombre de la persona que entrega y firma del mismo.

El Hospital Federico Lleras Acosta E.S.E. no se hace responsable de la entrega extemporánea que realice la oficina de correos utilizada por el proponente, ni por la indebida canalización de la propuesta debido a la incorrecta rotulación de la misma, caso en el cual ingresará al Hospital como correspondencia ordinaria. No se recibirán propuestas que lleguen por fax o correo electrónico.

No se aceptarán propuestas complementarias o modificaciones que fueren presentadas con posterioridad a la fecha y hora de cierre del presente proceso de selección, es decir que una vez presentada la propuesta, no se aceptarán por parte de los proponentes variación alguna en la misma, ni la presentación de documentos o información adicional lo cual no obsta para que la entidad pueda solicitar las aclaraciones que considere necesarias.

La propuesta debe ser presentada en un (1) original con los requisitos habilitantes, un (1) sobre cerrado que contenga la oferta económica y una (1) copia en medio magnético de cada uno de los sobres mencionados anteriormente, debidamente legajada y foliada, las cuales deberán ser entregadas dentro del plazo fijado, en sobre sellado, debidamente rotulado en su parte exterior, como se señala a continuación:

Señores

HOSPITAL FEDERICO LLERAS ACOSTA E.S.E.

Oficina juridica
Ibagué

Selección Abreviada de Enajenación Directa, a través de Oferta en Sobre Cerrado No. …. de 2023.

Objeto: **"Enajenación de bienes muebles inservibles de Propiedad del Hospital Federico Lleras Acosta de Ibagué - Tolima E.S.E. mediante modalidad de Venta directa en sobre cerrado".**

Sobre:_____
Numero de Folios:_____
Datos del proponente

Nombre: _____

Dirección: _____

Teléfono:_____Correo Electrónico: _____

III. RADICACIÓN DE LA PROPUESTA

La propuesta se presentará en físico radicándola en la oficina jurídica, adjuntando cada uno de los documentos y la información solicitada en el invitación debidamente suscrita por la persona legalmente autorizada, en los espacios habilitados para cada uno de los aspectos requeridos por la entidad.

Con relación al diligenciamiento de la propuesta económica, este debe ser debidamente diligenciada, en esta sección de la propuesta solo debe ir información relacionada con el anexo económico.

Una vez presentada la propuesta no se aceptará variación alguna en sus términos, ni la presentación de documentos o información adicional, lo cual no obsta para que la entidad pueda solicitar las aclaraciones que considere necesarias, por tanto, no se aceptarán propuestas complementarias o modificaciones que fueren presentadas con posterioridad a la fecha y hora de cierre de la convocatoria.

RETIRO DE LAS PROPUESTAS

Los Proponentes que opten por entregar su oferta antes de la fecha y hora de cierre del presente proceso.

PROPUESTAS CONJUNTAS EN CONSORCIO O UNIÓN TEMPORAL

Cuando la propuesta sea presentada en consorcio o unión temporal, el proponente debe presentar el documento constitutivo del proponente asociativo. El documento constitutivo de la unión temporal o consorcio no podrá ser anterior a treinta (30) días calendario de la fecha de cierre del proceso de selección y deberá cumplir con los siguientes requisitos:

1. Los proponentes deberán indicar si su participación es a título de consorcio o de unión temporal, en el caso de la unión temporal señalando los términos y extensión de la participación en la propuesta y en su ejecución, los cuales no podrán ser modificados sin el consentimiento previo de la entidad

2. Se deberá designar un representante del consorcio o de la unión temporal, el cual no podrá ser reemplazado sin la autorización expresa y escrita de cada uno de los integrantes que la conforman.

3. La duración del Consorcio o de la Unión Temporal deberá cubrir el plazo de ejecución del contrato, su liquidación y un (1) año más.

4. Ningún integrante del consorcio o de la unión temporal, podrá formar parte de otros proponentes que participen en el presente proceso de selección, ni formular propuesta independiente. En el caso de que el proceso sea por grupos, esta condición aplica para el grupo o grupos en los cuales se presente propuesta.

5. Se deberá indicar el nombre del consorcio o unión temporal, el cual no podrá ser modificado dentro del proceso. En el evento que resultare adjudicatario, este será tenido en cuenta para la celebración del contrato y deberá corresponder con la identificación tributaria del proponente asociativo.

6. Las autorizaciones que los órganos de dirección otorguen a los representantes legales de las sociedades integrantes de una propuesta conjunta deben cubrir como mínimo el presupuesto oficial. En el caso de que el proceso sea por grupos, dicha autorización debe cubrir el presupuesto del grupo o grupos en que se participe.

7. Los integrantes del consorcio o unión temporal deberán cumplir, individualmente, con los requisitos establecidos como persona natural o jurídica según sea el caso.

Derechos y deberes de los proponentes.

De conformidad con lo establecido en el artículo 5 de la Ley 80 de 1993, el proponente tiene derecho a conocer y controvertir los informes, conceptos y decisiones que se rindan o adopten, para lo cual se han señalado en este pliego de condiciones, etapas que permiten el conocimiento de dichas actuaciones y la posibilidad de expresar sus observaciones. El desarrollo del presente proceso es de carácter público, respetando la reserva de que gocen legalmente las patentes, procedimientos y privilegios de acuerdo con las normas aplicables; para este efecto, los proponentes deberán indicar cuáles de los documentos aportados son de carácter reservado e invocar la norma que ampara dichareserva para así dar cumplimiento a lo establecido en el numeral 4 del artículo 24 de la Ley 80 de 1993.

Si el proponente no hace pronunciamiento expreso amparado en la Ley, se entenderá que toda la oferta es pública.

El oferente que formule propuestas en las que se fijen condiciones económicas y de contratación artificialmente bajas con el propósito de obtener la adjudicación del contrato, responderá conforme a las leyes vigentes y su propuesta podrá ser rechazada de acuerdo a lo establecido en el artículo 2.2.1.1.2.2.4 del Decreto 1082 de 2015 e igualmente responderá por haber ocultado al contratar, inhabilidades, incompatibilidades o prohibiciones, o por haber suministrado información falsa o por sus acciones u omisiones en la actuación contractual de acuerdo al artículo 2.2,1.1,2.2.5 del Decreto 1082 de 2015 y el artículo 8 de la Ley 80 de 1993.

Cuando sobrevenga una inhabilidad o incompatibilidad dentro de la presente contratación, se entenderá que la proponente renuncia a la participación en el proceso de selección y a los derechos surgidos del mismo, para lo cual, deberá informar tal hecho oportunamente. Si la inhabilidad o incompatibilidad sobreviene en uno de los miembros de un Consorcio o Unión Temporal este cederá su participación a un tercero. previa autorización de la Hospital Federico Lleras Acosta E.S.E. de lo contrario el contrato se terminará bilateral o unilateralmente. Verificar permanentemente a través de la página web de Hospital Federico Lleras Acosta E.S.E. http://www.hflleras.gov.co/ el link del presente proceso de selección, todos los documentos que se generen con ocasión del mismo, los cuales serán puestos a disposición de la entidad a través del referido mecanismo en horas hábiles destinadas para tal fin, según el cronograma para el efecto. Por lo anterior es responsabilidad exclusiva de los interesados conocer su contenido.

IV. Descripción del objeto a contratar

El contrato para desarrollar es la “Enajenación de bienes muebles inservibles de Propiedad del Hospital Federico Lleras Acosta de Ibagué - Tolima E.S.E. mediante modalidad de Venta directa en sobre cerrado”.

Los demás detalles del presente Proceso de Contratación también se encuentran incluidos en los Documentos del Proceso.

A. Clasificación UNSPSC

El servicio objeto del presente Proceso de Contratación está codificada en el Clasificador de Bienes y Servicios de Naciones Unidas (UNSPSC), como se indica en la Tabla 1:

Tabla 1 - Codificación en el sistema UNSPSC

Identificador con el clasificador de bienes y servicios		
Segmento	material mineral, textil, vegetal y animal no comestible	11000000
Familia	Desechos metálicos y chatarrra	11190000
Clase	Chatarra	11191600

B. Valor estimado del Contrato

DIECISIETE MILLONES QUINIENTOS MIL PESOS MONEDA LEGAL VIGENTE. ($ 17.500.000). Dicho valor corresponde al **PRECIO MÍNIMO DE VENTA**, asignado a los bienes objeto de enajenación

C. Forma de pago

Los bienes objeto de venta son bienes muebles no sujetos a registro, completamente inservibles y tienen el carácter de chatarra, por lo tanto, su precio mínimo de venta se determinó a partir del avalúo y las condiciones del mercado para la compraventa de inservibles.

Al respecto, el literal a) del artículo 3.7.4.1 del Decreto 734 de 2012: “Señalamiento del precio mínimo de venta de bienes muebles no sujetos a registro. Para efectos de determinar el precio mínimo de venta de bienes muebles no sujetos a registro de propiedad de las entidades y organismos públicos, se tendrá en cuenta el resultante del estudio de la condiciones de mercado, el estado de los bienes muebles que para el efecto realice la propia entidad o el valor registrado en los libros contables de la misma.”

En vista de lo anterior el presente contrato no requerirá certificado de disponibilidad presupuestal, ni registro presupuestal, por cuanto no se generan erogaciones por parte del Hospital Federico Lleras Acosta E.S.E. dado que se trata de la enajenación de bienes inservibles.

El adjudicatario deberá consignar en efectivo o cheque de gerencia a nombre del Hospital Federico Lleras Acosta E.S.E. en la cuenta de ahorros No. 220-550-07305-0 del Banco Popular denominada HOSPITAL FEDERICO LLERAS RECAUDO NACIONAL CARTERA, dentro de los tres (3) días siguientes a la publicación de la resolución de adjudicación del presente proceso el excedente del valor del bien adjudicado. El adjudicatario que no cancele el excedente del valor adjudicado, dentro del término establecido en el pliego de condiciones, renuncie o se retracte del negocio, perderá de pleno derecho el valor consignado que se entiende como garantía de seriedad del ofrecimiento.

D. PAGO DE ESTAMPILLAS:

Teniendo en cuenta la naturaleza del contrato a celebrar y que no se generan erogaciones en el presupuesto del Hospital Federico Lleras Acosta E.S.E., no se genera pago de estampillas.

Se entenderá que en el valor señalado como total de la oferta están incluidos los impuestos, costos y gastos de toda índole en que los proponentes puedan incurrir para la presentación de su oferta, legalización, ejecución y liquidación del(os) contrato(s) resultante(s) de este proceso de selección, que estarán a cargo del proponente o contratista según el caso.

E. PLAZO

El plazo de ejecución de contrato será hasta de treinta (30) días, contados a partir de la adjudicación, tiempo en el cual el adjudicatario de los bienes deberá pagar la suma correspondiente la valor final de venta y demás emolumentos a que haya lugar.

F. LUGAR

El lugar de ejecución del Contrato es EL HOSPITAL FEDERICO LLERAS ACOSTA DE IBAGUÉ-TOLIMA E.S.E, sede el Limonar.

V. Requisitos Habilitantes.

En el presente Proceso de Contratación pueden participar personas naturales o jurídicas, nacionales o extranjeras; consorcios, uniones temporales o promesas de sociedad futura, cuyo objeto social esté relacionado con el objeto del contrato a celebrarse. La duración de esta asociación debe ser por lo menos por la vigencia del Contrato y un (1) año más.

EL HOSPITAL FEDERICO LLERAS ACOSTA DE IBAGUÉ-TOLIMA E.S.E,, también revisará que los Proponentes no se encuentren en causales de inhabilidad, incompatibilidad o conflictos de interés para celebrar o ejecutar el contrato. Para ello, revisará el boletín de responsables fiscales, el certificado de antecedentes disciplinarios, el certificado de antecedentes judiciales y el RUP para verificar que no haya sanciones inscritas.

Las personas jurídicas extranjeras deben acreditar su existencia y representación legal con el documento idóneo expedido por la autoridad competente en el país de su domicilio no mayor a tres (3) meses desde la fecha de presentación de la Oferta, en el cual conste su existencia, fecha de constitución, objeto, duración, nombre representante legal, o nombre de la persona que tenga la capacidad de comprometerla jurídicamente, y sus facultades, señalando expresamente que el representante no tiene limitaciones para contraer obligaciones en nombre de la misma, o aportando la autorización o documento correspondiente del órgano directo que lo faculta.

DOCUMENTOS:

1.CARTA DE PRESENTACIÓN DE LA OFERTA (ANEXO 1): Los proponentes harán la presentación formal de su respectiva oferta mediante escrito, debidamente firmado, que contenga la manifestación expresa y clara de su voluntad y libre consentimiento de participar en este proceso de selección, que no se hallan incursos en ninguna de las causales de inhabilidad, incompatibilidad, o prohibiciones, para contratar la entidad, la cual se entenderá rendida bajo la gravedad del juramento; así mismo, la expresión sobre su conocimiento y aceptación de las condiciones y términos señalados por ésta Entidad para el presente proceso de selección. (ANEXO No. 1).

La carta de presentación de la propuesta debe presentarse firmada por el proponente o el representante legal para el caso de personas jurídicas o proponentes asociativos, utilizando el modelo Anexo No. 1 “CARTA DE PRESENTACIÓN DE LA PROPUESTA”. Dicho documento debe contener como mínimo, la identificación del proponente, número de teléfono, número de fax, dirección, correo electrónico y la manifestación sobre el conocimiento de las condiciones establecidas en los Pliegos de Condiciones y la aceptación de su contenido, los riesgos previsibles y la normatividad aplicable al mismo.

El ANEXO No.1, es un modelo que contiene todas las declaraciones que debe realizar el proponente. Por lo tanto, el proponente podrá transcribirlo u obtenerlo en medio magnético. En cualquier caso, la carta que presente el proponente, deberá incluir todas las manifestaciones requeridas por la entidad.

2.COMPROMISO ANTICORRUPCIÓN (ANEXO 2): El proponente deberá aportar con su propuesta, el Anexo (Compromiso anticorrupción), debidamente diligenciado.

En caso de consorcio o unión temporal esta declaración deberá ser, además, suscrita por cada uno de los integrantes que lo conforman.

Los Proponentes deben suscribir el compromiso anticorrupción contenido en el Anexo No. 2. en el cual manifiestan su apoyo irrestricto a los esfuerzos del Estado colombiano contra la corrupción. Si hay incumplimiento comprobado del compromiso anticorrupción por parte del Proponente, sus empleados, representantes, asesores o de cualquier otra persona que en el Proceso de Contratación actúe en su nombre, es causal suficiente para el rechazo de la Oferta o para proceder con la terminación anticipada del contrato si el incumplimiento ocurre con posterioridad a la Adjudicación de este, sin perjuicio de que tal incumplimiento tenga consecuencias adicionales.

3.CERTIFICADO DE EXISTENCIA Y REPRESENTACIÓN LEGAL DEL PROPONENTE

El proponente persona jurídica nacional deberá comprobar su existencia y representación legal, mediante certificado expedido por la Cámara de Comercio.

El Certificado de Existencia y Representación Legal expedido por la Cámara de Comercio, en el cual se constate la vigencia de la sociedad, la cual no podrá ser inferior al término de duración del contrato y un (1) año más; las facultades del representante legal y su objeto social.

Para el caso de Consorcios y Uniones Temporales, cada sociedad integrante de los mismos, deberá comprobar su existencia y representación, mediante certificado expedido por la Cámara de Comercio, el cual deberá contener la información y cumplir las mismas exigencias anteriormente citadas.

La fecha de expedición no podrá ser superior a noventa (90) días calendario anteriores a la estipulada como fecha límite para presentar propuestas. En caso de prórroga del plazo del cierre del presente proceso, el certificado tendrá validez con respecto a la primera fecha de cierre
Si se trata de una persona natural, mediante fotocopia del documento de identificación.

Adicionalmente, para el caso de los consorcios o uniones temporales deberá adjuntarse el documento de constitución del Consorcio o Unión Temporal, en el cual deberá indicarse al menos:

-Si la participación es a título de Consorcio o Unión Temporal y las reglas básicas que regulan las relaciones entre sus integrantes.

-El porcentaje de participación de cada uno de los integrantes del consorcio o Unión Temporal en el mismo.

-Si se trata de una Unión Temporal deberán indicarse, además, los términos y extensión de la participación de sus integrantes en la propuesta y en la ejecución del contrato; de lo contrario, la entidad contratante considerará que la propuesta fue presentada por un Consorcio.

-La duración del Consorcio o de la Unión Temporal, contada a partir de la fecha del proceso de contratación, no debe ser inferior al plazo de vigencia del contrato y un año más. Lo anterior, sin perjuicio de que con posterioridad, los integrantes del Consorcio o Unión Temporal estén llamados a responder por hechos u omisiones ocurridos durante la ejecución y liquidación del Contrato.

-La designación de la persona que tendrá la representación legal del consorcio o de la Unión Temporal, indicando expresamente sus datos.

•Si se trata de personas jurídicas extranjeras sin sucursal en Colombia, mediante documentos expedidos dentro de los tres meses anteriores al cierre del proceso de contratación, en los que se acredite que cuentan con un apoderado debidamente constituido, con domicilio en Colombia y ampliamente facultado para representarlas judicial o extrajudicialmente. Deberán mantener dicho apoderado, como mínimo, por el término de vigencia del contrato que se desprenda del Proceso de Selección y un año más. No tendrán la obligación de acreditar apoderado si, de conformidad con las normas legales vigentes, tienen obligación de constituir sucursal en Colombia para efectos de la ejecución del Contrato.

•Si se trata de sociedades extranjeras sin sucursal en Colombia de países parte de la "Convención sobre la abolición del requisito de legalización para documentos públicos extranjeros", se tendrán en cuenta las siguientes reglas:

-El documento público relacionado con sociedades extranjeras en el cual se certifique la existencia de la sociedad y el ejercicio de su objeto social, tendrá validez en Colombia con la sola Apostilla.

-Cuando el documento otorgado en el exterior deba ser autenticado, el interesado deberá velar porque la autoridad que autentica, certifique sobre la existencia de la sociedad y sobre la extensión del objeto social, documento éste que se deberá apostillar.

-En el evento en el cual, en un Estado Parte de la Convención, la autoridad ante quien se autentican los documentos no tenga la facultad de certificar sobre la existencia de la sociedad y sobre el ejercicio del objeto social de la misma, el interesado podrá solicitar dichas certificaciones ante la autoridad competente del lugar. Para que surtan efectos en Colombia, estas certificaciones deberán a su vez ser apostilladas por la autoridad del Estado donde emana el documento.

-Si no existiera una autoridad local que pueda expedir las certificaciones de existencia de la sociedad y del ejercicio del objeto social de acuerdo con las leyes del respectivo país, el interesado podrá acudir ante el Cónsul Colombiano quien podrá certificar que tuvo a la vista las pruebas de la existencia de la sociedad y del ejercicio de su objeto conforme a las leyes del respectivo país. En este caso, como la Convención no se aplica a los documentos ejecutados directamente por agentes diplomáticos o consulares, deberá seguir el trámite ordinario de legalización, o sea que el Ministerio de Relaciones Exteriores de Colombia abonará la firma del Cónsul.

-Cuando se trate de personas jurídicas extranjeras sin sucursal en Colombia, la acreditación de que se tiene apoderado será subsanable sí y sólo sí su representante legal ha suscrito la carta de presentación de la propuesta.

4.PROPUESTAS CONJUNTAS EN CONSORCIO O UNIÓN TEMPORAL

Cuando la propuesta sea presentada en consorcio o unión temporal, el proponente debe presentar el documento constitutivo del proponente asociativo siguiendo, según el caso, los modelos suministrados en el Anexo No. 3. El documento constitutivo de la unión temporal o consorcio no podrá ser anterior a treinta (30) días calendario de la fecha de cierre del proceso de selección y deberá cumplir con los siguientes requisitos:

- Los proponentes deberán indicar si su participación es a título de consorcio o de unión temporal, en el caso de la unión temporal señalando los términos y extensión de la participación en la propuesta y en su ejecución, los cuales no podrán ser modificados sin el consentimiento previo de la entidad.

- Se deberá designar un representante del consorcio o de la unión temporal, el cual no podrá ser

reemplazado sin la autorización expresa y escrita de cada uno de los integrantes que la conforman.

- La duración del Consorcio o de la Unión Temporal deberá cubrir el plazo de ejecución del contrato, su liquidación y un (1) año más.
- Ningún integrante del consorcio o de la unión temporal, podrá formar parte de otros proponentes que participen en el presente proceso de selección, ni formular propuesta independiente. En el caso de que el proceso sea por grupos, esta condición aplica para el grupo o grupos en los cuales se presente propuesta.

- Se deberá indicar el nombre del consorcio o unión temporal, el cual no podrá ser modificado dentro del proceso. En el evento que resultare adjudicatario, este será tenido en cuenta para la celebración del contrato y deberá corresponder con la identificación tributaria del proponente asociativo.

- Las autorizaciones que los órganos de dirección otorguen a los representantes legales de las sociedades integrantes de una propuesta conjunta deben cubrir como mínimo el presupuesto oficial. En el caso de que el proceso sea por grupos, dicha autorización debe cubrir el presupuesto del grupo o grupos en que se participe.

- Los integrantes del consorcio o unión temporal deberán cumplir, individualmente, con los requisitos establecidos como persona natural o jurídica según sea el caso.

5. AUTORIZACIÓN DEL REPRESENTANTE LEGAL Y/O APODERADO

Cuando el representante legal de la persona jurídica, se encuentre limitado para presentar propuesta o para contratar o comprometer a la sociedad, deberá anexar la AUTORIZACIÓN del órgano social correspondiente, que lo autorice para presentar la propuesta y suscribir el contrato en el caso que le sea adjudicado. Si el proponente actúa a través de un representante o apoderado, deberá acreditar mediante documento legalmente expedido, que su representante o apoderado está expresamente facultado para presentar la propuesta y firmar el contrato respectivo.

6. PAGO DE SEGURIDAD SOCIAL Y APORTES PARAFISCALES:

El proponente debe acreditar estar dentro de los seis (6) meses anteriores a la fecha de la diligencia de cierre del proceso y entrega de propuestas, a paz y salvo con el pago de las obligaciones asumidas por concepto de aportes parafiscales relativos al Sistema de Seguridad Social Integral, así como los propios del SENA, ICBF y Cajas de Compensación Familiar, cuando corresponda, para lo cual deberá aportar certificación suscrita por la persona natural, o por el revisor fiscal o representante legal de la persona jurídica, según sea el caso, de conformidad el modelo del ANEXO No. 4 y 4.1 , según sea el caso, del presente pliego de condiciones. Lo anterior, con el fin de dar cumplimiento a lo señalado por el artículo 50 de la Ley 789 de 2002 y las demás normas complementario y modificatorio.

En caso de ofertas conjuntas, cada uno de los integrantes del Consorcio, Unión Temporal debe allegar este documento.

De acuerdo a lo establecido en el Decreto Reglamentario No. 2286 de 2003, los proponentes que se encuentren excluidos del pago de aportes al régimen de subsidio familiar, SENA e ICBF, deberán acreditar dicha situación, a través de certificación suscrita bajo la gravedad de juramento, por el revisor fiscal o representante legal de la persona jurídica, o por la persona natural, según sea el caso.

La Entidad se reserva el derecho de verificar con las respectivas entidades la información que suministran los proponentes.

Cuando el proponente no allegue con su oferta la certificación de que trata este numeral o la misma requiera aclaraciones, la entidad las solicitará dentro de los términos previstos para solicitarlas.

NOTA 1: La entidad se reserva el derecho de verificar el cumplimiento de las obligaciones contempladas y derivadas de este numeral.

NOTA 2: Para la expedición del certificado exigido, el proponente deberá tener en cuenta lo establecido en el artículo 65 de la Ley 1819 de 2016.

NOTA 3: Cuando la certificación de pago de aportes allegada se encuentre suscrita por el revisor fiscal del proponente o de cada uno de los miembros del consorcio, de la unión temporal, deberá allegar el certificado de vigencia de inscripción y antecedentes disciplinarios, vigente, expedido por la Junta Central de Contadores, de la tarjeta profesional del contador público responsable de la suscripción de dicha certificación. Lo anterior permite garantizar la idoneidad y desempeño ético y profesional del (contador público) que suscribe dicha certificación y verificar por parte de la Entidad la vigencia de la Certificación de Inscripción y Antecedentes Disciplinarios del contador responsable de la suscripción de la certificación de aportes o si registra antecedentes disciplinarios que le impidan ejercer su profesión.

7.REGISTRO ÚNICO TRIBUTARIO - RUT. Certificado expedido por la Dirección de Impuestos y Aduanas Nacionales - DIAN, en donde conste el régimen tributario al que pertenece.

8. DILIGENCIAR FORMATO DE CONOCIMIENTO DEL CLIENTE: En el Anexo 7 y 8 se encuentra información sobre la forma como se debe diligenciar el formato, el cual debe ser diligenciado en letra imprenta y allegando los documentos que él requiere.

9. ORIGEN DE LOS RECURSOS – SARLAFT: De conformidad con lo señalado en la circular 009 de 2016 de la Superintendencia Nacional de Salud, el hospital emitió la Resolución 5835 del 16 de diciembre de 2016 por medio del cual se aprueba el diseño e implementación de las políticas y del manual de procedimientos del sistema de administración del riesgo de lavado de activos y financiación al terrorismo (SARLAFT).

10. CERTIFICADO DE ANTECEDENTES DISCIPLINARIOS. La entidad consultará y verificará, de la página Web de la Procuraduría General de la Nación, los antecedentes disciplinarios de quienes van a participar en el presente proceso de conformidad con lo establecido en la Ley 1238 de 2008. En todo caso el proponente podrá anexar a la propuesta dicho certificado actualizado.

11. CERTIFICADO DE RESPONSABILIDAD FISCAL. La entidad consultará y verificará si la persona natural, jurídica, o integrantes de consorcio, unión temporal, así como sus representantes legales se encuentran señalados en el último Boletín de responsables Fiscales de la Contraloría General de la República. En todo caso, el proponente podrá adjuntar dicha certificación a su propuesta

12. CERTIFICADO DE ANTECEDENTES JUDICIALES. La entidad consultará y verificará en la página Web de Policía Nacional de Colombia los antecedentes penales de la persona natural y el representante legal de la persona jurídica o de los integrantes del consorcio, unión temporal. En todo caso el proponente podrá anexar a la propuesta dicho certificado actualizado.

13. GARANTÍA DE SERIEDAD DE LA PROPUESTA. El proponente debe incluir en su propuesta una garantía de

seriedad, consistente en consignación a favor del HOSPITAL FEDERICO LLERAS ACOSTA E.S.E., del valor equivalente al 20% del precio mínimo de venta del bien inmueble ofrecido en venta, como requisito habilitante para participar en el proceso y que se imputará al precio, en caso de serle adjudicado el contrato de compraventa, consignación que deberá hacerse con cargo a una cuenta designada en el pliego de condiciones, a favor de la entidad hospitalaria, tal como lo establece el artículo 2.2.1.2.2.1.10 del Decreto 1082 de 2015.

Al oferente cuya propuesta no fuere seleccionada se le devolverá el valor consignado dentro del término establecido en el respectivo pliego de condiciones, sin que haya lugar al reconocimiento de intereses, rendimientos e indemnizaciones, ni el reconocimiento del impuesto a las transacciones financieras o cualquier otro gasto en que el proponente incurra debido a la consignación de dicha garantía y de la presentación de la propuesta.

Conforme lo contempla el artículo 2.2.1.2.2.1.10 del Decreto 1082 de 2015, una vez recibida la oferta, el oferente NO PODRÁ RETRACTARSE, y en caso de hacerlo o de incumplir las condiciones de pago, firma de documentos sujetos a registro, o cualquier otro asunto derivado del negocio jurídico, perderá de pleno derecho el valor consignado que se entiende como GARANTÍA DE SERIEDAD DEL OFRECIMIENTO, sin perjuicio de que la entidad reclame los perjuicios derivados del incumplimiento.

En consecuencia, no se exigirá garantía adicional a los oferentes o al comprador. El oferente que no resulte adjudicatario puede solicitar a la Entidad Estatal mantener el valor consignado para otro proceso de enajenación que adelante la Entidad Estatal, valor al cual puede adicionar recursos cuando sea necesario.

Recibo de consignación de la Garantía: El proponente deberá allegar copia del recibo de consignación del vente (20%) del precio mínimo de venta, entendido como garantía de seriedad de la propuesta, consignada en la cuenta definida por el Hospital Federico Lleras Acostas E.S.E.. y la cual deberá realizarse previa entrega de la propuesta, es decir, con anterioridad a la fecha de cierre y hora del proceso de selección.

Beneficiario de la Garantía: La consignación deberá hacerse a nombre del Hospital Federico Lleras Acosta E.S.E., con NIT 890.706.8339 en la cuenta de ahorros No. 220-550-07305-0 del banco Popular denominada HOSPITAL FEDERICO LLERAS ACOSTA RECAUDO NACIONAL CARTERA

La solicitud de devolución deberá realizarse a través de oficio, expedido por el representante legal debidamente facultado para ello, o a quien este delegue, debiendo aportar para tal fin el acto de delegación, deberá radicarse en la Gerencia del Hospital Federico Lleras Acosta E.S.E., en fecha posterior a la apertura de sobres, al cual se le deberá adjuntar la certificación bancaria, certificado de existencia y representación legal y la copia de la cédula.

14. DOCUMENTO DE IDENTIFICACIÓN DE LA PERSONA NATURAL O REPRESENTANTE LEGAL DEL PROPONENTE: Si el proponente es persona jurídica, deberá aportar junto con su propuesta fotocopia legible de la cédula de ciudadanía del representante legal o quien haga sus veces.

Si el proponente es consorcio, unión temporal, deberá aportar junto con su propuesta fotocopia legible de la cédula de ciudadanía de cada uno de los representantes legales de los integrantes de la figura asociativa y del representante legal del consorcio, unión temporal.

Si el proponente es persona natural deberá aportar junto con su propuesta fotocopia legible de la cédula de ciudadanía.

Las personas naturales extranjeras, deberán acreditar su existencia mediante la presentación de copia de su pasaporte, y si se encuentran residenciadas en Colombia, mediante la presentación de copia de la Cédula de Extranjería expedida por la autoridad colombiana competente.

NOTA: Las copias allegadas deben estar completamente legibles.

15. LIBRETA MILITAR: Los proponentes y cada uno de los integrantes de consorcios o uniones temporales varones menores de 50 años de nacionalidad colombiana, deberán presentar fotocopia de la Libreta Militar y del Representante Legal o certificado de expedición de la Dirección de Reclutamiento y Control Reservas.

16. SITUACIÓN EN EL SISTEMA REGISTRO NACIONAL DE MEDIDAS CORRECTIVAS -RNMC

En cumplimiento del artículo 183 de la Ley 1801 de 2016, la entidad consultará en el Sistema Registro Nacional de Medidas Correctivas -RNMC, el estado del proponente persona natural o representante legal de la persona jurídica, así como cada uno de los de los integrantes del proponente asociativo para verificar que no tengan multas pendientes, con morosidad superior a los seis
(6) meses. Sin embargo, y a efectos de la suscripción del contrato, el proponente adjudicatario (persona natural o representante legal, según sea el caso) deberá estar al día en el pago de las multas señaladas en la citada Ley y en los términos dispuestos en ésta.

17. DECLARACIÓN SOBRE INHABILIDADES O INCOMPATIBILIDADES: El proponente o el representante legal, para el caso de personas jurídicas, consorcio o unión temporal, deberá declarar bajo juramento, que no se encuentra ni personal ni corporativamente, ni la sociedad que representa, incursa en alguna de las causales de inhabilidad o incompatibilidad para contratar con el Hospital Federico Lleras Acosta , a que se refieren la Constitución Política, la Ley 80 de 1993, la ley 1150 de 2007, la Ley 1474 de 2011 y demás normas concordantes, tal declaración se entiende prestada con la suscripción del Anexo No. 1 “CARTA DE PRESENTACIÓN DE LA OFERTA”

REQUISITOS HABILITANTES TÉCNICOS.

LICENCIA AMBIENTAL PARA EL ALMACENAMIENTO DE RESIDUOS DE APARATOS ELÉCTRICOS Y ELECTRÓNICOS RAEE:

El proponente o contratista que vaya a adquirir estos inservibles debe garantizar la emisión de la certificación de destinación final basado en la licencia RAEE, por sí mismo o por intermedio de una empresa que cuente con dicha licencia.

VI. APERTURA Y REVISIÓN DE PROPUESTA ECONÓMICA

En el día y la hora señalada en el cronograma, el Hospital Federico Lleras Acosta E.S.E., procederá a la apertura y revisión de la propuesta económica de todos los proponentes que resulten habilitados para participar en el proceso de contratación.

El documento – Oferta en el cual se relaciona el lote o lotes con el fin de que el proponente consigne allí el precio ofertado, debiendo expresarse en pesos colombianos.

El documento – Oferta, no podrá contener ni enmiendas, ni tachadura, so pena de rechazo.

En la revisión económica de la propuesta, el HOSPITAL FEDERICO LLERAS ACOSTA DE IBAGUÉ-TOLIMA E.S.E podrá realizar las correcciones aritméticas a las que haya lugar en los términos del artículo 11 del Decreto-Ley 019 de 2012, entendiendo por esto la corrección de una operación matemática por error de cálculo numérico en que se incurre al elaborar la oferta económica. Adicionalmente, el HOSPITAL FEDERICO LLERAS ACOSTA DE IBAGUÉ-TOLIMA E.S.E podrá solicitar a los proponentes las aclaraciones y explicaciones que se estimen pertinentes.

El **HOSPITAL FEDERICO LLERAS ACOSTA DE IBAGUÉ-TOLIMA E.S.E** debe evaluar las Ofertas de los Proponentes que hayan acreditado los requisitos habilitantes establecidos en el aviso de convocatoria de venta directa en sobre cerrado.

Los Ofertas deben presentarse en los Anexos 1 a 8 establecidos en los Términos de condiciones como el formato para presentación de la Oferta.

INTERVENTORÍA Y/O SUPERVISIÓN

LA EMPRESA SOCIAL DEL ESTADO HOSPITAL FEDERICO LLERAS ACOSTA DE IBAGUÉ-TOLIMA ejercerá el control y la vigilancia de la ejecución de los servicios a través de profesional universitario de administración de inventarios y almacén de Hospital o quien haga sus veces.

El supervisor debe ejercer un control integral o técnico, para lo cual, podrá en cualquier momento, exigir al contratista la información que considere necesaria, así como la adopción de medidas para mantener, durante el desarrollo y ejecución

La supervisión consiste en el seguimiento técnico, administrativo, contable y jurídico sobre el cumplimiento del objeto del contrato.

El Contratista debe acatar las órdenes que le imparta por escrito, y con copia a la Entidad, el supervisor. No obstante, si el Contratista no está de acuerdo con las mismas debe manifestarlo por escrito al supervisor, con copia al representante legal, antes de proceder a ejecutar las órdenes. En caso contrario, responderá solidariamente con el supervisor si del cumplimiento de dichas órdenes se derivan perjuicios para **el Hospital**.

Si el Contratista rehúsa o descuida cumplir cualquier orden escrita del supervisor, éste le notificará por escrito sobre el incumplimiento de dicha orden, señalando específicamente las omisiones o infracciones y exigiendo su cumplimiento. Si esta notificación no surte ningún efecto dentro de un plazo de dos días hábiles, el supervisor comunicará dicha situación al gerente o quien haga sus veces para que este tome las medidas que considere necesarias.

El supervisor debe documentar las causas o motivos del incumplimiento que llegue a presentarse, como es el caso de atención de emergencias, entre otros, incumpliendo así el desarrollo normal de las actividades programadas.

ENUMERACIÓN Y BREVE DESCRIPCIÓN DE LAS CONDICIONES PARA PARTICIPAR EN EL PRESENTE PROCESO DE CONTRATACIÓN:

1. En el presente proceso de selección podrán participar las personas naturales y jurídicas, nacionales y extranjeras, los consorcios y uniones temporales, promesas de sociedad futura, y demás formas asociativas legalmente constituidas, cuyo objeto social cubra las actividades necesarias para cumplir con el objeto del presente proceso de selección, que no estén reportados en el Boletín de Responsables Fiscales de la Contraloría General de la República y no estén incursos en las prohibiciones, inhabilidades e incompatibilidades consagradas en el ordenamiento legal Colombiano.

2. Los proponentes indicarán **si** su participación es a título de consorcio o unión temporal, y en el último caso señalarán los términos y la extensión de su participación en la presentación de la propuesta y en la ejecución del contrato, esto es, indicando cuales de las obligaciones contractuales habrán de ejecutar, e indicando el porcentaje de participación en el mismo, de conformidad con lo dispuesto en el parágrafo 1º del artículo 7 de la Ley 80 de 1993, los cuales no podrán ser modificados sin el consentimiento previo del Hospital Federico Lleras Acosta E.S.E.

3. Los oferentes interesados deben incluir en su propuesta, la garantía de seriedad, consistente en la consignación nombre del Hospital Federico Lleras Acosta E.S.E., del 20% del valor del precio mínimo de venta.

4. Los oferentes interesados en el presente proceso deben dar cumplimiento a los requerimientos de orden legal, financiero y técnico consagrados en los estudios previos y pliego de condiciones.

VI. CRONOGRAMA

El siguiente es el Cronograma del Proceso de Contratación.

ACTIVIDAD	FECHA
AVISO DE CONVOCATORIA, PUBLICACIÓN DE ESTUDIOS, DOCUMENTOS PREVIOS Y AVALÚO DE LOS BIENES MUEBLES OBJETO DE LA ENAJENACIÓN.	2 de octubre de 2023
APERTURA CONVOCATORIA PÁGINA WEB http://www.hflleras.gov.co/	2 de octubre de 2023
VISITA TÉCNICA A LOTE DE MAQUINARIA Y EQUIPO A ENAJENAR (opcional)	3 de octubre de 2023
PLAZO PARA PUBLICACIÓN DE ADENDAS	4 de octubre de 2023
RECEPCIÓN DE PROPUESTAS	4 de octubre de 2023 las 8:00 a.m.
CIERRE, FECHA FINAL DE RECEPCIÓN DE PROPUESTAS	4 de octubre de 2023 16:00
APERTURA Y EVALUACIÓN DE PROPUESTAS.	4 de octubre de 2023 a las 16:10 horas
NOTIFICACIÓN EVALUACIÓN DE PROPUESTAS	4 de octubre de 2023 a las 17:30 horas
ELABORACIÓN, NOTIFICACIÓN Y PUBLICACIÓN DE LA RESOLUCIÓN DE ADJUDICACIÓN, SUSCRIPCIÓN DEL CONTRATO	5 de octubre de 2023
FORMA DE PAGO	De acuerdo con el numeral IV literal c del aviso de convocatoria
SOLICITUDES DEVOLUCIÓN DE GARANTÍA CONSIGNADA	A partir del 6 de octubre de 2023